

INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY
CHEMISTRY AND HUMAN HEALTH DIVISION
CLINICAL CHEMISTRY SECTION
COMMISSION ON NOMENCLATURE, PROPERTIES, AND UNITS (C-NPU)[#]

and

INTERNATIONAL FEDERATION OF CLINICAL CHEMISTRY
AND LABORATORY MEDICINE
SCIENTIFIC DIVISION
COMMITTEE ON NOMENCLATURE, PROPERTIES, AND UNITS (C-NPU)[§]

Endorsed by The American Academy of Allergy, Asthma, and Immunology

PROPERTIES AND UNITS IN THE CLINICAL LABORATORY SCIENCES PART XVI. PROPERTIES AND UNITS IN CLINICAL ALLERGOLOGY

(Technical Report)

(IUPAC–IFCC 1999)

Prepared for publication by
IVAN BRUUNSHUUS¹, LARS K. POULSEN², AND HENRIK OLESEN¹

¹*Office of Laboratory Informatics, Copenhagen University Hospital (Rigshospitalet), Copenhagen, Denmark;* ²*Laboratory of Medical Allergology, TA 7542, Copenhagen University Hospital (Rigshospitalet), Copenhagen, Denmark.*

[#]The combined Memberships of the Commission and the Committee during the preparation of this report (1992 to 1996) were as follows:

Chairman: X. Fuentes-Arderiu (Spain, 1998–1999); D. Kenny (Ireland, 1996–1997); H. Olesen (Denmark, 1989–1995). **Members:** X. Fuentes-Arderiu (Spain, 1991–1997); J. G. Hill (Canada, 1987–1997); D. Kenny (Ireland, 1994–1997); H. Olesen (Denmark, 1985–1995); P. L. Storring (UK, 1989–1995); P. Soares de Araujo (Brazil, 1994–1997); René Dybkær (Denmark, 1996–1997); Clem McDonald (USA, 1996–1997).

Please forward comments to:

I. Bruunshuus, Office of Laboratory Informatics 76-6-1, Copenhagen University Hospital, Blegdamsvej 9, DK-2100 Copenhagen, Denmark. E-mail: brunshus@rh.dk

Republication or reproduction of this report or its storage and/or dissemination by electronic means is permitted without the need for formal IUPAC permission on condition that an acknowledgment, with full reference to the source, along with use of the copyright symbol ©, the name IUPAC, and the year of publication, are prominently visible. Publication of a translation into another language is subject to the additional condition of prior approval from the relevant IUPAC National Adhering Organization.

Properties and units in the clinical laboratory sciences

Part XVI. Properties and units in clinical allergology (Technical Report)

Abstract: The subject field of clinical allergology deals with many hundreds of different allergens from all parts of the human environment, and the number steadily increases. Not all of the allergens are strictly defined in chemical terms, and procedures for detection of antibodies against allergens in humans vary.

This document deals with the presentation of request and report on such properties according to some international rules and the allocation of code values representing the concept delineated.

The coding scheme thus prepared is imperfect and needs further elaboration as allergens become more well defined. It is a step toward harmonization, in particular as concerns the coding system applied.

The net outcome is a coding scheme for use in electronic transmission.

PREFACE

The present document is part sixteen (XVI) of a series on properties observed in the clinical laboratory sciences initiated in 1987.

The series will comprise the five general parts (I–IV and XI) and a series of special parts:

- I. Syntax and semantic rules [1]
- II. Kinds-of-property [2]
- III. Elements (of properties) and their code values
- IV. Properties and their code values
- V. Properties and units in thrombosis and haemostasis
- VI. Properties and units in IOC-prohibited drugs
- VII. Properties and units in inborn errors of metabolism
- VIII. Properties and units in clinical microbiology
- IX. Properties and units in trace elements
- X. Properties and units in general clinical chemistry
- XI. Coding systems: structure and guidelines [3]
- XII. Properties and units in clinical pharmacology and toxicology
- XIII. Properties and units in reproduction and fertility
- XVI. *Properties and units in clinical allergology (this report)*

The NCCLS code values are reproduced with permission from NCCLS publication I/LA20-P [4].

FOREWORD AND SCOPE

Basic research in biology and medicine and innovations in laboratory methodology have greatly increased the range of properties available to medical practitioners to help them in decisions on diagnosis, treatment, and prevention of disease.

The plethora is now such that the individual doctor has insight in or understanding of only a limited number of properties offered to him or her from the various clinical laboratory specialties.

In the laboratory, local terms (jargon) may be well understood among colleagues, but they are not appropriate for communication with the outside world. Likewise, a laboratory and its local community of users, such as hospital or community physicians, may use a “local dialect” of the language of clinical laboratory sciences which is well understood by all concerned, but when the communication possibilities are wider, even transnational, risks of serious misunderstanding arise.

In addition, the terminology used by one laboratory specialty may vary even within the specialty, and may be incomprehensible to another specialty. This inconsistency is a minor inconvenience to the laboratory specialties, each one essentially operating within its own area of activity. However, for the user this inconsistency is highly unsatisfactory and may hinder treatment of the patient.

It is therefore essential to promote clear, unambiguous, meaningful, and fully informative communication. Also, coherence of statements made within and between medical specialties, and uniformity in structure of presentation is to be strived for. This coherence will facilitate transfer of information over cultural, alphabetic, and language areas.

The purpose of this document is to apply the syntax structures for request and report recommended by the European standards ENV 1614:1995 [6] and ENV 12435:1996 [7] and by IUPAC–IFCC [1,5], providing formats and names of properties observed in the domain of clinical allergology, in order to facilitate unequivocal written or electronic communication between health care professionals.

The systematic names recommended here are primarily for the purpose of unambiguous data exchange. Their use in routine language by clinicians or laboratory practitioners is optional but encouraged.

SPECIAL FEATURES

The term “arbitrary”, in principle, cannot be related to a volume. In clinical chemistry, however, a less well-defined “inhouse” or regional calibrator is often referred to and is expressed in “arbitrary unit per liter” in order to enable comparison of patient data over time and regionally. In each of these instances further information should be given in the parenthesis “procedure”. This information could be on the calibrator used, e.g., “BCR/CRM148/149R”, or it could refer to the in-laboratory document “procedure xx” that is available on request (point 2.2.1 below).

In the examples given, a question mark, “?”, has been used to represent the value of a result for properties including quantities.

1. *Names of component.* Both in histamine release and for antibodies, part of the name is from food, dust, poison, or other parts of the human environment. For identification of these complex materials, the NCCLS code values have been added as a specification after the kind-of-property.

EXAMPLE 1

Basophilocytes(Blood)—

***Candida albicans* induced HR;**

arbitrary concentration(NCCLS/m5; procedure)

[NPU08867]

Basocs.(B)—*Candida albicans* induced HR; arb.c.(NCCLS/m5; 0 1 2 3) = ?

The NCCLS code values are also used for classification into lists for ease of assembling panels by the individual clinical laboratory.

2. *Kinds-of-property*. These comprise:

2.1 arbitrary concentration denoting an ordinal scale of the type 0 1 2; 0 1 2 3 4 5, etc.

EXAMPLE 2

Plasma—

*Candida albicans antibody(Immunoglobulin E);
arbitrary concentration (NCCLS/m5; procedure)*

[NPU11311]

P—*Candida albicans antibody(IgE); arb.c.(NCCLS/m5; 0 1) = ?*

2.2 arbitrary substance concentration, that is a ratio scale of the dimension $L^{-3}N$, where the unit is not traceable to SI.

2.2.1 When the calibrator used is produced locally, arbitrary unit/liter applies.

EXAMPLE 3

Plasma—

*Candida albicans antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/m5; procedure)
arbitrary unit/liter*

[NPU13064]

P—*Candida albicans antibody(IgE); arb.subst.c.(NCCLS/m5) = ? \times 10^3 arb.unit/l*

2.2.2 When the calibrator is traceable to a WHO international reference material, international unit/liter applies.

EXAMPLE 4

Plasma—

*Candida albicans antibody(Immunoglobulin E);
arbitrary substance concentration(WHO75/502; NCCLS/m5; procedure)
10^3 international unit/liter*

[NPU10865]

P—*Candida albicans antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m5) = ? \times 10^3 int.unit/l*

3. Specification after kind-of-property

These may indicate the WHO international reference preparation (IRP) used for calibration, inform on the NCCLS identifier for the component, inform on the procedure used in that particular laboratory (“procedure 65” or “firm xx”), or indicate that a list of properties follows.

EXAMPLE 5

[NPU13456] P—**Dust mite allergen antibody(IgE); arb.c.(list; NCCLS/d; proc.)**

[NPU11248] P—*Acarus siro antibody(IgE); arb.c.(NCCLS/d70; proc.) = ?*

[NPU11325] P—*Dermatophagooides farinae antibody(IgE); arb.c.(NCCLS/d2; proc.) = ?*

[NPU11326] P—*Dermatophagooides microceras antibody(IgE); arb.c.(NCCLS/d3; proc.) = ?*

[NPU11327] P—*Dermatophagooides pteronyssinus antibody(IgE); arb.c.(NCCLS/d1; proc.) = ?*

[NPU11353] P—*Euroglyphus maynei antibody(IgE); arb.c.(NCCLS/d74; proc.) = ?*

[NPU11373] P—*Glycyphagus domesticus antibody(IgE); arb.c.(NCCLS/d73; proc.) = ?*

[NPU11497] P—*Lepidoglyphus destructor antibody(IgE); arb.c.(NCCLS/d71; proc.) = ?*

[NPU11669] P—*Tyrophagus putrescentiae antibody(IgE); arb.c.(NCCLS/d72; proc.) = ?*

EXAMPLE 6

- [NPU13457] P—Dust mite allergen antibody(IgE); arb.subst.c.(list; NCCLS/d; proc.)
- [NPU13001] P—*Acarus siro* antibody(IgE); arb.subst.c.(NCCLS/d70; proc.) = ? $\times 10^3$
arb.unit/l
- [NPU13078] P—*Dermatophagoides farinae* antibody(IgE); arb.subst.c.(NCCLS/d2; proc.) = ?
 $\times 10^3$ arb.unit/l
- [NPU13079] P—*Dermatophagoides microceras* antibody(IgE); arb.subst.c.(NCCLS/d3; proc.)
= ? $\times 10^3$ arb.unit/l
- [NPU13080] P—*Dermatophagoides pteronyssinus* antibody(IgE); arb.subst.c.(NCCLS/d1;
proc.) = ? $\times 10^3$ arb.unit/l
- [NPU13106] P—*Euroglyphus maynei* antibody(IgE); arb.subst.c.(NCCLS/d74; proc.) = ? $\times 10^3$
arb.unit/l
- [NPU13126] P—*Glycyphagus domesticus* antibody(IgE); arb.subst.c.(NCCLS/d73; proc.) = ? $\times 10^3$
arb.unit/l
- [NPU13250] P—*Lepidoglyphus destructor* antibody(IgE); arb.subst.c.(NCCLS/d71; proc.) = ?
 $\times 10^3$ arb.unit/l
- [NPU13422] P—*Tyrophagus putrescentiae* antibody(IgE); arb.subst.c.(NCCLS/d72; proc.) = ?
 $\times 10^3$ arb.unit/l

EXAMPLE 7

- [NPU13458] P—Dust mite allergen antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/
d; proc.)
- [NPU10802] P—*Acarus siro* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d70; proc.) = ? $\times 10^3$
int.unit/l
- [NPU10879] P—*Dermatophagoides farinae* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/
d2; proc.) = ? $\times 10^3$ int.unit/l
- [NPU10880] P—*Dermatophagoides microceras* antibody(IgE); arb.subst.c.(IRP 75/502;
NCCLS/d3; proc.) = ? $\times 10^3$ int.unit/l
- [NPU10881] P—*Dermatophagoides pteronyssinus* antibody(IgE); arb.subst.c.(IRP 75/502;
NCCLS/d1; proc.) = ? $\times 10^3$ int.unit/l
- [NPU10907] P—*Euroglyphus maynei* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d74;
proc.) = ? $\times 10^3$ int.unit/l
- [NPU10927] P—*Glycyphagus domesticus* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/
d73; proc.) = ? $\times 10^3$ int.unit/l
- [NPU11051] P—*Lepidoglyphus destructor* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/
d71; proc.) = ? $\times 10^3$ int.unit/l
- [NPU11223] P—*Tyrophagus putrescentiae* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/
d72; proc.) = ? $\times 10^3$ int.unit/l

4. General approach

The NCCLS coding scheme comprises 361 allergens. The approach, in a particular allergy case, is to request a property that concerns a mixture of allergens at first and then, if the outcome is affirmative, to request the properties included in the mixture, individually.

EXAMPLE 8

Initially:

NPU14814 P—Occupational allergen antibody(IgE); arb.c.(NCCLS/(m3; m6; g15; g12); 0 1) = 1

Then:

NPU11259 P—*Alternaria alternata* antibody(IgE); arb.c.(NCCLS/m6; 0 1) = 0

NPU11277 P—*Aspergillus fumigatus* antibody(IgE); arb.c.(NCCLS/m3; 0 1) = 1

NPU11423 P—Wheat grass antibody(IgE); arb.c.(NCCLS/g15; 0 1) = 0

NPU09341 P—Rye antibody(IgE); arb.c.(NCCLS/g12; 0 1) = 0

Or:

NPU13012 P—*Alternaria alternata* antibody(IgE); arb.subst.c.(NCCLS/m6; Firm A) = 0×10^3 arb.unit/l

NPU13030 P—*Aspergillus fumigatus* antibody(IgE); arb.subst.c.(NCCLS/m3; Firm A) = 200×10^3 arb.unit/l

NPU13176 P—Wheat grass antibody(IgE); arb.subst.c.(NCCLS/g15; Firm A) = 0×10^3 arb.unit/l

NPU09343 P—Rye antibody(IgE); arb.subst.c.(NCCLS/g12; Firm A) = 0×10^3 arb.unit/l

Or:

NPU10813 P—*Alternaria alternata* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m6; Firm B) = 0×10^3 int.unit/l

NPU10831 P—*Aspergillus fumigatus* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m3; Firm B) = 300×10^3 int.unit/l

NPU10977 P—Wheat grass antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/g15; Firm B) = 0×10^3 int.unit/l

NPU09342 P—Rye antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/g12; Firm B) = 0×10^3 int.unit/l

*For completion
some of:*

NPU13471 P—**Fungus-antistof(IgE); arb.k.(liste; NCCLS/m; proc.)**

NPU11259 P—*Alternaria alternata* antibody(IgE); arb.c.(NCCLS/m6; proc.) = ?

NPU11260 P—*Alternaria tenuis* antibody(IgE); arb.c.(NCCLS/m6; proc.) = ?

NPU11277 P—*Aspergillus fumigatus* antibody(IgE); arb.c.(NCCLS/m3; proc.) = ?

NPU11279 P—*Aureobasidium pullulans* antibody(IgE); arb.c.(NCCLS/m12; proc.) = ?

NPU11299 P—*Botrytis cinerea* antibody(IgE); arb.c.(NCCLS/m7; proc.) = ?

NPU11311 P—*Candida albicans* antibody(IgE); arb.c.(NCCLS/m5; proc.) = ?

NPU11314 P—*Cephalosporium acremonium* antibody(IgE); arb.c.(NCCLS/m202; proc.) = ?

NPU11322 P—*Cladosporium herbarum* antibody(IgE); arb.c.(NCCLS/m2; proc.) = ?

NPU11323 P—*Curvularia lunata* antibody(IgE); arb.c.(NCCLS/m16; proc.) = ?

NPU11348 P—*Epicoccum purpurascens* antibody(IgE); arb.c.(NCCLS/m14; proc.) = ?

NPU11362 P—*Fusarium moniliforme* antibody(IgE); arb.c.(NCCLS/m9; proc.) = ?

NPU11399 P—*Helminthosporium halodes* antibody(IgE); arb.c.(NCCLS/m8; proc.) = ?

NPU11525 P—*Mucor racemosus* antibody(IgE); arb.c.(NCCLS/m4; proc.) = ?

NPU13484 P—*Penicillium expansum* antibody(IgE); arb.c.(NCCLS/m28; proc.) = ?

NPU11570 P—*Penicillium notatum* antibody(IgE); arb.c.(NCCLS/m1; proc.) = ?

NPU11572 P—*Penicillium roqueforti* antibody(IgE); arb.c.(NCCLS/m30; proc.) = ?

NPU11575	P— <i>Phoma betae</i> antibody(IgE); arb.c.(NCCLS/m13; proc.) = ?
NPU11581	P— <i>Pityrosporum orbiculare</i> antibody(IgE); arb.c.(NCCLS/m70; proc.) = ?
NPU11582	P— <i>Pityrosporum ovale</i> antibody(IgE); arb.c.(NCCLS/m40; proc.) = ?
NPU11599	P— <i>Rhizopus nigricans</i> antibody(IgE); arb.c.(NCCLS/m11; proc.) = ?
NPU11600	P— <i>Rhodotorula rubra</i> antibody(IgE); arb.c.(NCCLS/m35; proc.) = ?
NPU11642	P— <i>Stemphylium botryosum</i> antibody(IgE); arb.c.(NCCLS/m10; proc.) = ?
NPU11663	P— <i>Trichoderma viride</i> antibody(IgE); arb.c.(NCCLS/m15; proc.) = ?
NPU11664	P— <i>Trichosporon pullulans</i> antibody(IgE); arb.c.(NCCLS/m203; proc.) = ?
NPU11665	P— <i>Trichophyton rubrum</i> antibody(IgE); arb.c.(NCCLS/m205; proc.) = ?
NPU11670	P— <i>Ulocladium chartarum</i> antibody(IgE); arb.c.(NCCLS/m204; proc.) = ?
NPU11677	P— <i>Ustilago nuda/tritici</i> antibody(IgE); arb.c.(NCCLS/m201; proc.) = ?

ELEMENTS OF AN ENTRY

The terms recommended are given in bold; that is, the term for the type property, the unit, and the code value.

- 1 Name of system and parenthetic specification spelled out in full, and followed by a long dash (em dash).**
- 2 Alphanumeric chemical prefixes to component name.**
- 3 Recommended name of component and parenthetic specification. Shifted to the left for alphabetical sorting and searching, and followed by a semicolon.**
- 4 Kind-of-property and parenthetic specification.**
- 5 Unit.**
- Other term(s).
- Note(s) with any further information.
- [NPUXXXXX]**
Coding scheme identifier and code value, intended for interlaboratory transmission between databases.
- Example in abbreviated form.

REFERENCES

- IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Quantities and Units (in Clinical Chemistry). Properties and units in the clinical laboratory sciences. I. Syntax and semantic rules. Recommendations 1995. Prepared for publication by H. Olesen. *Pure Appl. Chem.* **67**, 1563–74 (1995); *Eur. J. Clin. Chem. Clin. Biochem.* **33**, 627–36 (1995); *Clin. Chim. Acta* **245**, S5–S21 (1996).
- IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Nomenclature, Properties, and Units. Properties and units in the clinical laboratory sciences. II. Kinds-of-property. Recommendations 1996. Prepared for publication by D. Kenny and H. Olesen. *Eur. J. Clin. Chem. Clin. Biochem.* **35**, 317–44 (1997).

3. IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Nomenclature, Properties and Units. Properties and units in the clinical laboratory sciences. XI. Coding systems - structure and guidelines. Technical report 1997. Prepared for publication by H. Olesen, D. Kenny, R. Dybkær, I. Ibsen, I. Bruunshuus, X. Fuentes-Arderiu, G. Hill, P. Soares de Araujo, C. McDonald. *Pure Appl. Chem.* **35**, 317–44 (1997).
4. NCCLS. Evaluation Methods and Performance Characteristics of Immunological Assays for Human Immunoglobulin E (IgE) Antibodies of Defined Allergen Specificities; Proposed Guideline. NCCLS document I/LA20-P (ISBN 1-56238-304-3), NCCLS, 940 West Valley Road, Suite 1400, Wayne, Pennsylvania 19087 (1996).
5. IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Quantities and Units (in Clinical Chemistry), 1995. Compendium of terminology and nomenclature of properties in clinical laboratory sciences. Recommendations 1995. Prepared for publication by J. C. Rigg, S. S. Brown, R. Dybkaer, H. Olesen. Oxford: Blackwell Science, 290 pp.
6. CEN/TC 251, 1995. European standard ENV 1614:1995. Medical informatics. Structure for nomenclature, classification, and coding of properties in clinical laboratory sciences.
7. CEN/TC 251, 1996. European standard ENV 12435:1996. Medical informatics. Expression of the results of measurement in health sciences.

INDEX OF ABBREVIATIONS

IFCC	International Federation of Clinical Chemistry
IRP	International Reference Preparation
IUPAC	International Union of Pure and Applied Chemistry
NCCLS	National Committee for Clinical Laboratory Standards
SI	International System of Units
WHO	World Health Organization

LIST OF PROPERTIES IN CLINICAL ALLERGOLOGY

Plasma—	NPU11249
Acacia antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t19; procedure)	P—Acetylsalislyc acid antibody(IgE); arb.c.(NCCLS/c217; proc.) = ?
Note: NCCLS/t19; Acacia longifolia	
NPU11253	Plasma—
P—Acacia antibody(IgE); arb.c.(NCCLS/t19; proc.) = ?	Acetylsalislyc acid antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/c217; procedure)
	10³ international unit/liter
	Note: NCCLS/c217; Acetylsalicylic acid
NPU10803	NPU10803
P—Acacia antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t19; proc.) = ? × 10 ³ int.unit/l	P—Acetylsalislyc acid antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c217; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Acacia antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t19; procedure)	Acetylsalislyc acid antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c217; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/t19; Acacia longifolia	Note: NCCLS/c217; Acetylsalicylic acid
NPU13006	NPU13002
P—Acacia antibody(IgE); arb.subst.c.(NCCLS/t19; proc.) = ? × 10 ³ arb.unit/l	P—Acetylsalislyc acid antibody(IgE); arb.subst.c.(NCCLS/c217; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Acarus siro antibody(Immunoglobulin E); arbitrary concentration(NCCLS/d70; procedure)	Alcuronium antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c?; procedure)
Note: NCCLS/d70; Acarus Siro	Note: NCCLS/c?; Alcuronium
NPU11248	NPU11254
P—Acarus siro antibody(IgE); arb.c.(NCCLS/d70; proc.) = ?	P—Alcuronium antibody(IgE); arb.c.(NCCLS/c?; proc.) = ?
Plasma—	Plasma—
Acarus siro antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/d70; procedure)	Alcuronium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/c?; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/d70; Acarus Siro	Note: NCCLS/c?; Alcuronium
NPU10802	NPU10808
P—Acarus siro antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d70; proc.) = ? × 10 ³ int.unit/l	P—Alcuronium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c?; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Acarus siro antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/d70; procedure)	Alcuronium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c?; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/d70; Acarus Siro	Note: NCCLS/c?; Alcuronium
NPU13001	NPU13007
P—Acarus siro antibody(IgE); arb.subst.c.(NCCLS/d70; proc.) = ? × 10 ³ arb.unit/l	P—Alcuronium antibody(IgE); arb.subst.c.(NCCLS/c?; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Acetylsalislyc acid antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c217; procedure)	Alder, grey antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t2; procedure)
Note: NCCLS/c217; Acetylsalicylic acid	Note: NCCLS/t2; Alnus incana
NPU11340	NPU11340
P—Alder, grey antibody(IgE); arb.c.(NCCLS/t2; proc.) = ?	P—Alder, grey antibody(IgE); arb.c.(NCCLS/t2; proc.) = ?

Plasma—

**Alder, grey antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/t2; procedure)**
10³ international unit/liter
Note: NCCLS/t2; Alnus incana
NPU10894
P—Alder, grey antibody(IgE); arb.subst.c.(IRP 75/
502; NCCLS/t2; proc.) = ? × 10³ int.unit/l

Plasma—

**Alder, grey antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/t2;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/t2; Alnus incana
NPU13093
P—Alder, grey antibody(IgE); arb.subst.c.(NCCLS/
t2; proc.) = ? × 10³ arb.unit/l

Plasma—

**Alder, red antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/t217; procedure)**
Note: NCCLS/t217; Alnus rubra
NPU11342
P—Alder, red antibody(IgE); arb.c.(NCCLS/t217;
proc.) = ?

Plasma—

**Alder, red antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/t217; procedure)**
10³ international unit/liter
Note: NCCLS/t217; Alnus rubra
NPU10896
P—Alder, red antibody(IgE); arb.subst.c.(IRP 75/
502; NCCLS/t217; proc.) = ? × 10³ int.unit/l

Plasma—

**Alder, red antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/t217;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/t217; Alnus rubra
NPU13095
P—Alder, red antibody(IgE); arb.subst.c.(NCCLS/
t217; proc.) = ? × 10³ arb.unit/l

Plasma—

**Allergen multiple simultan test(Immunoglobulin E);
arbitrary concentration(procedure)**
NPU11072
P—Allergen multiple simultan test(IgE); arb.c.(proc.)
= ?

Plasma—

**Allergen multiple simultan test(Immunoglobulin E);
taxon(procedure)**
NPU11518
P—Allergen multiple simultan test(IgE); taxon(proc.)
= ?

Plasma—

**Allergen precipitating antibody;
arbitrary concentration(procedure)**

NPU01147

P—Allergen precipitating antibody; arb.c.(proc.) = ?

Plasma—

**Almond antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f20; procedure)**

Note: NCCLS/f20; Amygdalus communis

NPU11512

P—Almond antibody(IgE); arb.c.(NCCLS/f20; proc.)
= ?

Plasma—

**Almond antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f20; procedure)**

10³ international unit/liter

Note: NCCLS/f20; Amygdalus communis

NPU11066

P—Almond antibody(IgE); arb.subst.c.(IRP 75/502;
NCCLS/f20; proc.) = ? × 10³ int.unit/l

Plasma—

**Almond antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f20;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f20; Amygdalus communis

NPU13265

P—Almond antibody(IgE); arb.subst.c.(NCCLS/f20;
proc.) = ? × 10³ arb.unit/l

Plasma—

**Alternaria alternata antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/m6; procedure)**

Note: NCCLS/m6; Alternaria alternata

NPU11259

P—Alternaria alternata antibody(IgE);
arb.c.(NCCLS/m6; proc.) = ?

Plasma—

**Alternaria alternata antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/m6; procedure)**

10³ international unit/liter

Note: NCCLS/m6; Alternaria alternata

NPU10813

P—Alternaria alternata antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/m6; proc.) = ? ×
10³ int.unit/l

Plasma—

**Alternaria alternata antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/m6;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/m6; Alternaria alternata

NPU13012

P—Alternaria alternata antibody(IgE);
arb.subst.c.(NCCLS/m6; proc.) = ? × 10³ arb.unit/l

Plasma—

**Alternaria tenuis antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/m6; procedure)**

Note: NCCLS/m6; Alternaria tenuis

NPU11260

P—*Alternaria tenuis* antibody(IgE); arb.c.(NCCLS/m6; proc.) = ?

Plasma—

***Alternaria tenuis* antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m6; procedure)**

10³ international unit/liter

Note: NCCLS/m6; *Alternaria tenuis*

NPU10814

P—*Alternaria tenuis* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m6; proc.) = ? × 10³ int.unit/l

Plasma—

***Alternaria tenuis* antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m6; procedure)**

10³ arbitrary unit/liter

Note: NCCLS/m6; *Alternaria tenuis*

NPU13013

P—*Alternaria tenuis* antibody(IgE); arb.subst.c.(NCCLS/m6; proc.) = ? × 10³ arb.unit/l

Plasma—

Amoxicillin antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c6; procedure)

Note: NCCLS/c6; Amoxicillin

NPU11261

P—Amoxicillin antibody(IgE); arb.c.(NCCLS/c6; proc.) = ?

Plasma—

Amoxicillin antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/c6; procedure)

10³ international unit/liter

Note: NCCLS/c6; Amoxicillin

NPU10815

P—Amoxicillin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c6; proc.) = ? × 10³ int.unit/l

Plasma—

Amoxicillin antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c6; procedure)

10³ arbitrary unit/liter

Note: NCCLS/c6; Amoxicillin

NPU13014

P—Amoxicillin antibody(IgE); arb.subst.c.(NCCLS/c6; proc.) = ? × 10³ arb.unit/l

Plasma—

Ampicillin antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c50; procedure)

Note: NCCLS/c5; Ampicillin

NPU11262

P—Ampicillin antibody(IgE); arb.c.(NCCLS/c50; proc.) = ?

Plasma—

Ampicillin antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; procedure)

NCCLS/c50; procedure**10³ international unit/liter**

Note: NCCLS/c5; Ampicillin

NPU10816

P—Ampicillin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c50; proc.) = ? × 10³ int.unit/l

Plasma—

Ampicillin antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c50; procedure)

10³ arbitrary unit/liter

Note: NCCLS/c5; Ampicillin

NPU13015

P—Ampicillin antibody(IgE); arb.subst.c.(NCCLS/c50; proc.) = ? × 10³ arb.unit/l

Plasma—

Amylase antibody(Immunoglobulin E); arbitrary concentration(NCCLS/k87; procedure)

Note: NCCLS/k87; Amylase

NPU11255

P—Amylase antibody(IgE); arb.c.(NCCLS/k87; proc.) = ?

Plasma—

Amylase antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/k87; procedure)

10³ international unit/liter

Note: NCCLS/k87; Amylase

NPU10809

P—Amylase antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k87; proc.) = ? × 10³ int.unit/l

Plasma—

Amylase antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k87; procedure)

10³ arbitrary unit/liter

Note: NCCLS/k87; Amylase

NPU13008

P—Amylase antibody(IgE); arb.subst.c.(NCCLS/k87; proc.) = ? × 10³ arb.unit/l

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/e; procedure)

NPU13459

P—Animal antibody(IgE); arb.c.(list; NCCLS/e; proc.)

NPU11673 P—Bodgerigar dropping antibody(IgE); arb.c.(NCCLS/e77; proc.) = ?

NPU11674 P—Bodgerigar feather antibody(IgE); arb.c.(NCCLS/e78; proc.) = ?

NPU11676 P—Bodgerigar serum protein antibody(IgE); arb.c.(NCCLS/e79; proc.) = ?

NPU11300 P—Bovine serum albumin antibody(IgE); arb.c.(NCCLS/e204; proc.) = ?

NPU11463 P—Canary feather antibody(IgE); arb.c.(NCCLS/e201; proc.) = ?

NPU11474 P—Cat epithelium antibody(IgE); arb.c.(NCCLS/e1; proc.) = ?

NPU11491 P—Chicken dropping antibody(IgE); arb.c.(NCCLS/e218; proc.) = ?
 NPU11437 P—Chicken feather antibody(IgE); arb.c.(NCCLS/e85; proc.) = ?
 NPU11492 P—Chicken serum antibody(IgE); arb.c.(NCCLS/e219; proc.) = ?
 NPU11318 P—Chinchilla antibody(IgE); arb.c.(NCCLS/e208; proc.) = ?
 NPU11487 P—Cow dander antibody(IgE); arb.c.(NCCLS/e4; proc.) = ?
 NPU11414 P—Dog dander antibody(IgE); arb.c.(NCCLS/e5; proc.) = ?
 NPU11411 P—Dog epithelium antibody(IgE); arb.c.(NCCLS/e2; proc.) = ?
 NPU11264 P—Duck feather antibody(IgE); arb.c.(NCCLS/e86; proc.) = ?
 NPU11361 P—Ferret antibody(IgE); arb.c.(NCCLS/e217; proc.) = ?
 NPU11357 P—Finch feather antibody(IgE); arb.c.(NCCLS/e214; proc.) = ?
 NPU11612 P—Fox antibody(IgE); arb.c.(NCCLS/e210; proc.) = ?
 NPU11620 P—Gerbil hair antibody(IgE); arb.c.(NCCLS/e209; proc.) = ?
 NPU11368 P—Goat epithelium antibody(IgE); arb.c.(NCCLS/e80; proc.) = ?
 NPU11389 P—Goose feather antibody(IgE); arb.c.(NCCLS/e70; proc.) = ?
 NPU11515 P—Guinea pig epithelium antibody(IgE); arb.c.(NCCLS/e6; proc.) = ?
 NPU11392 P—Hamster epithelium antibody(IgE); arb.c.(NCCLS/e84; proc.) = ?
 NPU11404 P—Horse dander antibody(IgE); arb.c.(NCCLS/e3; proc.) = ?
 NPU11403 P—Horse serum antibody(IgE); arb.c.(NCCLS/e205; proc.) = ?
 NPU11523 P—Mink epithelium antibody(IgE); arb.c.(NCCLS/e203; proc.) = ?
 NPU11527 P—Mouse epithelium antibody(IgE); arb.c.(NCCLS/e71; proc.) = ?
 NPU11528 P—Mouse serum protein antibody(IgE); arb.c.(NCCLS/e76; proc.) = ?
 NPU11529 P—Mouse urine protein antibody(IgE); arb.c.(NCCLS/e72; proc.) = ?
 NPU11558 P—Parakeet dropping antibody(IgE); arb.c.(NCCLS/e; proc.) = ?
 NPU11557 P—Parakeet feather antibody(IgE); arb.c.(NCCLS/e93; proc.) = ?
 NPU11559 P—Parakeet serum antibody(IgE); arb.c.(NCCLS/e; proc.) = ?
 NPU11554 P—Parrot dropping antibody(IgE); arb.c.(NCCLS/e98; proc.) = ?
 NPU11553 P—Parrot feather antibody(IgE); arb.c.(NCCLS/e213; proc.) = ?
 NPU11332 P—Pigeon dropping antibody(IgE); arb.c.(NCCLS/e7; proc.) = ?
 NPU11333 P—Pigeon feather antibody(IgE); arb.c.(NCCLS/e215; proc.) = ?
 NPU11335 P—Pigeon serum antibody(IgE); arb.c.(NCCLS/e23; proc.) = ?
 NPU11466 P—Rabbit epithelium antibody(IgE); arb.c.(NCCLS/e82; proc.) = ?
 NPU11468 P—Rabbit serum antibody(IgE); arb.c.(NCCLS/e206; proc.) = ?

NPU11606 P—Rat epithelium antibody(IgE); arb.c.(NCCLS/e73; proc.) = ?
 NPU11607 P—Rat serum protein antibody(IgE); arb.c.(NCCLS/e75; proc.) = ?
 NPU11608 P—Rat urine protein antibody(IgE); arb.c.(NCCLS/e74; proc.) = ?
 NPU11597 P—Reindeer epithelium antibody(IgE); arb.c.(NCCLS/e202; proc.) = ?
 NPU11365 P—Sheep epithelium antibody(IgE); arb.c.(NCCLS/e81; proc.) = ?
 NPU11650 P—Swine epithelium antibody(IgE); arb.c.(NCCLS/e83; proc.) = ?
 NPU11459 P—Turkey feather antibody(IgE); arb.c.(NCCLS/e89; proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e1; e3; e4; e5); procedure)
NPU14806
 P—Animal antibody(IgE); arb.c.(NCCLS/(e1; e3; e4; e5); proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e1; e3; e4; e5; e6); procedure)
NPU14885
 P—Animal antibody(IgE); arb.c.(NCCLS/(e1; e3; e4; e5; e6); proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e1; e5; e6; e87; e88); procedure)
NPU14807
 P—Animal antibody(IgE); arb.c.(NCCLS/(e1; e5; e6; e87; e88); proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e3; e4; e81; e82; e83); procedure)
NPU14883
 P—Animal antibody(IgE); arb.c.(NCCLS/(e3; e4; e81; e82; e83); proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e6; e71; e73; e82; e84); procedure)
NPU14884
 P—Animal antibody(IgE); arb.c.(NCCLS/(e6; e71; e73; e82; e84); proc.) = ?

Plasma—

Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e6; e82; e84; e87; e88); procedure)
NPU14808
 P—Animal antibody(IgE); arb.c.(NCCLS/(e6; e82; e84; e87; e88); proc.) = ?

Plasma—	NPU11166 P—Fox antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e210; proc.) = ? × 10 ³ int.unit/l
Animal antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e70; e85; e86); procedure)	NPU11174 P—Gerbil hair antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e209; proc.) = ? × 10 ³ int.unit/l
NPU14882	NPU10922 P—Goat epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e80; proc.) = ? × 10 ³ int.unit/l
P—Animal antibody(IgE); arb.c.(NCCLS/(e70; e85; e86); proc.) = ?	NPU10943 P—Goose feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e70; proc.) = ? × 10 ³ int.unit/l
Plasma—	NPU11069 P—Guinea pig epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e6; proc.) = ? × 10 ³ int.unit/l
Animal antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/e; procedure)	NPU10946 P—Hamster epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e84; proc.) = ? × 10 ³ int.unit/l
NPU13461	NPU10958 P—Horse dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e3; proc.) = ? × 10 ³ int.unit/l
P—Animal antibody(IgE); arbsubst.c.(list; IRP 75/502; NCCLS/e; proc.)	NPU10957 P—Horse serum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e205; proc.) = ? × 10 ³ int.unit/l
NPU11227 P—Bodgerigar dropping antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e77; proc.) = ? × 10 ³ int.unit/l	NPU11077 P—Mink epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e203; proc.) = ? × 10 ³ int.unit/l
NPU11228 P—Bodgerigar feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e78; proc.) = ? × 10 ³ int.unit/l	NPU11081 P—Mouse epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e71; proc.) = ? × 10 ³ int.unit/l
NPU11230 P—Bodgerigar serum protein antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e79; proc.) = ? × 10 ³ int.unit/l	NPU11082 P—Mouse serum protein antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e76; proc.) = ? × 10 ³ int.unit/l
NPU10854 P—Bovine serum albumin antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e204; proc.) = ? × 10 ³ int.unit/l	NPU11083 P—Mouse urine protein antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e72; proc.) = ? × 10 ³ int.unit/l
NPU11017 P—Canary feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e201; proc.) = ? × 10 ³ int.unit/l	NPU11112 P—Parakeet dropping antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e; proc.) = ? × 10 ³ int.unit/l
NPU11028 P—Cat epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e1; proc.) = ? × 10 ³ int.unit/l	NPU11111 P—Parakeet feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e93; proc.) = ? × 10 ³ int.unit/l
NPU11045 P—Chicken dropping antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e218; proc.) = ? × 10 ³ int.unit/l	NPU11113 P—Parakeet serum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e; proc.) = ? × 10 ³ int.unit/l
NPU10991 P—Chicken feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e85; proc.) = ? × 10 ³ int.unit/l	NPU11108 P—Parrot dropping antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e98; proc.) = ? × 10 ³ int.unit/l
NPU11046 P—Chicken serum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e219; proc.) = ? × 10 ³ int.unit/l	NPU11107 P—Parrot feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e213; proc.) = ? × 10 ³ int.unit/l
NPU10872 P—Chinchilla antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e208; proc.) = ? × 10 ³ int.unit/l	NPU10886 P—Pigeon dropping antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e7; proc.) = ? × 10 ³ int.unit/l
NPU11041 P—Cow dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e4; proc.) = ? × 10 ³ int.unit/l	NPU10887 P—Pigeon feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e215; proc.) = ? × 10 ³ int.unit/l
NPU10968 P—Dog dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e5; proc.) = ? × 10 ³ int.unit/l	NPU10889 P—Pigeon serum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e23; proc.) = ? × 10 ³ int.unit/l
NPU10965 P—Dog epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e2; proc.) = ? × 10 ³ int.unit/l	NPU11020 P—Rabbit epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e82; proc.) = ? × 10 ³ int.unit/l
NPU10818 P—Duck feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e86; proc.) = ? × 10 ³ int.unit/l	NPU11022 P—Rabbit serum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e206; proc.) = ? × 10 ³ int.unit/l
NPU10915 P—Ferret antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e217; proc.) = ? × 10 ³ int.unit/l	
NPU10911 P—Finch feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e214; proc.) = ? × 10 ³ int.unit/l	

NPU11160 P—Rat epithelium antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e73; proc.) = ? × 10³ arb.unit/l
 NPU11161 P—Rat serum protein antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e75; proc.) = ? × 10³ arb.unit/l
 NPU11162 P—Rat urine protein antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e74; proc.) = ? × 10³ arb.unit/l
 NPU11151 P—Reindeer epithelium antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e202; proc.) = ? × 10³ arb.unit/l
 NPU10919 P—Sheep epithelium antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e81; proc.) = ? × 10³ arb.unit/l
 NPU11204 P—Swine epithelium antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e83; proc.) = ? × 10³ arb.unit/l
 NPU11013 P—Turkey feather antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/e89; proc.) = ? × 10³ arb.unit/l

Plasma—

**Animal antibody(Immunoglobulin E);
 arbitrary substance concentration(list; NCCLS/e;
 procedure)**
NPU13460
 P—Animal antibody(IgE); arbsubst.c.(list; NCCLS/e; proc.)
 NPU13426 P—Bodgerigar dropping antibody(IgE);
 arbsubst.c.(NCCLS/e77; proc.) = ? × 10³ arb.unit/l
 NPU13427 P—Bodgerigar feather antibody(IgE);
 arbsubst.c.(NCCLS/e78; proc.) = ? × 10³ arb.unit/l
 NPU13429 P—Bodgerigar serum protein
 antibody(IgE); arbsubst.c.(NCCLS/e79; proc.) = ? × 10³ arb.unit/l
 NPU13053 P—Bovine serum albumin
 antibody(IgE); arbsubst.c.(NCCLS/e204; proc.) = ? × 10³ arb.unit/l
 NPU13216 P—Canary feather antibody(IgE);
 arbsubst.c.(NCCLS/e201; proc.) = ? × 10³ arb.unit/l
 NPU13227 P—Cat epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e1; proc.) = ? × 10³ arb.unit/l
 NPU13244 P—Chicken dropping antibody(IgE);
 arbsubst.c.(NCCLS/e218; proc.) = ? × 10³ arb.unit/l
 NPU13190 P—Chicken feather antibody(IgE);
 arbsubst.c.(NCCLS/e85; proc.) = ? × 10³ arb.unit/l
 NPU13245 P—Chicken serum antibody(IgE);
 arbsubst.c.(NCCLS/e219; proc.) = ? × 10³ arb.unit/l
 NPU13071 P—Chinchilla antibody(IgE);
 arbsubst.c.(NCCLS/e208; proc.) = ? × 10³ arb.unit/l
 NPU13240 P—Cow dander antibody(IgE);
 arbsubst.c.(NCCLS/e4; proc.) = ? × 10³ arb.unit/l
 NPU13167 P—Dog dander antibody(IgE);
 arbsubst.c.(NCCLS/e5; proc.) = ? × 10³ arb.unit/l
 NPU13164 P—Dog epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e2; proc.) = ? × 10³ arb.unit/l
 NPU13017 P—Duck feather antibody(IgE);
 arbsubst.c.(NCCLS/e86; proc.) = ? × 10³ arb.unit/l
 NPU13114 P—Ferret antibody(IgE);
 arbsubst.c.(NCCLS/e217; proc.) = ? × 10³ arb.unit/l
 NPU13110 P—Finch feather antibody(IgE);
 arbsubst.c.(NCCLS/e214; proc.) = ? × 10³ arb.unit/l

NPU13365 P—Fox antibody(IgE);
 arbsubst.c.(NCCLS/e210; proc.) = ? × 10³ arb.unit/l
 NPU13373 P—Gerbil hair antibody(IgE);
 arbsubst.c.(NCCLS/e209; proc.) = ? × 10³ arb.unit/l
 NPU13121 P—Goat epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e80; proc.) = ? × 10³ arb.unit/l
 NPU13142 P—Goose feather antibody(IgE);
 arbsubst.c.(NCCLS/e70; proc.) = ? × 10³ arb.unit/l
 NPU13268 P—Guinea pig epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e6; proc.) = ? × 10³ arb.unit/l
 NPU13145 P—Hamster epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e84; proc.) = ? × 10³ arb.unit/l
 NPU13157 P—Horse dander antibody(IgE);
 arbsubst.c.(NCCLS/e3; proc.) = ? × 10³ arb.unit/l
 NPU13156 P—Horse serum antibody(IgE);
 arbsubst.c.(NCCLS/e205; proc.) = ? × 10³ arb.unit/l
 NPU13276 P—Mink epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e203; proc.) = ? × 10³ arb.unit/l
 NPU13280 P—Mouse epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e71; proc.) = ? × 10³ arb.unit/l
 NPU13281 P—Mouse serum protein antibody(IgE);
 arbsubst.c.(NCCLS/e76; proc.) = ? × 10³ arb.unit/l
 NPU13282 P—Mouse urine protein antibody(IgE);
 arbsubst.c.(NCCLS/e72; proc.) = ? × 10³ arb.unit/l
 NPU13311 P—Parakeet dropping antibody(IgE);
 arbsubst.c.(NCCLS/e; proc.) = ? × 10³ arb.unit/l
 NPU13310 P—Parakeet feather antibody(IgE);
 arbsubst.c.(NCCLS/e93; proc.) = ? × 10³ arb.unit/l
 NPU13312 P—Parakeet serum antibody(IgE);
 arbsubst.c.(NCCLS/e; proc.) = ? × 10³ arb.unit/l
 NPU13307 P—Parrot dropping antibody(IgE);
 arbsubst.c.(NCCLS/e98; proc.) = ? × 10³ arb.unit/l
 NPU13306 P—Parrot feather antibody(IgE);
 arbsubst.c.(NCCLS/e213; proc.) = ? × 10³ arb.unit/l
 NPU13085 P—Pigeon dropping antibody(IgE);
 arbsubst.c.(NCCLS/e7; proc.) = ? × 10³ arb.unit/l
 NPU13086 P—Pigeon feather antibody(IgE);
 arbsubst.c.(NCCLS/e215; proc.) = ? × 10³ arb.unit/l
 NPU13088 P—Pigeon serum antibody(IgE);
 arbsubst.c.(NCCLS/e23; proc.) = ? × 10³ arb.unit/l
 NPU13219 P—Rabbit epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e82; proc.) = ? × 10³ arb.unit/l
 NPU13221 P—Rabbit serum antibody(IgE);
 arbsubst.c.(NCCLS/e206; proc.) = ? × 10³ arb.unit/l
 NPU13359 P—Rat epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e73; proc.) = ? × 10³ arb.unit/l
 NPU13360 P—Rat serum protein antibody(IgE);
 arbsubst.c.(NCCLS/e75; proc.) = ? × 10³ arb.unit/l
 NPU13361 P—Rat urine protein antibody(IgE);
 arbsubst.c.(NCCLS/e74; proc.) = ? × 10³ arb.unit/l
 NPU13350 P—Reindeer epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e202; proc.) = ? × 10³ arb.unit/l
 NPU13118 P—Sheep epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e81; proc.) = ? × 10³ arb.unit/l
 NPU13403 P—Swine epithelium antibody(IgE);
 arbsubst.c.(NCCLS/e83; proc.) = ? × 10³ arb.unit/l
 NPU13212 P—Turkey feather antibody(IgE);
 arbsubst.c.(NCCLS/e89; proc.) = ? × 10³ arb.unit/l

Plasma—

**Animal excrement antibody(Immunoglobulin E);
 arbitrary concentration(list; NCCLS/e;
 procedure)**
NPU01262

P—Animal excrement antibody(IgE); arb.c.(list; NCCLS/e; proc.)
 NPU11673 P—Bodgerigar dropping antibody(IgE); arb.c.(NCCLS/e77; proc.) = ?
 NPU11491 P—Chicken dropping antibody(IgE); arb.c.(NCCLS/e218; proc.) = ?
 NPU11558 P—Parakeet dropping antibody(IgE); arb.c.(NCCLS/e; proc.) = ?
 NPU11554 P—Parrot dropping antibody(IgE); arb.c.(NCCLS/e98; proc.) = ?
 NPU11332 P—Pigeon dropping antibody(IgE); arb.c.(NCCLS/e7; proc.) = ?

Plasma—

Animal excrement antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/e; procedure)

NPU14284

P—Animal excrement antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/e; proc.)
 NPU11227 P—Bodgerigar dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e77; proc.) = ? $\times 10^3$ int.unit/l
 NPU11045 P—Chicken dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e218; proc.) = ? $\times 10^3$ int.unit/l
 NPU11112 P—Parakeet dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e; proc.) = ? $\times 10^3$ int.unit/l
 NPU11108 P—Parrot dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e98; proc.) = ? $\times 10^3$ int.unit/l
 NPU10886 P—Pigeon dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e7; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Animal excrement antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/e; procedure)

NPU14285

P—Animal excrement antibody(IgE); arb.subst.c.(list; NCCLS/e; proc.)
 NPU13426 P—Bodgerigar dropping antibody(IgE); arb.subst.c.(NCCLS/e77; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13244 P—Chicken dropping antibody(IgE); arb.subst.c.(NCCLS/e218; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13311 P—Parakeet dropping antibody(IgE); arb.subst.c.(NCCLS/e; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13307 P—Parrot dropping antibody(IgE); arb.subst.c.(NCCLS/e98; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13085 P—Pigeon dropping antibody(IgE); arb.subst.c.(NCCLS/e7; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Animal feather antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/e; procedure)

NPU01263

P—Animal feather antibody(IgE); arb.c.(list; NCCLS/e; proc.)
 NPU11674 P—Bodgerigar feather antibody(IgE); arb.c.(NCCLS/e78; proc.) = ?

NPU11463 P—Canary feather antibody(IgE); arb.c.(NCCLS/e201; proc.) = ?
 NPU11437 P—Chicken feather antibody(IgE); arb.c.(NCCLS/e85; proc.) = ?

NPU11264 P—Duck feather antibody(IgE); arb.c.(NCCLS/e86; proc.) = ?
 NPU11357 P—Finch feather antibody(IgE); arb.c.(NCCLS/e214; proc.) = ?
 NPU11389 P—Goose feather antibody(IgE); arb.c.(NCCLS/e70; proc.) = ?
 NPU11557 P—Parakeet feather antibody(IgE); arb.c.(NCCLS/e93; proc.) = ?
 NPU11553 P—Parrot feather antibody(IgE); arb.c.(NCCLS/e213; proc.) = ?
 NPU11333 P—Pigeon feather antibody(IgE); arb.c.(NCCLS/e215; proc.) = ?
 NPU11459 P—Turkey feather antibody(IgE); arb.c.(NCCLS/e89; proc.) = ?

Plasma—

Animal feather antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e213; e70; e86; e89); procedure)

NPU14809

P—Animal feather antibody(IgE); arb.c.(NCCLS/(e213; e70; e86; e85); proc.) = ?

Plasma—

Animal feather antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e70; e85; e86; e89); procedure)

NPU14810

P—Animal feather antibody(IgE); arb.c.(NCCLS/(e70; e85; e86; e89); proc.) = ?

Plasma—

Animal feather antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/e; procedure)

NPU14282

P—Animal feather antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/e; proc.)
 NPU11228 P—Bodgerigar feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e78; proc.) = ? $\times 10^3$ int.unit/l
 NPU11017 P—Canary feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e201; proc.) = ? $\times 10^3$ int.unit/l
 NPU10991 P—Chicken feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e85; proc.) = ? $\times 10^3$ int.unit/l
 NPU10818 P—Duck feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e86; proc.) = ? $\times 10^3$ int.unit/l
 NPU10911 P—Finch feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e214; proc.) = ? $\times 10^3$ int.unit/l
 NPU10943 P—Goose feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e70; proc.) = ? $\times 10^3$ int.unit/l
 NPU11111 P—Parakeet feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e93; proc.) = ? $\times 10^3$ int.unit/l

NPU11107 P—Parrot feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e213; proc.) = ? $\times 10^3$ int.unit/l
 NPU10887 P—Pigeon feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e215; proc.) = ? $\times 10^3$ int.unit/l
 NPU11013 P—Turkey feather antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e89; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Animal feather antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/e; procedure)
NPU14283

P—Animal feather antibody(IgE); arbsubst.c.(list; NCCLS/e; proc.)
 NPU13427 P—Bodgerigar feather antibody(IgE); arbsubst.c.(NCCLS/e78; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13216 P—Canary feather antibody(IgE); arbsubst.c.(NCCLS/e201; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13190 P—Chicken feather antibody(IgE); arbsubst.c.(NCCLS/e85; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13017 P—Duck feather antibody(IgE); arbsubst.c.(NCCLS/e86; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13110 P—Finch feather antibody(IgE); arbsubst.c.(NCCLS/e214; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13142 P—Goose feather antibody(IgE); arbsubst.c.(NCCLS/e70; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13310 P—Parakeet feather antibody(IgE); arbsubst.c.(NCCLS/e93; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13306 P—Parrot feather antibody(IgE); arbsubst.c.(NCCLS/e213; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13086 P—Pigeon feather antibody(IgE); arbsubst.c.(NCCLS/e215; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13212 P—Turkey feather antibody(IgE); arbsubst.c.(NCCLS/e89; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Animal hair+epithelium antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/e; procedure)
NPU01264

P—Animal hair+epithelium antibody(IgE); arb.c.(list; NCCLS/e; proc.)
 NPU11474 P—Cat epithelium antibody(IgE); arb.c.(NCCLS/e1; proc.) = ?
 NPU11487 P—Cow dander antibody(IgE); arb.c.(NCCLS/e4; proc.) = ?
 NPU11414 P—Dog dander antibody(IgE); arb.c.(NCCLS/e5; proc.) = ?
 NPU11411 P—Dog epithelium antibody(IgE); arb.c.(NCCLS/e2; proc.) = ?
 NPU11620 P—Gerbil hair antibody(IgE); arb.c.(NCCLS/e209; proc.) = ?
 NPU11368 P—Goat epithelium antibody(IgE); arb.c.(NCCLS/e80; proc.) = ?
 NPU11515 P—Guinea pig epithelium antibody(IgE); arb.c.(NCCLS/e6; proc.) = ?
 NPU11392 P—Hamster epithelium antibody(IgE); arb.c.(NCCLS/e84; proc.) = ?
 NPU11404 P—Horse dander antibody(IgE); arb.c.(NCCLS/e3; proc.) = ?

NPU11523 P—Mink epithelium antibody(IgE); arb.c.(NCCLS/e203; proc.) = ?
 NPU11527 P—Mouse epithelium antibody(IgE); arb.c.(NCCLS/e71; proc.) = ?
 NPU11466 P—Rabbit epithelium antibody(IgE); arb.c.(NCCLS/e82; proc.) = ?
 NPU11606 P—Rat epithelium antibody(IgE); arb.c.(NCCLS/e73; proc.) = ?
 NPU11597 P—Reindeer epithelium antibody(IgE); arb.c.(NCCLS/e202; proc.) = ?
 NPU11365 P—Sheep epithelium antibody(IgE); arb.c.(NCCLS/e81; proc.) = ?
 NPU11650 P—Swine epithelium antibody(IgE); arb.c.(NCCLS/e83; proc.) = ?

Plasma—

Animal hair+epithelium antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/e; procedure)

NPU14308
 P—Animal hair+epithelium antibody(IgE); arbsubst.c.(list; IRP 75/502; NCCLS/e; proc.)
 NPU11028 P—Cat epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e1; proc.) = ? $\times 10^3$ int.unit/l
 NPU11041 P—Cow dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e4; proc.) = ? $\times 10^3$ int.unit/l
 NPU10968 P—Dog dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e5; proc.) = ? $\times 10^3$ int.unit/l
 NPU10965 P—Dog epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e2; proc.) = ? $\times 10^3$ int.unit/l
 NPU11174 P—Gerbil hair antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e209; proc.) = ? $\times 10^3$ int.unit/l
 NPU10922 P—Goat epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e80; proc.) = ? $\times 10^3$ int.unit/l
 NPU11069 P—Guinea pig epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e6; proc.) = ? $\times 10^3$ int.unit/l
 NPU10946 P—Hamster epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e84; proc.) = ? $\times 10^3$ int.unit/l
 NPU10958 P—Horse dander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e3; proc.) = ? $\times 10^3$ int.unit/l
 NPU11077 P—Mink epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e203; proc.) = ? $\times 10^3$ int.unit/l
 NPU11081 P—Mouse epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e71; proc.) = ? $\times 10^3$ int.unit/l
 NPU11020 P—Rabbit epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e82; proc.) = ? $\times 10^3$ int.unit/l
 NPU11160 P—Rat epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e73; proc.) = ? $\times 10^3$ int.unit/l
 NPU11151 P—Reindeer epithelium antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e202; proc.) = ? $\times 10^3$ int.unit/l

NPU10919 P—Sheep epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e81; proc.) = ? $\times 10^3$ int.unit/l
 NPU11204 P—Swine epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e83; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Animal hair+epithelium antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/e; procedure)

NPU14309

P—Animal hair+epithelium antibody(IgE); arb.subst.c.(list; NCCLS/e; proc.)
 NPU13227 P—Cat epithelium antibody(IgE); arb.subst.c.(NCCLS/e1; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13240 P—Cow dander antibody(IgE); arb.subst.c.(NCCLS/e4; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13167 P—Dog dander antibody(IgE); arb.subst.c.(NCCLS/e5; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13164 P—Dog epithelium antibody(IgE); arb.subst.c.(NCCLS/e2; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13373 P—Gerbil hair antibody(IgE); arb.subst.c.(NCCLS/e209; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13121 P—Goat epithelium antibody(IgE); arb.subst.c.(NCCLS/e80; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13268 P—Guinea pig epithelium antibody(IgE); arb.subst.c.(NCCLS/e6; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13145 P—Hamster epithelium antibody(IgE); arb.subst.c.(NCCLS/e84; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13157 P—Horse dander antibody(IgE); arb.subst.c.(NCCLS/e3; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13276 P—Mink epithelium antibody(IgE); arb.subst.c.(NCCLS/e203; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13280 P—Mouse epithelium antibody(IgE); arb.subst.c.(NCCLS/e71; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13219 P—Rabbit epithelium antibody(IgE); arb.subst.c.(NCCLS/e82; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13359 P—Rat epithelium antibody(IgE); arb.subst.c.(NCCLS/e73; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13350 P—Reindeer epithelium antibody(IgE); arb.subst.c.(NCCLS/e202; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13118 P—Sheep epithelium antibody(IgE); arb.subst.c.(NCCLS/e81; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13403 P—Swine epithelium antibody(IgE); arb.subst.c.(NCCLS/e83; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Animal plasmaprotein antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/e; procedure)

NPU01265

P—Animal plasmaprotein antibody(IgE); arb.c.(list; NCCLS/e; proc.)
 NPU11676 P—Bodgerigar serum protein antibody(IgE); arb.c.(NCCLS/e79; proc.) = ?
 NPU11300 P—Bovine serum albumin antibody(IgE); arb.c.(NCCLS/e204; proc.) = ?
 NPU11492 P—Chicken serum antibody(IgE); arb.c.(NCCLS/e219; proc.) = ?
 NPU11403 P—Horse serum antibody(IgE); arb.c.(NCCLS/e205; proc.) = ?

NPU11528 P—Mouse serum protein antibody(IgE); arb.c.(NCCLS/e76; proc.) = ?
 NPU11559 P—Parakeet serum antibody(IgE); arb.c.(NCCLS/e; proc.) = ?
 NPU11335 P—Pigeon serum antibody(IgE); arb.c.(NCCLS/e23; proc.) = ?
 NPU11468 P—Rabbit serum antibody(IgE); arb.c.(NCCLS/e206; proc.) = ?
 NPU11607 P—Rat serum protein antibody(IgE); arb.c.(NCCLS/e75; proc.) = ?

Plasma—

Animal plasmaprotein antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/e; procedure)

NPU14286

P—Animal plasmaprotein antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/e; proc.)
 NPU11230 P—Bodgerigar serum protein antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e79; proc.) = ? $\times 10^3$ int.unit/l
 NPU10854 P—Bovine serum albumin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e204; proc.) = ? $\times 10^3$ int.unit/l
 NPU11046 P—Chicken serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e219; proc.) = ? $\times 10^3$ int.unit/l
 NPU10957 P—Horse serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e205; proc.) = ? $\times 10^3$ int.unit/l
 NPU11082 P—Mouse serum protein antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e76; proc.) = ? $\times 10^3$ int.unit/l
 NPU11113 P—Parakeet serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e; proc.) = ? $\times 10^3$ int.unit/l
 NPU10889 P—Pigeon serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e23; proc.) = ? $\times 10^3$ int.unit/l
 NPU11022 P—Rabbit serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e206; proc.) = ? $\times 10^3$ int.unit/l
 NPU11161 P—Rat serum protein antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e75; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Animal plasmaprotein antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/e; procedure)

NPU14287

P—Animal plasmaprotein antibody(IgE); arb.subst.c.(list; NCCLS/e; proc.)
 NPU13429 P—Bodgerigar serum protein antibody(IgE); arb.subst.c.(NCCLS/e79; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13053 P—Bovine serum albumin antibody(IgE); arb.subst.c.(NCCLS/e204; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13245 P—Chicken serum antibody(IgE); arb.subst.c.(NCCLS/e219; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13156 P—Horse serum antibody(IgE); arb.subst.c.(NCCLS/e205; proc.) = ? $\times 10^3$ arb.unit/l

NPU13281 P—Mouse serum protein antibody(IgE); arb.subst.c.(NCCLS/e76; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13312 P—Parakeet serum antibody(IgE); arb.subst.c.(NCCLS/e; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13088 P—Pigeon serum antibody(IgE); arb.subst.c.(NCCLS/e23; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13221 P—Rabbit serum antibody(IgE); arb.subst.c.(NCCLS/e206; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13360 P—Rat serum protein antibody(IgE); arb.subst.c.(NCCLS/e75; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Anise seed antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f271; procedure)

Note: NCCLS/f271; *Pimpinella anisum*

NPU11267

P—Anise seed antibody(IgE); arb.c.(NCCLS/f271; proc.) = ?

Plasma—

Anise seed antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f271; procedure)

10³ international unit/liter

Note: NCCLS/f271; *Pimpinella anisum*

NPU10821

P—Anise seed antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f271; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Anise seed antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f271; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f271; *Pimpinella anisum*

NPU13020

P—Anise seed antibody(IgE); arb.subst.c.(NCCLS/f271; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Apple antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f49; procedure)

Note: NCCLS/f49; *Malus sylvestris*

NPU11684

P—Apple antibody(IgE); arb.c.(NCCLS/f49; proc.) = ?

Plasma—

Apple antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f49; procedure)

10³ international unit/liter

Note: NCCLS/f49; *Malus sylvestris*

NPU11238

P—Apple antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f49; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Apple antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f49; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f49; *Malus sylvestris*

NPU13437

P—Apple antibody(IgE); arb.subst.c.(NCCLS/f49; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Apricot antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f237; procedure)

Note: NCCLS/f237; *Prunus armeniaca*

NPU11246

P—Apricot antibody(IgE); arb.c.(NCCLS/f237; proc.) = ?

Plasma—

Apricot antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f237; procedure)

10³ international unit/liter

Note: NCCLS/f237; *Prunus armeniaca*

NPU10800

P—Apricot antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f237; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Apricot antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f237; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f237; *Prunus armeniaca*

NPU11692

P—Apricot antibody(IgE); arb.subst.c.(NCCLS/f237; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Artemisia salina(fish food)

antibody(Immunoglobulin E); arbitrary concentration(NCCLS/o202; procedure)

Note: NCCLS/o202; *Artemesia salina*

NPU11273

P—*Artemesia salina*(fish food) antibody(IgE); arb.c.(NCCLS/o202; proc.) = ?

Plasma—

Artemesia salina(fish food)

antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/o202; procedure)

10³ international unit/liter

Note: NCCLS/o202; *Artemesia salina*

NPU10827

P—*Artemesia salina*(fish food) antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/o202; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Artemesia salina(fish food)

antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/o202; procedure)

10³ arbitrary unit/liter

Note: NCCLS/o202; *Artemesia salina*

NPU13026

P—*Artemesia salina*(fish food) antibody(IgE); arb.subst.c.(NCCLS/o202; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—	Plasma—
Ascaris suum antibody(Immunoglobulin E); arbitrary concentration(NCCLS/p1; procedure)	Asparagus antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f261; procedure)
Note: NCCLS/p1; Ascaris suum	10³ international unit/liter
NPU11274	Note: NCCLS/f261; Asparagus officinalis
P—Ascaris suum antibody(IgE); arb.c.(NCCLS/p1; proc.) = ?	NPU10830
	P—Asparagus antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f261; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Ascaris suum antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/p1; procedure)	Asparagus antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f261; procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/p1; Ascaris suum	Note: NCCLS/f261; Asparagus officinalis
NPU10828	NPU13029
P—Ascaris suum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/p1; proc.) = ? × 10 ³ int.unit/l	P—Asparagus antibody(IgE); arb.subst.c.(NCCLS/f261; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Ash, white antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t15; procedure)	Aspergillus fumigatus antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m3; procedure)
Note: NCCLS/t15; Fraxinus americana	Note: NCCLS/m3; Aspergillus fumigatus
NPU11275	NPU11277
P—Ash, white antibody(IgE); arb.c.(NCCLS/t15; proc.) = ?	P—Aspergillus fumigatus antibody(IgE); arb.c.(NCCLS/m3; proc.) = ?
Plasma—	Plasma—
Ash, white antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t15; procedure)	Aspergillus fumigatus antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m3; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/t15; Fraxinus americana	Note: NCCLS/m3; Aspergillus fumigatus
NPU10829	NPU10831
P—Ash, white antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t15; proc.) = ? × 10 ³ int.unit/l	P—Aspergillus fumigatus antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m3; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Ash, white antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t15; procedure)	Aspergillus fumigatus antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m3; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/t15; Fraxinus americana	Note: NCCLS/m3; Aspergillus fumigatus
NPU13028	NPU13030
P—Ash, white antibody(IgE); arb.subst.c.(NCCLS/t15; proc.) = ? × 10 ³ arb.unit/l	P—Aspergillus fumigatus antibody(IgE); arb.subst.c.(NCCLS/m3; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Ash, white antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t15; procedure)	Aubergine antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f262; procedure)
10³ arbitrary unit/liter	Note: NCCLS/f262; Solanum melongea
Note: NCCLS/t15; Fraxinus americana	NPU11278
NPU13028	P—Aubergine antibody(IgE); arb.c.(NCCLS/f262; proc.) = ?
P—Ash, white antibody(IgE); arb.subst.c.(NCCLS/t15; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Asparagus antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f261; procedure)	
Note: NCCLS/f261; Asparagus officinalis	
NPU11276	
P—Asparagus antibody(IgE); arb.c.(NCCLS/f261; proc.) = ?	

Plasma—	10³ international unit/liter
Aubergine antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f262; procedure)	Note: NCCLS/f262; Persea americano
10³ international unit/liter	NPU10834
Note: NCCLS/f262; Solanum melongea	P—Avocado antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f262; proc.) = ? × 10 ³ int.unit/l
NPU10832	
P—Aubergine antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f262; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Plasma—
Aubergine antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f262; procedure)	Avocado antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f96; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/f262; Solanum melongea	Note: NCCLS/f96; Persea americano
NPU13031	NPU13033
P—Aubergine antibody(IgE); arb.subst.c.(NCCLS/f262; proc.) = ? × 10 ³ arb.unit/l	P—Avocado antibody(IgE); arb.subst.c.(NCCLS/f96; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Aureobasidium pullulans antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m12; procedure)	Bahia grass antibody(Immunoglobulin E); arbitrary concentration(NCCLS/g17; procedure)
Note: NCCLS/m12; Aureobasidium pullulans	Note: NCCLS/g17; Paspalum notatum
NPU11279	NPU11282
P—Aureobasidium pullulans antibody(IgE); arb.c.(NCCLS/m12; proc.) = ?	P—Bahia grass antibody(IgE); arb.c.(NCCLS/g17; proc.) = ?
Plasma—	Plasma—
Aureobasidium pullulans antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m12; procedure)	Bahia grass antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/g17; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/m12; Aureobasidium pullulans	Note: NCCLS/g17; Paspalum notatum
NPU10833	NPU10836
P—Aureobasidium pullulans antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m12; proc.) = ? × 10 ³ int.unit/l	P—Bahia grass antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/g17; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Aureobasidium pullulans antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m12; procedure)	Bahia grass antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/g17; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/m12; Aureobasidium pullulans	Note: NCCLS/g17; Paspalum notatum
NPU13032	NPU13035
P—Aureobasidium pullulans antibody(IgE); arb.subst.c.(NCCLS/m12; proc.) = ? × 10 ³ arb.unit/l	P—Bahia grass antibody(IgE); arb.subst.c.(NCCLS/g17; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Avocado antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f96; procedure)	Baker's yeast antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f45; procedure)
Note: NCCLS/f96; Persea americano	Note: NCCLS/f45; Baker's yeast
NPU11280	NPU11281
P—Avocado antibody(IgE); arb.c.(NCCLS/f96; proc.) = ?	P—Baker's yeast antibody(IgE); arb.c.(NCCLS/f45; proc.) = ?
Plasma—	Plasma—
Avocado antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f96; procedure)	Baker's yeast antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f45; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/f96; Persea americano	Note: NCCLS/f45; Baker's yeast
NPU10835	NPU10836
P—Avocado antibody(IgE); arb.c.(IRP 75/502; NCCLS/f96; proc.) = ? × 10 ³ int.unit/l	P—Baker's yeast antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f45; proc.) = ? × 10 ³ int.unit/l

Plasma—	NPU10860
Baker's yeast antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f45; procedure)	P—Barley antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f6; proc.) = ? × 10 ³ int.unit/l
10³ arbitrary unit/liter	
Note: NCCLS/f45; Baker's yeast	
NPU13034	
P—Baker's yeast antibody(IgE); arb.subst.c.(NCCLS/f45; proc.) = ? × 10 ³ arb.unit/l	
Basophilocytes(Blood)—	Plasma—
Baker's yeast(Saccharomyces cerevisiae) induced HR; arbitrary concentration(NCCLS/f45; procedure)	Barley antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f6; procedure)
Note: HR: Histamine release; NCCLS/f45: Saccaromyces cerevisiae	10³ arbitrary unit/liter
NPU08865	Note: NCCLS/f6; Hordeum vulgare
Basocs(B)—Baker's yeast(Saccharomyces cerevisiae) induced HR; arb.c.(NCCLS/f45; proc.) = ?	NPU13059
	P—Barley antibody(IgE); arb.subst.c.(NCCLS/f6; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Banana antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f92; procedure)	Bee antibody(Immunoglobulin G); arbitrary concentration(procedure)
Note: NCCLS/f92; Musa	NPU11286
NPU11283	P—Bee antibody(IgG); arb.c.(proc.) = ?
P—Banana antibody(IgE); arb.c.(NCCLS/f92; proc.) = ?	
Plasma—	Plasma—
Banana antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f92; procedure)	Bee antibody(Immunoglobulin G); arbitrary substance concentration(procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/f92; Musa	NPU13039
NPU10837	P—Bee antibody(IgG); arb.subst.c.(proc.) = ? × 10 ³ arb.unit/l
P—Banana antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f92; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Plasma—
Banana antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f92; procedure)	Bee antibody(Immunoglobulin G); arbitrary substance concentration(procedure)
10³ arbitrary unit/liter	10³ international unit/liter
Note: NCCLS/f92; Musa	NPU10840
NPU13036	P—Bee antibody(IgG); arb.subst.c.(proc.) = ? × 10 ³ int.unit/l
P—Banana antibody(IgE); arb.subst.c.(NCCLS/f92; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Plasma—
Barley antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f6; procedure)	Bee venom antibody(Immunoglobulin E); arbitrary concentration(NCCLS/i1; procedure)
Note: NCCLS/f6; Hordeum vulgare	NPU11287
NPU11306	P—Bee venom antibody(IgE); arb.c.(NCCLS/i1; proc.) = ?
P—Barley antibody(IgE); arb.c.(NCCLS/f6; proc.) = ?	
Plasma—	Plasma—
Barley antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f6; procedure)	Bee venom antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/i1; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/f6; Hordeum vulgare	Note: NCCLS/i1; Apis mellifera
NPU13040	NPU10841
P—Barley antibody(IgE); arb.c.(NCCLS/f6; proc.) = ? × 10 ³ arb.unit/l	P—Bee venom antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/i1; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Barley antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f6; procedure)	Bee venom antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/i1; procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/f6; Hordeum vulgare	Note: NCCLS/i1; Apis mellifera
NPU13040	NPU13040
P—Barley antibody(IgE); arb.subst.c.(NCCLS/i1; proc.) = ? × 10 ³ arb.unit/l	P—Bee venom antibody(IgE); arb.subst.c.(NCCLS/i1; proc.) = ? × 10 ³ arb.unit/l

Plasma—	Basophilocytes(Blood)—
Beech, american antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t5; procedure)	Beer yeast(<i>Saccharomyces carlsbergensis</i>) induced HR; arbitrary concentration(NCCLS/f45; procedure)
Note: NCCLS/t5; Fagus grandiflora	Note: HR: Histamine release; NCCLS/f45: <i>Saccharomyces carlsbergensis</i>
NPU11308	NPU08866
P—Beech, american antibody(IgE); arb.c.(NCCLS/t5; proc.) = ?	Basocs(B)—Beer yeast(<i>Saccharomyces carlsbergensis</i>) induced HR; arb.c.(NCCLS/f45; proc.) = ?
Plasma—	Plasma—
Beech, american antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/t5; procedure)	Beetroot antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f319; procedure)
10³ international unit/liter	Note: NCCLS/f319; Beta vulgaris
Note: NCCLS/t5; Fagus grandiflora	NPU11613
NPU10862	P—Beetroot antibody(IgE); arb.c.(NCCLS/f319; proc.) = ?
P—Beech, american antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/t5; proc.) = ? × 10 ³ int.unit/l	Plasma—
Plasma—	Beetroot antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f319; procedure)
Beech, american antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t5; procedure)	10³ international unit/liter
10³ arbitrary unit/liter	Note: NCCLS/f319; Beta vulgaris
Note: NCCLS/t5; Fagus grandiflora	NPU11167
NPU13061	P—Beetroot antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f319; proc.) = ? × 10 ³ int.unit/l
P—Beech, american antibody(IgE); arb.subst.c.(NCCLS/t5; proc.) = ? × 10 ³ arb.unit/l	Plasma—
Plasma—	Beetroot antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f319; procedure)
Beef antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f27; procedure)	10³ arbitrary unit/liter
Note: NCCLS/f27; Bos. spp.	Note: NCCLS/f319; Beta vulgaris
NPU11544	NPU13366
P—Beef antibody(IgE); arb.c.(NCCLS/f27; proc.) = ?	P—Beetroot antibody(IgE); arb.subst.c.(NCCLS/f319; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Beef antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f27; procedure)	Benzoate antibody(Immunoglobulin E); arbitrary concentration(NCCLS/k100; procedure)
10³ international unit/liter	Note: NCCLS/k100; Benzoate
Note: NCCLS/f27; Bos. spp.	NPU11284
NPU11098	P—Benzoate antibody(IgE); arb.c.(NCCLS/k100; proc.) = ?
P—Beef antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f27; proc.) = ? × 10 ³ int.unit/l	Plasma—
Plasma—	Benzoate antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/k100; procedure)
Beef antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f27; procedure)	10³ international unit/liter
10³ arbitrary unit/liter	Note: NCCLS/k100; Benzoate
Note: NCCLS/f27; Bos. spp.	NPU10838
NPU13297	P—Benzoate antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/k100; proc.) = ? × 10 ³ int.unit/l
P—Beef antibody(IgE); arb.subst.c.(NCCLS/f27; proc.) = ? × 10 ³ arb.unit/l	Plasma—
Basophilocytes(Blood)—	Benzoate antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k100; procedure)
Beef induced HR; arbitrary concentration(NCCLS/f27; procedure)	10³ arbitrary unit/liter
Note: HR: Histamine release; NCCLS/f27: Bos. spp.	Note: NCCLS/k100; Benzoate
NPU08857	Basocs(B)—Beef induced HR; arb.c.(NCCLS/f27; proc.) = ?

NPU13037

P—Benzoate antibody(IgE); arb.subst.c.(NCCLS/f100; proc.) = ? × 10³ arb.unit/l

Plasma—

Birch antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t3; procedure)

Note: NCCLS/t3; Betula verrucosa

NPU11288

P—Birch antibody(IgE); arb.c.(NCCLS/t3; proc.) = ?

Plasma—

Birch antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/t3; procedure)

10³ international unit/liter

Note: NCCLS/t3; Betula verrucosa

NPU10842

P—Birch antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/t3; proc.) = ? × 10³ int.unit/l

Plasma—

Birch antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t3; procedure)

10³ arbitrary unit/liter

Note: NCCLS/t3; Betula verrucosa

NPU13041

P—Birch antibody(IgE); arb.subst.c.(NCCLS/t3; proc.) = ? × 10³ arb.unit/l

Basophilocytes(Blood)—

Birch pollen induced HR;

arbitrary concentration(NCCLS/t3; procedure)

Note: HR: Histamine release; NCCLS/t3; Betula verrucosa

NPU08839

Basocs(B)—Birch pollen induced HR;
arb.c.(NCCLS/t3; proc.) = ?

Plasma—

Black currant antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f171; procedure)

Note: NCCLS/f171; Black currant

NPU11634

P—Black currant antibody(IgE); arb.c.(NCCLS/f171; proc.) = ?

Plasma—

Black currant antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f171; procedure)

10³ international unit/liter

Note: NCCLS/f171; Black currant

NPU11188

P—Black currant antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f171; proc.) = ? × 10³ int.unit/l

Plasma—

Black currant antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f171; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f171; Black currant

NPU13387

P—Black currant antibody(IgE); arb.subst.c.(NCCLS/f171; proc.) = ? × 10³ arb.unit/l

Plasma—

Blackberry antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f211; procedure)

Note: NCCLS/f211; Rubus fruticosus

NPU11303

P—Blackberry antibody(IgE); arb.c.(NCCLS/f211; proc.) = ?

Plasma—

Blackberry antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f211; procedure)

10³ international unit/liter

Note: NCCLS/f211; Rubus fruticosus

NPU10857

P—Blackberry antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f211; proc.) = ? × 10³ int.unit/l

Plasma—

Blackberry antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f211; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f211; Rubus fruticosus

NPU13056

P—Blackberry antibody(IgE); arb.subst.c.(NCCLS/f211; proc.) = ? × 10³ arb.unit/l

Plasma—

Blood worm larvae antibody(Immunoglobulin E); arbitrary concentration(NCCLS/i73; procedure)

Note: NCCLS/i73; Chironomus thummi th.

NPU11616

P—Blood worm larvae antibody(IgE); arb.c.(NCCLS/i73; proc.) = ?

Plasma—

Blood worm larvae antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/i73; procedure)

10³ international unit/liter

Note: NCCLS/i73; Chironomus thummi th.

NPU11170

P—Blood worm larvae antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/i73; proc.) = ? × 10³ int.unit/l

Plasma—

Blood worm larvae antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/i73; procedure)

10³ arbitrary unit/liter

Note: NCCLS/i73; Chironomus thummi th.

NPU13369

P—Blood worm larvae antibody(IgE); arb.subst.c.(NCCLS/i73; proc.) = ? × 10³ arb.unit/l

Plasma—

**Blue mussel antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f37; procedure)**
Note: NCCLS/f37; *Mytilus edulis*
NPU11293
P—Blue mussel antibody(IgE); arb.c.(NCCLS/f37;
proc.) = ?

Plasma—

**Blue mussel antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/f37; procedure)**
10³ international unit/liter
Note: NCCLS/f37; *Mytilus edulis*
NPU10847
P—Blue mussel antibody(IgE); arb.subst.c.(IPR 75/
502; NCCLS/f37; proc.) = ? × 10³ int.unit/l

Plasma—

**Blue mussel antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f37;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/f37; *Mytilus edulis*
NPU13046
P—Blue mussel antibody(IgE); arb.subst.c.(NCCLS/
f37; proc.) = ? × 10³ arb.unit/l

Plasma—

**Bodgerigar dropping antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e77; procedure)**
Note: NCCLS/e77; *Budgerigar droppings*
NPU11673
P—Bodgerigar dropping antibody(IgE);
arb.c.(NCCLS/e77; proc.) = ?

Plasma—

**Bodgerigar dropping antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/e77; procedure)**
10³ international unit/liter
Note: NCCLS/e77; *Budgerigar droppings*
NPU11227
P—Bodgerigar dropping antibody(IgE);
arb.subst.c.(IPR 75/502; NCCLS/e77; proc.) = ? ×
10³ int.unit/l

Plasma—

**Bodgerigar dropping antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/e77;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/e77; *Budgerigar droppings*
NPU13426
P—Bodgerigar dropping antibody(IgE);
arb.subst.c.(NCCLS/e77; proc.) = ? × 10³ arb.unit/l

Plasma—

**Bodgerigar feather antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e78; procedure)**
Note: NCCLS/e78; *Budgerigar feathers*
NPU11674
P—Bodgerigar feather antibody(IgE);
arb.c.(NCCLS/e78; proc.) = ?

Plasma—

**Bodgerigar feather antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/e78; procedure)**
10³ international unit/liter
Note: NCCLS/e78; *Budgerigar feathers*
NPU11228
P—Bodgerigar feather antibody(IgE);
arb.subst.c.(IPR 75/502; NCCLS/e78; proc.) = ? ×
10³ int.unit/l

Plasma—

**Bodgerigar feather antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/e78;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/e78; *Budgerigar feathers*
NPU13427
P—Bodgerigar feather antibody(IgE);
arb.subst.c.(NCCLS/e78; proc.) = ? × 10³ arb.unit/l

Plasma—

**Bodgerigar serum protein
antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e79; procedure)**
Note: NCCLS/e79; *Budgerigar serum proteins*
NPU11676
P—Bodgerigar serum protein antibody(IgE);
arb.c.(NCCLS/e79; proc.) = ?

Plasma—

**Bodgerigar serum protein
antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/e79; procedure)**
10³ international unit/liter
Note: NCCLS/e79; *Budgerigar serum proteins*
NPU11230
P—Bodgerigar serum protein antibody(IgE);
arb.subst.c.(IPR 75/502; NCCLS/e79; proc.) = ? ×
10³ int.unit/l

Plasma—

**Bodgerigar serum protein
antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/e79;
procedure)**
10³ arbitrary unit/liter
Note: NCCLS/e79; *Budgerigar serum proteins*
NPU13429
P—Bodgerigar serum protein antibody(IgE);
arb.subst.c.(NCCLS/e79; proc.) = ? × 10³ arb.unit/l

Plasma—

**Botrytis cinerea antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/m7; procedure)**
Note: NCCLS/m7; *Botrytis cinerea*
NPU11299
P—*Botrytis cinerea* antibody(IgE); arb.c.(NCCLS/
m7; proc.) = ?

Plasma—

**Botrytis cinerea antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/m7; procedure)**

10³ international unit/liter	Plasma—
Note: NCCLS/m7; <i>Botrytis cinerea</i>	Brazil nut antibody(Immunoglobulin E);
NPU10853	arbitrary substance concentration(NCCLS/f18; procedure)
P— <i>Botrytis cinerea</i> antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m7; proc.) = ? × 10 ³ int.unit/l	10³ arbitrary unit/liter
Plasma—	Note: NCCLS/f18; <i>Bertholletia excelsa</i>
Botrytis cinerea antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m7; procedure)	NPU13313
10³ arbitrary unit/liter	P—Brazil nut antibody(IgE); arb.subst.c.(NCCLS/f18; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/m7; <i>Botrytis cinerea</i>	Plasma—
NPU13052	Brewer's yeast antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f45; procedure)
P— <i>Botrytis cinerea</i> antibody(IgE); arb.subst.c.(NCCLS/m7; proc.) = ? × 10 ³ arb.unit/l	Note: NCCLS/f45; <i>Saccharomyces cerevisiae</i>
Plasma—	NPU11688
Bovine serum albumin antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e204; procedure)	P—Brewer's yeast antibody(IgE); arb.c.(NCCLS/f45; proc.) = ?
Note: NCCLS/e204; Bovine serum albumin	Plasma—
NPU11300	Brewer's yeast antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f45; procedure)
P—Bovine serum albumin antibody(IgE); arb.c.(NCCLS/e204; proc.) = ?	10³ international unit/liter
Plasma—	Note: NCCLS/f45; <i>Saccharomyces cerevisiae</i>
Bovine serum albumin antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e204; procedure)	NPU11242
10³ international unit/liter	P—Brewer's yeast antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f45; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/e204; Bovine serum albumin	Plasma—
NPU10854	Brewer's yeast antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f45; procedure)
P—Bovine serum albumin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e204; proc.) = ? × 10 ³ int.unit/l	10³ arbitrary unit/liter
Plasma—	Note: NCCLS/f45; <i>Saccharomyces cerevisiae</i>
Bovine serum albumin antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e204; procedure)	NPU13441
10³ arbitrary unit/liter	P—Brewer's yeast antibody(IgE); arb.subst.c.(NCCLS/f45; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/e204; Bovine serum albumin	Plasma—
NPU13053	Broccoli antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f260; procedure)
P—Bovine serum albumin antibody(IgE); arb.subst.c.(NCCLS/e204; proc.) = ? × 10 ³ arb.unit/l	Note: NCCLS/f260; <i>Brassica</i> var. <i>italica</i>
Plasma—	NPU11301
Brazil nut antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f18; procedure)	P—Broccoli antibody(IgE); arb.c.(NCCLS/f260; proc.) = ?
Note: NCCLS/f18; <i>Bertholletia excelsa</i>	Plasma—
NPU11560	Broccoli antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f260; procedure)
P—Brazil nut antibody(IgE); arb.c.(NCCLS/f18; proc.) = ?	10³ international unit/liter
Plasma—	Note: NCCLS/f260; <i>Brassica</i> var. <i>italica</i>
Brazil nut antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f18; procedure)	NPU10855
10³ international unit/liter	P—Broccoli antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f260; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/f18; <i>Bertholletia excelsa</i>	Plasma—
NPU11114	Broccoli antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f260; procedure)
P—Brazil nut antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f18; proc.) = ? × 10 ³ int.unit/l	10³ arbitrary unit/liter
Plasma—	Note: NCCLS/f260; <i>Brassica</i> var. <i>italica</i>
Brazil nut antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f260; procedure)	NPU13054
10³ arbitrary unit/liter	P—Broccoli antibody(IgE); arb.subst.c.(NCCLS/f260; proc.) = ? × 10 ³ arb.unit/l

Plasma—	Plasma—
Brome grass antibody(Immunoglobulin E); arbitrary concentration(NCCLS/g11; procedure)	Brussel sprout antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f217; procedure)
Note: NCCLS/g11; Bromus inermis	10³ international unit/liter
NPU11640	Note: NCCLS/f217; Brassica oleracea var. gemmifera
P—Brome grass antibody(IgE); arb.c.(NCCLS/g11; proc.) = ?	NPU11157
	P—Brussel sprout antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f217; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Brome grass antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/g11; procedure)	Brussel sprout antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f217; procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/g11; Bromus inermis	Note: NCCLS/f217; Brassica oleracea var. gemmifera
NPU11194	NPU13356
P—Brome grass antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/g11; proc.) = ? × 10 ³ int.unit/l	P—Brussel sprout antibody(IgE); arb.subst.c.(NCCLS/f217; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Brome grass antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/g11; procedure)	Buckwheat seed antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f11; procedure)
10³ arbitrary unit/liter	Note: NCCLS/f11; Fagopyrum esculentum
Note: NCCLS/g11; Bromus inermis	NPU11296
NPU13393	P—Buckwheat seed antibody(IgE); arb.c.(NCCLS/f11; proc.) = ?
P—Brome grass antibody(IgE); arb.subst.c.(NCCLS/g11; proc.) = ? × 10 ³ arb.unit/l	Plasma—
Plasma—	Buckwheat seed antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f11; procedure)
Bromelin antibody(Immunoglobulin E); arbitrary concentration(NCCLS/k202; procedure)	10³ international unit/liter
Note: NCCLS/k202; Bromelin	Note: NCCLS/f11; Fagopyrum esculentum
NPU11304	NPU10850
P—Bromelin antibody(IgE); arb.c.(NCCLS/k202; proc.) = ?	P—Buckwheat seed antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f11; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Bromelin antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/k202; procedure)	Buckwheat seed antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f11; procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/k202; Bromelin	Note: NCCLS/f11; Fagopyrum esculentum
NPU10858	NPU13049
P—Bromelin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k202; proc.) = ? × 10 ³ int.unit/l	P—Buckwheat seed antibody(IgE); arb.subst.c.(NCCLS/f11; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Bromelin antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k202; procedure)	Cabbage antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f216; procedure)
10³ arbitrary unit/liter	Note: NCCLS/f216; Brassica oleracea var. capitata
Note: NCCLS/k202; Bromelin	NPU11433
NPU13057	P—Cabbage antibody(IgE); arb.c.(NCCLS/f216; proc.) = ?
P—Bromelin antibody(IgE); arb.subst.c.(NCCLS/k202; proc.) = ? × 10 ³ arb.unit/l	Plasma—
Plasma—	Cabbage antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f216; procedure)
Brussel sprout antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f217; procedure)	10³ international unit/liter
Note: NCCLS/f217; Brassica oleracea var. gemmifera	Note: NCCLS/f216; Brassica oleracea var. capitata
NPU11603	
P—Brussel sprout antibody(IgE); arb.c.(NCCLS/f217; proc.) = ?	

NPU10987	Plasma—
P—Cabbage antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f216; proc.) = ? × 10 ³ int.unit/l	Cage bird antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e; procedure)
Plasma—	10³ arbitrary unit/liter
Cabbage antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f216; procedure)	NPU13058
10 ³ arbitrary unit/liter	P—Cage bird antibody(IgE); arb.subst.c.(NCCLS/e; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/f216; Brassica oleracea var. capitata	Plasma—
NPU13186	Cage bird antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e; procedure)
P—Cabbage antibody(IgE); arb.subst.c.(NCCLS/f216; proc.) = ? × 10 ³ arb.unit/l	10³ international unit/liter
Plasma—	NPU10859
Cacao antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f93; procedure)	P—Cage bird antibody(IgE); arb.subst.c.(NCCLS/e; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/f93; Theobroma cacao, Semen cacao	Plasma—
NPU11457	Camomile antibody(Immunoglobulin E); arbitrary concentration(NCCLS/w206; procedure)
P—Cacao antibody(IgE); arb.c.(NCCLS/f93; proc.) = ?	Note: NCCLS/w206; Matricaria chamomilla L.
Plasma—	NPU11462
Cacao antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f93; procedure)	P—Camomile antibody(IgE); arb.c.(NCCLS/w206; proc.) = ?
10 ³ international unit/liter	Plasma—
Note: NCCLS/f93; Theobroma cacao, Semen cacao	Camomile antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/w206; procedure)
NPU11011	10 ³ international unit/liter
P—Cacao antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f93; proc.) = ? × 10 ³ int.unit/l	Note: NCCLS/w206; Matricaria chamomilla L.
Plasma—	NPU11016
Cacao antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f93; procedure)	P—Camomile antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/w206; proc.) = ? × 10 ³ int.unit/l
10 ³ arbitrary unit/liter	Plasma—
Note: NCCLS/f93; Theobroma cacao, Semen cacao	Camomile antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/w206; procedure)
NPU13210	10 ³ arbitrary unit/liter
P—Cacao antibody(IgE); arb.subst.c.(NCCLS/f93; proc.) = ? × 10 ³ arb.unit/l	Note: NCCLS/w206; Matricaria chamomilla L.
Plasma—	NPU13215
Cage bird antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e78; e213; e214; e201; e93); procedure)	P—Camomile antibody(IgE); arb.subst.c.(NCCLS/w206; proc.) = ? × 10 ³ arb.unit/l
NPU14804	Plasma—
P—Cage bird antibody(IgE); arb.c.(NCCLS/(e78; e213; e214; e201; e93); proc.) = ?	Canary feather antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e201; procedure)
Plasma—	Note: NCCLS/e201; Canary feathers
Cage bird antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(e78; e90; e91); procedure)	NPU11463
NPU14881	P—Canary feather antibody(IgE); arb.c.(NCCLS/e201; proc.) = ?
P—Cage bird antibody(IgE); arb.c.(NCCLS/(e78; e90; e91); proc.) = ?	Plasma—
Plasma—	Canary feather antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e201; procedure)
Cage bird antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e; procedure)	10 ³ international unit/liter
NPU11305	Note: NCCLS/e201; Canary feathers
P—Cage bird antibody(IgE); arb.c.(NCCLS/e; proc.) = ?	NPU11017
	P—Canary feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e201; proc.) = ? × 10 ³ int.unit/l

Plasma—	NPU13064
Canary feather antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e201; procedure)	P— <i>Candida albicans</i> antibody(IgE); arb.subst.c.(NCCLS/m5; proc.) = ? × 10 ³ arb.unit/l
10³ arbitrary unit/liter	
Note: NCCLS/e201; Canary feathers	
NPU13216	
P—Canary feather antibody(IgE); arb.subst.c.(NCCLS/e201; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Canary grass antibody(Immunoglobulin E); arbitrary concentration(NCCLS/g71; procedure)	Basophilocytes(Blood)—
Note: NCCLS/g71; Phalaris arundinacea	Candida albicans induced HR;
NPU11464	arbitrary concentration(NCCLS/m5; procedure)
P—Canary grass antibody(IgE); arb.c.(NCCLS/g71; proc.) = ?	Note: HR: Histamine release; NCCLS/m5: <i>Candida albicans</i>
Plasma—	NPU08867
Canary grass antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/g71; procedure)	Basocs(B)— <i>Candida albicans</i> induced HR; arb.c.(NCCLS/m5; proc.) = ?
10³ international unit/liter	
Note: NCCLS/g71; Phalaris arundinacea	
NPU11018	
P—Canary grass antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/g71; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Canary grass antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/g71; procedure)	Plasma—
10³ arbitrary unit/liter	Caraway antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f265; procedure)
Note: NCCLS/g71; Phalaris arundinacea	Note: NCCLS/f265; Carum carvi
NPU13217	NPU11482
P—Canary grass antibody(IgE); arb.subst.c.(NCCLS/g71; proc.) = ? × 10 ³ arb.unit/l	P—Caraway antibody(IgE); arb.c.(NCCLS/f265; proc.) = ?
Plasma—	
Candida albicans antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m5; procedure)	Plasma—
Note: NCCLS/m5; <i>Candida albicans</i>	Caraway antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f265; procedure)
NPU11311	10³ international unit/liter
P— <i>Candida albicans</i> antibody(IgE); arb.c.(NCCLS/ m5; proc.) = ?	Note: NCCLS/f265; Carum carvi
Plasma—	NPU11036
Candida albicans antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m5; procedure)	P—Caraway antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f265; proc.) = ? × 10 ³ int.unit/l
10³ international unit/liter	
Note: NCCLS/m5; <i>Candida albicans</i>	
NPU10865	
P— <i>Candida albicans</i> antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m5; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Candida albicans antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m5; procedure)	Plasma—
10³ arbitrary unit/liter	Cardamom antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f267; procedure)
Note: NCCLS/m5; <i>Candida albicans</i>	Note: NCCLS/f267; <i>Elettaria cardamomum</i>
NPU11469	NPU11469
P— <i>Candida albicans</i> antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m5; proc.) = ? × 10 ³ int.unit/l	P—Cardamom antibody(IgE); arb.c.(NCCLS/f267; proc.) = ?
Plasma—	
Candida albicans antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m5; procedure)	Plasma—
10³ arbitrary unit/liter	Cardamom antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f267; procedure)
Note: NCCLS/m5; <i>Candida albicans</i>	Note: NCCLS/f267; <i>Elettaria cardamomum</i>
NPU11023	NPU11023
P— <i>Candida albicans</i> antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f267; proc.) = ? × 10 ³ int.unit/l	P—Cardamom antibody(IgE); arb.subst.c.(IRP 75/ 502; NCCLS/f267; proc.) = ? × 10 ³ int.unit/l
Plasma—	
Candida albicans antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f267; procedure)	Plasma—
10³ arbitrary unit/liter	Cardamom antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f267; procedure)
Note: NCCLS/m5; <i>Candida albicans</i>	10 ³ arbitrary unit/liter

Note: NCCLS/f267; Elettaria cardamomum

NPU13222

P—Cardamom antibody(IgE); arb.subst.c.(NCCLS/f267; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

**Carrot antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f31; procedure)**

Note: NCCLS/f31; Daucus carota

NPU11386

P—Carrot antibody(IgE); arb.c.(NCCLS/f31; proc.) = ?

Plasma—

**Carrot antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f31; procedure)**

10³ international unit/liter

Note: NCCLS/f31; Daucus carota

NPU10940

P—Carrot antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f31; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

**Carrot antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f31;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f31; Daucus carota

NPU13139

P—Carrot antibody(IgE); arb.subst.c.(NCCLS/f31; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

**Casein antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f78; procedure)**

Note: NCCLS/f78; Casein

NPU11312

P—Casein antibody(IgE); arb.c.(NCCLS/f78; proc.) = ?

Plasma—

**Casein antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f78; procedure)**

10³ international unit/liter

Note: NCCLS/f78; Casein

NPU10866

P—Casein antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f78; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

**Casein antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f78;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f78; Casein

NPU13065

P—Casein antibody(IgE); arb.subst.c.(NCCLS/f78; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

**Cashew nut antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f202; procedure)**

Note: NCCLS/f202; Anacardium occidentale
NPU11247

P—Cashew nut antibody(IgE); arb.c.(NCCLS/f202; proc.) = ?

Plasma—

**Cashew nut antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f202; procedure)**

10³ international unit/liter

Note: NCCLS/f202; Anacardium occidentale
NPU10801

P—Cashew nut antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f202; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

**Cashew nut antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f202;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f202; Anacardium occidentale
NPU13000

P—Cashew nut antibody(IgE); arb.subst.c.(NCCLS/f202; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

**Castor bean antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/k71; procedure)**

Note: NCCLS/k71; Ricinus communis

NPU11601

P—Castor bean antibody(IgE); arb.c.(NCCLS/k71; proc.) = ?

Plasma—

**Castor bean antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/k71; procedure)**

10³ international unit/liter

Note: NCCLS/k71; Ricinus communis

NPU11155

P—Castor bean antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k71; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

**Castor bean antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/k71;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/k71; Ricinus communis

NPU13354

P—Castor bean antibody(IgE); arb.subst.c.(NCCLS/k71; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

**Cat epithelium antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e1; procedure)**

Note: NCCLS/e1; Felis domesticus

NPU11474

P—Cat epithelium antibody(IgE); arb.c.(NCCLS/e1; proc.) = ?

Plasma—	Dust(Mattress)—
Cat epithelium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e1; procedure)	Cat(antigen); mass fraction
10³ international unit/liter	10⁻⁹
Note: WHO/IUISe1; <i>Felis domesticus</i>	NPU14869
NPU11028	Dust(Mattress)—Cat(Ag); mass fr. = ? × 10 ⁻⁹
P—Cat epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e1; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Dust(specification)—
Cat epithelium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e1; procedure)	Cat(antigen); mass fraction
10³ arbitrary unit/liter	10⁻⁹
Note: NCCLS/e1; <i>Felis domesticus</i>	NPU14855
NPU13227	Dust(spec.)—Cat(Ag); mass fr. = ? × 10 ⁻⁹
P—Cat epithelium antibody(IgE); arb.subst.c.(NCCLS/e1; proc.) = ? × 10 ³ arb.unit/l	
Basophilocytes(Blood)—	System(specification)—
Cat epithelium induced HR; arbitrary concentration(Histamine release; NCCLS/e1; procedure)	Cat(antigen); mass fraction
Note: HR: Histamine release; NCCLS/e1: <i>Felis domesticus</i>	10⁻⁹
NPU08844	NPU14862
Basocs(B)—Cat epithelium induced HR; arb.c.(Histamine release; NCCLS/e1; proc.) = ?	Syst(spec.)—Cat(Ag); mass fr. = ? × 10 ⁻⁹
Plasma—	Plasma—
Cat flea antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e; procedure)	Cauliflower antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f291; procedure)
NPU11476	Note: NCCLS/f291; <i>Brassica oleracea</i> var. <i>botrytis</i>
P—Cat flea antibody(IgE); arb.c.(NCCLS/e; proc.) = ?	NPU11291
	P—Cauliflower antibody(IgE); arb.c.(NCCLS/f291; proc.) = ?
Plasma—	Plasma—
Cat flea antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e; procedure)	Cauliflower antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f291; procedure)
10³ international unit/liter	10³ international unit/liter
NPU111030	Note: NCCLS/f291; <i>Brassica oleracea</i> var. <i>botrytis</i>
P—Cat flea antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e; proc.) = ? × 10 ³ int.unit/l	NPU10845
	P—Cauliflower antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f291; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Cat flea antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e; procedure)	Cauliflower antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f291; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
NPU13229	Note: NCCLS/f291; <i>Brassica oleracea</i> var. <i>botrytis</i>
P—Cat flea antibody(IgE); arb.subst.c.(NCCLS/e; proc.) = ? × 10 ³ arb.unit/l	NPU13044
	P—Cauliflower antibody(IgE); arb.subst.c.(NCCLS/f291; proc.) = ? × 10 ³ arb.unit/l
Dust(Floor)—	Plasma—
Cat(antigen); mass fraction	Celery antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f85; procedure)
10⁻⁹	Note: NCCLS/f85; <i>Apium graveolens</i>
NPU14876	NPU11290
Dust(Floor)—Cat(Ag); mass fr. = ? × 10 ⁻⁹	P—Celery antibody(IgE); arb.c.(NCCLS/f85; proc.) = ?
Plasma—	Plasma—
Celery antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f85; procedure)	Celery antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f85; procedure)
10³ international unit/liter	Note: NCCLS/f85; <i>Apium graveolens</i>

NPU10844

P—Celery antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f85; proc.) = ? × 10³ int.unit/l

Plasma—

Celery antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f85; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f85; Apium graveolens

NPU13043

P—Celery antibody(IgE); arb.subst.c.(NCCLS/f85; proc.) = ? × 10³ arb.unit/l

Plasma—

Cephalosporum acremonium antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m202; procedure)

Note: NCCLS/m202; Cephalosporum acremonium
NPU11314
P—Cephalosporum acremonium antibody(IgE); arb.c.(NCCLS/m202; proc.) = ?

Plasma—

Cephalosporum acremonium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m202; procedure)

10³ international unit/liter

Note: NCCLS/m202; Cephalosporum acremonium
NPU10868

P—Cephalosporum acremonium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m202; proc.) = ? × 10³ int.unit/l

Plasma—

Cephalosporum acremonium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m202; procedure)

10³ arbitrary unit/liter

Note: NCCLS/m202; Cephalosporum acremonium
NPU13067

P—Cephalosporum acremonium antibody(IgE); arb.subst.c.(NCCLS/m202; proc.) = ? × 10³ arb. unit/l

Plasma—

Cheese, cheddar type antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f81; procedure)

Note: NCCLS/f81; Cheese, Cheddar type

NPU11316

P—Cheese, cheddar type antibody(IgE); arb.c.(NCCLS/f81; proc.) = ?

Plasma—

Cheese, cheddar type antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f81; procedure)

10³ international unit/liter

Note: NCCLS/f81; Cheese, Cheddar type
NPU10870

P—Cheese, cheddar type antibody(IgE);

arb.subst.c.(IRP 75/502; NCCLS/f81; proc.) = ? × 10³ int.unit/l

Plasma—

Cheese, cheddar type antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f81; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f81; Cheese, Cheddar type

NPU13069

P—Cheese, cheddar type antibody(IgE); arb.subst.c.(NCCLS/f81; proc.) = ? × 10³ arb.unit/l

Plasma—

Cheese, mold type antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f82; procedure)

Note: NCCLS/f82; Cheese, mold type

NPU11629

P—Cheese, mold type antibody(IgE); arb.c.(NCCLS/f82; proc.) = ?

Plasma—

Cheese, mold type antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f82; procedure)

10³ international unit/liter

Note: NCCLS/f82; Cheese, mold type

NPU11183

P—Cheese, mold type antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f82; proc.) = ? × 10³ int.unit/l

Plasma—

Cheese, mold type antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f82; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f82; Cheese, mold type

NPU13382

P—Cheese, mold type antibody(IgE); arb.subst.c.(NCCLS/f82; proc.) = ? × 10³ arb.unit/l

Plasma—

Cherry antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f242; procedure)

Note: NCCLS/f242; Prunus avium

NPU11478

P—Cherry antibody(IgE); arb.c.(NCCLS/f242; proc.) = ?

Plasma—

Cherry antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f242; procedure)

10³ international unit/liter

Note: NCCLS/f242; Prunus avium

NPU11032

P—Cherry antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f242; proc.) = ? × 10³ int.unit/l

Plasma—	P—Chicken feather antibody(IgE); arb.subst.c.(NCCLS/e85; proc.) = ? × 10 ³ arb.unit/l
Cherry antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f242; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/f242; Prunus avium	
NPU13231	
P—Cherry antibody(IgE); arb.subst.c.(NCCLS/f242; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Chicken dropping antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e218; procedure)	
Note: NCCLS/e218; Chicken dropping	
NPU11491	
P—Chicken dropping antibody(IgE); arb.c.(NCCLS/ e218; proc.) = ?	
Plasma—	
Chicken dropping antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e218; procedure)	
10³ international unit/liter	
Note: NCCLS/e218; Chicken dropping	
NPU11045	
P—Chicken dropping antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e218; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Chicken dropping antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e218; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/e218; Chicken dropping	
NPU13244	
P—Chicken dropping antibody(IgE); arb.subst.c.(NCCLS/e218; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Chicken feather antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e85; procedure)	
Note: NCCLS/e85; Chicken feathers	
NPU11437	
P—Chicken feather antibody(IgE); arb.c.(NCCLS/ e85; proc.) = ?	
Plasma—	
Chicken feather antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e85; procedure)	
10³ international unit/liter	
Note: NCCLS/e85; Chicken feathers	
NPU10991	
P—Chicken feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e85; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Chicken feather antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e85; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/e85; Chicken feathers	
NPU13190	
Plasma—	
Chicken meat antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f83; procedure)	
Note: NCCLS/f83; Gallus spp.	
NPU11438	
P—Chicken meat antibody(IgE); arb.c.(NCCLS/f83; proc.) = ?	
Plasma—	
Chicken meat antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f83; procedure)	
10³ international unit/liter	
Note: NCCLS/f83; Gallus spp.	
NPU10992	
P—Chicken meat antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f83; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Chicken meat antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f83; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/f83; Gallus spp.	
NPU13191	
P—Chicken meat antibody(IgE); arb.subst.c.(NCCLS/f83; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Chicken serum antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e219; procedure)	
Note: NCCLS/e219; Chicken serum	
NPU11492	
P—Chicken serum antibody(IgE); arb.c.(NCCLS/ e219; proc.) = ?	
Plasma—	
Chicken serum antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e219; procedure)	
10³ international unit/liter	
Note: NCCLS/e219; Chicken serum	
NPU11046	
P—Chicken serum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e219; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Chicken serum antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e219; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/e219; Chicken serum	
NPU13245	
P—Chicken serum antibody(IgE); arb.subst.c.(NCCLS/e219; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Childrens diary antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f1; f2; f3; f4; f13; f14); procedure)	
NPU14805	

P—Childrens diary antibody(IgE); arb.c.(NCCLS/(f1; f2; f3; f4; f13; f14); proc.) = ?	Plasma— Chinese elm antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t38; procedure) NPU110310 P—Childrens diary antibody(IgE); arb.c.(NCCLS/f; proc.) = ?	Plasma— Chinese elm antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t38; procedure) 10³ international unit/liter Note: NCCLS/t38; <i>Ulmus pumilla</i> NPU11031 P—Chinese elm antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t38; proc.) = ? × 10 ³ int.unit/l
Plasma— Childrens diary antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f; procedure) 10³ arbitrary unit/liter NPU13063 P—Childrens diary antibody(IgE); arb.subst.c.(NCCLS/f; proc.) = ? × 10 ³ arb.unit/l	Plasma— Chinese elm antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t38; procedure) 10³ arbitrary unit/liter Note: NCCLS/t38; <i>Ulmus pumilla</i> NPU13230 P—Chinese elm antibody(IgE); arb.subst.c.(NCCLS/t38; proc.) = ? × 10 ³ arb.unit/l	Plasma— Chives antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f339; procedure) Note: NCCLS/f339; Chives NPU11586 P—Chives antibody(IgE); arb.c.(NCCLS/f339; proc.) = ?
Plasma— Chinchilla antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e208; procedure) Note: NCCLS/e208; Chinchilla NPU11318 P—Chinchilla antibody(IgE); arb.c.(NCCLS/e208; proc.) = ?	Plasma— Chives antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f339; procedure) 10³ international unit/liter Note: NCCLS/f339; Chives NPU11140 P—Chives antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f339; proc.) = ? × 10 ³ int.unit/l	Plasma— Chives antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f339; procedure) 10³ arbitrary unit/liter Note: NCCLS/f339; Chives NPU13339 P—Chives antibody(IgE); arb.subst.c.(NCCLS/f339; proc.) = ? × 10 ³ arb.unit/l
Plasma— Chinchilla antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e208; procedure) 10³ international unit/liter Note: NCCLS/e208; Chinchilla NPU10872 P—Chinchilla antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e208; proc.) = ? × 10 ³ int.unit/l	Plasma— Chives antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f339; procedure) 10³ arbitrary unit/liter Note: NCCLS/f339; Chives NPU13339 P—Chives antibody(IgE); arb.subst.c.(NCCLS/f339; proc.) = ? × 10 ³ arb.unit/l	Plasma— Chloramine T antibody(Immunoglobulin E); arbitrary concentration(NCCLS/k85; procedure) Note: NCCLS/k85; Chloramine T NPU11319 P—Chloramine T antibody(IgE); arb.c.(NCCLS/k85; proc.) = ?
Plasma— Chinchilla antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e208; procedure) 10³ arbitrary unit/liter Note: NCCLS/e208; Chinchilla NPU13071 P—Chinchilla antibody(IgE); arb.subst.c.(NCCLS/e208; proc.) = ? × 10 ³ arb.unit/l	Plasma— Chloramine T antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/k85; procedure) 10³ international unit/liter Note: NCCLS/k85; Chloramine T NPU10873 P—Chloramine T antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k85; proc.) = ? × 10 ³ int.unit/l	
Plasma— Chinese elm antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t38; procedure) Note: NCCLS/t38; <i>Ulmus pumilla</i> NPU11477 P—Chinese elm antibody(IgE); arb.c.(NCCLS/t38; proc.) = ?		

Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m2; procedure)
Chloramine T antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k85; procedure)	10³ arbitrary unit/liter
Note: NCCLS/k85; Chloramine T	
NPU13072	
P—Chloramine T antibody(IgE); arb.subst.c.(NCCLS/k85; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c3; procedure)
Chymopapain antibody(Immunoglobulin E); arbitrary concentration(NCCLS/c3; procedure)	Note: NCCLS/c3; Chymopapain
NPU11320	
P—Chymopapain antibody(IgE); arb.c.(NCCLS/c3; proc.) = ?	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/c3; procedure)
Chymopapain antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/c3; procedure)	10³ international unit/liter
Note: NCCLS/c3; Chymopapain	
NPU10874	
P—Chymopapain antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c3; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c3; procedure)
Chymopapain antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/c3; procedure)	10³ arbitrary unit/liter
Note: NCCLS/c3; Chymopapain	
NPU13073	
P—Chymopapain antibody(IgE); arb.subst.c.(NCCLS/c3; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f207; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f220; procedure)	Note: NCCLS/f207; Ruditapes spp.
NPU11465	
P—Cinnamon antibody(IgE); arb.c.(NCCLS/f220; proc.) = ?	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f220; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f220; procedure)	10³ international unit/liter
Note: NCCLS/f220; Cinnamomum spp.	
NPU11019	
P—Cinnamon antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f220; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f207; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f220; procedure)	10³ arbitrary unit/liter
Note: NCCLS/f220; Cinnamomum spp.	
NPU13218	
P—Cinnamon antibody(IgE); arb.subst.c.(NCCLS/f220; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m2; procedure)
Chloramine T antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k85; procedure)	10³ arbitrary unit/liter
Note: NCCLS/k85; Chloramine T	
NPU11322	
P—Cladosporium herbarum antibody(IgE); arb.c.(NCCLS/m2; proc.) = ?	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m2; procedure)
Chymopapain antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m2; procedure)	10³ international unit/liter
Note: NCCLS/m2; Cladosporium herbarum	
NPU10876	
P—Cladosporium herbarum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m2; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Cladosporium herbarum antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m2; procedure)
Chymopapain antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m2; procedure)	10³ arbitrary unit/liter
Note: NCCLS/m2; Cladosporium herbarum	
NPU13075	
P—Cladosporium herbarum antibody(IgE); arb.subst.c.(NCCLS/m2; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f207; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f220; procedure)	Note: NCCLS/f207; Ruditapes spp.
NPU11532	
P—Clam antibody(IgE); arb.c.(NCCLS/f207; proc.) = ?	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f207; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f220; procedure)	10³ international unit/liter
Note: NCCLS/f207; Ruditapes spp.	
NPU11086	
P—Clam antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f207; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Clam antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f207; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f220; procedure)	10³ arbitrary unit/liter
Note: NCCLS/f207; Ruditapes spp.	
NPU13285	
P—Clam antibody(IgE); arb.subst.c.(NCCLS/f207; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Clove antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f268; procedure)
Cinnamon antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f220; procedure)	Note: NCCLS/f268; Syzygium aromaticum

NPU11540

P—Clove antibody(IgE); arb.c.(NCCLS/f268; proc.) = ?

Plasma—

Clove antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f268; procedure)

10³ international unit/liter

Note: NCCLS/f268; Syzygium aromaticum

NPU11094

P—Clove antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f268; proc.) = ? × 10³ int.unit/l

Plasma—

Clove antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f268; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f268; Syzygium aromaticum

NPU13293

P—Clove antibody(IgE); arb.subst.c.(NCCLS/f268; proc.) = ? × 10³ arb.unit/l

Plasma—

Club moss antibody(Immunoglobulin E); arbitrary concentration(NCCLS/w; procedure)

NPU11672

P—Club moss antibody(IgE); arb.c.(NCCLS/w; proc.) = ?

Plasma—

Club moss antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/w; procedure)

10³ international unit/liter

NPU11226

P—Club moss antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/w; proc.) = ? × 10³ int.unit/l

Plasma—

Club moss antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/w; procedure)

10³ arbitrary unit/liter

NPU13425

P—Club moss antibody(IgE); arb.subst.c.(NCCLS/w; proc.) = ? × 10³ arb.unit/l

Plasma—

Cocklebur antibody(Immunoglobulin E); arbitrary concentration(NCCLS/w13; procedure)

Note: NCCLS/w13; Xanthium commune

NPU11302

P—Cocklebur antibody(IgE); arb.c.(NCCLS/w13; proc.) = ?

Plasma—

Cocklebur antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/w13; procedure)

10³ international unit/liter

Note: NCCLS/w13; Xanthium commune

NPU10856

P—Cocklebur antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/w13; proc.) = ? × 10³ int.unit/l

Plasma—

Cocklebur antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/w13; procedure)

10³ arbitrary unit/liter

Note: NCCLS/w13; Xanthium commune

NPU13055

P—Cocklebur antibody(IgE); arb.subst.c.(NCCLS/w13; proc.) = ? × 10³ arb.unit/l

Plasma—

Cockroach antibody(Immunoglobulin E); arbitrary concentration(NCCLS/i6; procedure)

Note: NCCLS/i6; Blatella germanica

NPU11458

P—Cockroach antibody(IgE); arb.c.(NCCLS/i6; proc.) = ?

Plasma—

Cockroach antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/i6; procedure)

10³ international unit/liter

Note: NCCLS/i6; Blatella germanica

NPU11012

P—Cockroach antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/i6; proc.) = ? × 10³ int.unit/l

Plasma—

Cockroach antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/i6; procedure)

10³ arbitrary unit/liter

Note: NCCLS/i6; Blatella germanica

NPU13211

P—Cockroach antibody(IgE); arb.subst.c.(NCCLS/i6; proc.) = ? × 10³ arb.unit/l

Plasma—

Coconut antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f36; procedure)

Note: NCCLS/f36; Cocos nucifera

NPU11481

P—Coconut antibody(IgE); arb.c.(NCCLS/f36; proc.) = ?

Plasma—

Coconut antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f36; procedure)

10³ international unit/liter

Note: NCCLS/f36; Cocos nucifera

NPU11035

P—Coconut antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f36; proc.) = ? × 10³ int.unit/l

Plasma—	Plasma—
Coconut antibody(Immunoglobulin E);	Coffee antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f36; procedure)	arbitrary substance concentration(NCCLS/f221; procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/f36; Cocos nucifera	Note: NCCLS/f221; Coffea spp.
NPU13234	NPU13209
P—Coconut antibody(IgE); arb.subst.c.(NCCLS/f36; proc.) = ? × 10 ³ arb.unit/l	P—Coffee antibody(IgE); arb.subst.c.(NCCLS/f221; proc.) = ? × 10 ³ arb.unit/l
Basophilocytes(Blood)—	Dust(Floor)—
Cod induced HR;	Component(antigen; specification);
arbitrary concentration(NCCLS/f3; procedure)	mass fraction
Note: HR: Histamine release; NCCLS/f3; Gadus morhua	10 ⁻⁹
NPU08858	NPU14880
Basocs(B)—Cod induced HR; arb.c.(NCCLS/f3; proc.) = ?	Dust(Floor)—Component(Ag; spec.); mass fr. = ? × 10 ⁻⁹
Plasma—	Dust(Mattress)—
Codfish antibody(Immunoglobulin E);	Component(antigen; specification);
arbitrary concentration(NCCLS/f3; procedure)	mass fraction
Note: NCCLS/f3; Gadus morhua	10 ⁻⁹
NPU11661	NPU14873
P—Codfish antibody(IgE); arb.c.(NCCLS/f3; proc.) = ?	Dust(Mattress)—Component(Ag; spec.); mass fr. = ? × 10 ⁻⁹
Plasma—	Dust(specification)—
Codfish antibody(Immunoglobulin E);	Component(antigen; specification);
arbitrary substance concentration(IRP 75/502; NCCLS/f3; procedure)	mass fraction
10³ international unit/liter	10 ⁻⁹
Note: NCCLS/f3; Gadus morhua	NPU14859
NPU11215	Dust(spec.)—Component(Ag; spec.); mass fr. = ? × 10 ⁻⁹
P—Codfish antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f3; proc.) = ? × 10 ³ int.unit/l	System(specification)—
Plasma—	Component(antigen; specification);
Codfish antibody(Immunoglobulin E);	mass fraction
arbitrary substance concentration(NCCLS/f3; procedure)	10 ⁻⁹
10³ arbitrary unit/liter	NPU14866
Note: NCCLS/f3; Gadus morhua	Syst(spec.)—Component(Ag; spec.); mass fr. = ? × 10 ⁻⁹
NPU13414	Plasma—
P—Codfish antibody(IgE); arb.subst.c.(NCCLS/f3; proc.) = ? × 10 ³ arb.unit/l	Coriander antibody(Immunoglobulin E);
Plasma—	arbitrary concentration(NCCLS/f317; procedure)
Coffee antibody(Immunoglobulin E);	Note: NCCLS/f317; Coriandrum sativum
arbitrary concentration(NCCLS/f221; procedure)	NPU11485
Note: NCCLS/f221; Coffea spp.	P—Coriander antibody(IgE); arb.c.(NCCLS/f317; proc.) = ?
NPU11456	Plasma—
P—Coffee antibody(IgE); arb.c.(NCCLS/f221; proc.) = ?	Coriander antibody(Immunoglobulin E);
Plasma—	arbitrary substance concentration(IRP 75/502; NCCLS/f317; procedure)
Coffee antibody(Immunoglobulin E);	10 ³ international unit/liter
arbitrary substance concentration(IRP 75/502; NCCLS/f221; procedure)	Note: NCCLS/f317; Coriandrum sativum
10³ international unit/liter	NPU11039
Note: NCCLS/f221; Coffea spp.	P—Coriander antibody(IgE); arb.subst.c.(IRP 75/ 502; NCCLS/f317; proc.) = ? × 10 ³ int.unit/l
NPU11010	Plasma—
P—Coffee antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f221; proc.) = ? × 10 ³ int.unit/l	Coriander antibody(Immunoglobulin E);
	arbitrary substance concentration(NCCLS/f317; procedure)

10³ arbitrary unit/liter	Plasma—
Note: NCCLS/f317; Coriandrum sativum	Cotton seed antibody(Immunoglobulin E);
NPU13238	arbitrary concentration(NCCLS/k83; procedure)
P—Coriander antibody(IgE); arb.subst.c.(NCCLS/f317; proc.) = ? × 10 ³ arb.unit/l	Note: NCCLS/k83; Gossypium spp.
Plasma—	NPU11298
Corticotropin antibody(Immunoglobulin E);	P—Cotton seed antibody(IgE); arb.c.(NCCLS/k83; proc.) = ?
arbitrary concentration(NCCLS/c206; procedure)	
Note: NCCLS/c206; ACTH	Plasma—
NPU11250	Cotton seed antibody(Immunoglobulin E);
P—Corticotropin antibody(IgE); arb.c.(NCCLS/c206; proc.) = ?	arbitrary substance concentration(IRP 75/502; NCCLS/k83; procedure)
Plasma—	10³ international unit/liter
Corticotropin antibody(Immunoglobulin E);	Note: NCCLS/k83; Gossypium spp.
arbitrary substance concentration(IRP 75/502; NCCLS/c206; procedure)	NPU10852
10³ international unit/liter	P—Cotton seed antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k83; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/c206; ACTH	Plasma—
NPU10804	Cotton seed antibody(Immunoglobulin E);
P—Corticotropin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c206; proc.) = ? × 10 ³ int.unit/l	arbitrary substance concentration(NCCLS/k83; procedure)
Plasma—	10³ arbitrary unit/liter
Corticotropin antibody(Immunoglobulin E);	Note: NCCLS/k83; Gossypium spp.
arbitrary substance concentration(NCCLS/c206; procedure)	NPU13051
10³ arbitrary unit/liter	P—Cotton seed antibody(IgE); arb.subst.c.(NCCLS/k83; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/c206; ACTH	Plasma—
NPU13003	Cow dander antibody(Immunoglobulin E);
P—Corticotropin antibody(IgE); arb.subst.c.(NCCLS/c206; proc.) = ? × 10 ³ arb.unit/l	arbitrary concentration(NCCLS/e4; procedure)
Plasma—	Note: NCCLS/e4; Cow dander
Cotton linters antibody(Immunoglobulin E);	NPU11487
arbitrary concentration(NCCLS/o1; procedure)	P—Cow dander antibody(IgE); arb.c.(NCCLS/e4; proc.) = ?
Note: NCCLS/o1; Cotton linters	Plasma—
NPU11297	Cow dander antibody(Immunoglobulin E);
P—Cotton linters antibody(IgE); arb.c.(NCCLS/o1; proc.) = ?	arbitrary substance concentration(IRP 75/502; NCCLS/e4; procedure)
Plasma—	10³ international unit/liter
Cotton linters antibody(Immunoglobulin E);	Note: NCCLS/e4; Cow dander
arbitrary substance concentration(IRP 75/502; NCCLS/o1; procedure)	NPU11041
10³ international unit/liter	P—Cow dander antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e4; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/o1; Cotton linters	Plasma—
NPU10851	Cow dander antibody(Immunoglobulin E);
P—Cotton linters antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/o1; proc.) = ? × 10 ³ int.unit/l	arbitrary substance concentration(NCCLS/e4; procedure)
Plasma—	10³ arbitrary unit/liter
Cotton linters antibody(Immunoglobulin E);	Note: NCCLS/e4; Cow dander
arbitrary substance concentration(NCCLS/o1; procedure)	NPU13240
10³ arbitrary unit/liter	P—Cow dander antibody(IgE); arb.subst.c.(NCCLS/e4; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/o1; Cotton linters	Plasma—
NPU13050	Cow's milk antibody(Immunoglobulin E);
P—Cotton linters antibody(IgE); arb.subst.c.(NCCLS/o1; proc.) = ? × 10 ³ arb.unit/l	arbitrary concentration(NCCLS/f2; procedure)

Plasma—	Plasma—
Cow's milk antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f2; procedure) 10³ international unit/liter Note: NCCLS/f2; Cow's milk NPU11037 P—Cow's milk antibody(IgE); arb.subst.c.(IRP 75/ 502; NCCLS/f2; proc.) = ? × 10 ³ int.unit/l	Crayfish antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f320; procedure) 10³ international unit/liter Note: NCCLS/f320; <i>Astacus astacus</i> NPU11043 P—Crayfish antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f320; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Cow's milk antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f2; procedure) 10³ arbitrary unit/liter Note: NCCLS/f2; Cow's milk NPU13236 P—Cow's milk antibody(IgE); arb.subst.c.(NCCLS/ f2; proc.) = ? × 10 ³ arb.unit/l	Crayfish antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f320; procedure) 10³ arbitrary unit/liter Note: NCCLS/f320; <i>Astacus astacus</i> NPU13242 P—Crayfish antibody(IgE); arb.subst.c.(NCCLS/ f320; proc.) = ? × 10 ³ arb.unit/l
Basophilocytes(Blood)—	Plasma—
Cow's milk induced HR; arbitrary concentration(NCCLS/f2; procedure) Note: HR: Histamine release; NCCLS/f2; Cow's milk NPU08850 Basocs(B)—Cow's milk induced HR; arb.c.(NCCLS/ f2; proc.) = ?	Cucumber antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f244; procedure) Note: NCCLS/f244; <i>Cucumis sativus</i> NPU11251 P—Cucumber antibody(IgE); arb.c.(NCCLS/f244; proc.) = ?
Plasma—	Plasma—
Crab antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f23; procedure) Note: NCCLS/f23; Cancer pagurus NPU11488 P—Crab antibody(IgE); arb.c.(NCCLS/f23; proc.) = ?	Cucumber antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f244; procedure) 10³ international unit/liter Note: NCCLS/f244; <i>Cucumis sativus</i> NPU10805 P—Cucumber antibody(IgE); arb.subst.c.(IRP 75/ 502; NCCLS/f244; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Crab antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f23; procedure) 10³ international unit/liter Note: NCCLS/f23; Cancer pagurus NPU11042 P—Crab antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f23; proc.) = ? × 10 ³ int.unit/l	Cucumber antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f244; procedure) 10³ arbitrary unit/liter Note: NCCLS/f244; <i>Cucumis sativus</i> NPU13004 P—Cucumber antibody(IgE); arb.subst.c.(NCCLS/ f244; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Crab antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f23; procedure) 10³ arbitrary unit/liter Note: NCCLS/f23; Cancer pagurus NPU13241 P—Crab antibody(IgE); arb.subst.c.(NCCLS/f23; proc.) = ? × 10 ³ arb.unit/l	Curry antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f281; procedure) Note: NCCLS/f281; Curry NPU11470 P—Curry antibody(IgE); arb.c.(NCCLS/f281; proc.) = ?
Plasma—	Plasma—
Crayfish antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f320; procedure) Note: NCCLS/f320; <i>Astacus astacus</i> NPU11489 P—Crayfish antibody(IgE); arb.c.(NCCLS/f320; proc.) = ?	Curry antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f281; procedure) 10³ international unit/liter Note: NCCLS/f281; Curry NPU11024 P—Curry antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f281; proc.) = ? × 10 ³ int.unit/l

Plasma—	NPU13077
Curry antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f281; procedure)	P—Cypress antibody(IgE); arb.subst.c.(NCCLS/t23; proc.) = ? × 10 ³ arb.unit/l
10³ arbitrary unit/liter	
Note: NCCLS/f281; Curry	
NPU13223	
P—Curry antibody(IgE); arb.subst.c.(NCCLS/f281; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Plasma—
Curvularia lunata antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m16; procedure)	Cytomegalovirus antibody(Immunoglobulin E); arbitrary substance concentration(procedure)
Note: NCCLS/m16; Curvularia lunata	10 ³ arbitrary unit/liter
NPU11323	NPU12080
P—Curvularia lunata antibody(IgE); arb.c.(NCCLS/ m16; proc.) = ?	P—Cytomegalovirus antibody(IgE); arb.subst.c.(proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Curvularia lunata antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m16; procedure)	Daffodil antibody(Immunoglobulin E); arbitrary concentration(NCCLS/w; procedure)
10³ international unit/liter	NPU11588
Note: NCCLS/m16; Curvularia lunata	P—Daffodil antibody(IgE); arb.c.(NCCLS/w; proc.) = ?
NPU10877	
P—Curvularia lunata antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m16; proc.) = ? × 10 ³ int.unit/l	
Plasma—	Plasma—
Curvularia lunata antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m16; procedure)	Daffodil antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/w; procedure)
10³ arbitrary unit/liter	10 ³ international unit/liter
Note: NCCLS/m16; Curvularia lunata	NPU11142
NPU13076	P—Daffodil antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/w; proc.) = ? × 10 ³ int.unit/l
P—Curvularia lunata antibody(IgE); arb.subst.c.(NCCLS/m16; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Plasma—
Cypress antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t23; procedure)	Daffodil antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/w; procedure)
Note: NCCLS/t23; Cupressus sempervirens	10 ³ arbitrary unit/liter
NPU11324	NPU13341
P—Cypress antibody(IgE); arb.c.(NCCLS/t23; proc.)	P—Daffodil antibody(IgE); arb.subst.c.(NCCLS/w; proc.) = ? × 10 ³ arb.unit/l
= ?	
Plasma—	Plasma—
Cypress antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t23; procedure)	Dairy produce antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/f; procedure)
10³ international unit/liter	NPU02076
Note: NCCLS/t23; Cupressus sempervirens	P—Dairy produce antibody(IgE); arb.c.(list; NCCLS/ f; proc.)
NPU10878	NPU11312 P—Casein antibody(IgE); arb.c.(NCCLS/f78; proc.) = ?
P—Cypress antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t23; proc.) = ? × 10 ³ int.unit/l	NPU11316 P—Cheese, cheddar type antibody(IgE); arb.c.(NCCLS/f81; proc.) = ?
Plasma—	NPU11629 P—Cheese, mold type antibody(IgE); arb.c.(NCCLS/f82; proc.) = ?
Cypress antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t23; procedure)	NPU11483 P—Cow's milk antibody(IgE); arb.c.(NCCLS/f2; proc.) = ?
10³ arbitrary unit/liter	NPU11369 P—Goat's milk antibody(IgE); arb.c.(NCCLS/f300; proc.) = ?
Note: NCCLS/t23; Cupressus sempervirens	NPU11256 P—Lactalbumin antibody(IgE); arb.c.(NCCLS/f76; proc.) = ?
NPU11536	NPU11285 P—Lactoglobulin antibody(IgE); arb.c.(NCCLS/f77; proc.) = ?
P—Cypress antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t23; proc.) = ? × 10 ³ int.unit/l	NPU11536 P—Milk powder(Kanolfingen) antibody(IgE); arb.c.(NCCLS/f; proc.) = ?
Plasma—	NPU11537 P—Milk powder(Milupa Ag) antibody(IgE); arb.c.(NCCLS/f; proc.) = ?
Cypress antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t23; procedure)	NPU11538 P—Milk powder(Nestlé) antibody(IgE); arb.c.(NCCLS/f228; proc.) = ?
10³ arbitrary unit/liter	
Note: NCCLS/t23; Cupressus sempervirens	

NPU11539 P—Milk, boiled antibody(IgE);
 arb.c.(NCCLS/f231; proc.) = ?
 NPU11678 P—Whey antibody(IgE); arb.c.(NCCLS/f236; proc.) = ?

Plasma—

**Dairy produce antibody(Immunoglobulin E);
 arbitrary substance concentration(list; IRP 75/502; NCCLS/f; procedure)**
NPU14298
 P—Dairy produce antibody(IgE); arbsubst.c.(list; IRP 75/502; NCCLS/f; proc.)
 NPU10866 P—Casein antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f78; proc.) = ? × 10³ int.unit/l
 NPU10870 P—Cheese, cheddar type antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f81; proc.) = ? × 10³ int.unit/l
 NPU11183 P—Cheese, mold type antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f82; proc.) = ? × 10³ int.unit/l
 NPU11037 P—Cow's milk antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f2; proc.) = ? × 10³ int.unit/l
 NPU10923 P—Goat's milk antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f300; proc.) = ? × 10³ int.unit/l
 NPU10810 P—Lactalbumin antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f76; proc.) = ? × 10³ int.unit/l
 NPU10839 P—Lactoglobulin antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f77; proc.) = ? × 10³ int.unit/l
 NPU11090 P—Milk powder(Kanolfingen)
 antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f; proc.) = ? × 10³ int.unit/l
 NPU11091 P—Milk powder(Milupa Ag)
 antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f; proc.) = ? × 10³ int.unit/l
 NPU11092 P—Milk powder(Nestlé) antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f228; proc.) = ? × 10³ int.unit/l
 NPU11093 P—Milk, boiled antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f231; proc.) = ? × 10³ int.unit/l
 NPU11232 P—Whey antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f236; proc.) = ? × 10³ int.unit/l

Plasma—

**Dairy produce antibody(Immunoglobulin E);
 arbitrary substance concentration(list; NCCLS/f; procedure)**
NPU14299
 P—Dairy produce antibody(IgE); arbsubst.c.(list; NCCLS/f; proc.)
 NPU13065 P—Casein antibody(IgE);
 arbsubst.c.(NCCLS/f78; proc.) = ? × 10³ arb.unit/l
 NPU13069 P—Cheese, cheddar type antibody(IgE);
 arbsubst.c.(NCCLS/f81; proc.) = ? × 10³ arb.unit/l
 NPU13382 P—Cheese, mold type antibody(IgE);
 arbsubst.c.(NCCLS/f82; proc.) = ? × 10³ arb.unit/l
 NPU13236 P—Cow's milk antibody(IgE);

arbsubst.c.(NCCLS/f2; proc.) = ? × 10³ arb.unit/l
 NPU13122 P—Goat's milk antibody(IgE);
 arbsubst.c.(NCCLS/f300; proc.) = ? × 10³ arb.unit/l
 NPU13009 P—Lactalbumin antibody(IgE);
 arbsubst.c.(NCCLS/f76; proc.) = ? × 10³ arb.unit/l
 NPU13038 P—Lactoglobulin antibody(IgE);
 arbsubst.c.(NCCLS/f77; proc.) = ? × 10³ arb.unit/l
 NPU13289 P—Milk powder(Kanolfingen)
 antibody(IgE); arbsubst.c.(NCCLS/f; proc.) = ? × 10³ arb.unit/l
 NPU13290 P—Milk powder(Milupa Ag)
 antibody(IgE); arbsubst.c.(NCCLS/f; proc.) = ? × 10³ arb.unit/l
 NPU13291 P—Milk powder(Nestlé) antibody(IgE);
 arbsubst.c.(NCCLS/f228; proc.) = ? × 10³ arb.unit/l
 NPU13292 P—Milk, boiled antibody(IgE);
 arbsubst.c.(NCCLS/f231; proc.) = ? × 10³ arb.unit/l
 NPU13431 P—Whey antibody(IgE);
 arbsubst.c.(NCCLS/f236; proc.) = ? × 10³ arb.unit/l

Plasma—

**Dandelion antibody(Immunoglobulin E);
 arbitrary concentration(NCCLS/w8; procedure)**
 Note: NCCLS/w8; Taraxacum vulgare
NPU11535
 P—Dandelion antibody(IgE); arb.c.(NCCLS/w8; proc.) = ?

Plasma—

**Dandelion antibody(Immunoglobulin E);
 arbitrary substance concentration(IRP 75/502;
 NCCLS/w8; procedure)**
10³ international unit/liter
 Note: NCCLS/w8; Taraxacum vulgare
NPU11089
 P—Dandelion antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/w8; proc.) = ? × 10³ int.unit/l

Plasma—

**Dandelion antibody(Immunoglobulin E);
 arbitrary substance concentration(NCCLS/w8;
 procedure)**
10³ arbitrary unit/liter
 Note: NCCLS/w8; Taraxacum vulgare
NPU13288
 P—Dandelion antibody(IgE); arbsubst.c.(NCCLS/w8; proc.) = ? × 10³ arb.unit/l

Plasma—

**Dermatophagoides farinae
 antibody(Immunoglobulin E);
 arbitrary concentration(NCCLS/d2; procedure)**
 Note: NCCLS/d2; Dermatophagoides farinae
NPU11325
 P—Dermatophagoides farinae antibody(IgE);
 arb.c.(NCCLS/d2; proc.) = ?

Plasma—

**Dermatophagoides farinae
 antibody(Immunoglobulin E);
 arbitrary substance concentration(IRP 75/502;
 NCCLS/d2; procedure)**
10³ international unit/liter

Note: NCCLS/d2; Dermatophagoides farinae

NPU10879

P—Dermatophagoides farinae antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d2; proc.) = ? × 10³ int.unit/l

Plasma—

Dermatophagoides farinae

antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/d2; procedure)

10³ arbitrary unit/liter

Note: NCCLS/d2; Dermatophagoides farinae

NPU13078

P—Dermatophagoides farinae antibody(IgE); arb.subst.c.(NCCLS/d2; proc.) = ? × 10³ arb.unit/l

Dust(Floor)—

Dermatophagoides farinae(antigen);

mass fraction

10⁻⁹

NPU14877

Dust(Floor)—Dermatophagoides farinae(Ag); mass fr. = ? × 10⁻⁹

Dust(Mattress)—

Dermatophagoides farinae(antigen);

mass fraction

10⁻⁹

NPU14870

Dust(Mattress)—Dermatophagoides farinae(Ag); mass fr. = ? × 10⁻⁹

Dust(specification)—

Dermatophagoides farinae(antigen);

mass fraction

10⁻⁹

NPU14856

Dust(spec.)—Dermatophagoides farinae(Ag); mass fr. = ? × 10⁻⁹

System(specification)—

Dermatophagoides farinae(antigen);

mass fraction

10⁻⁹

NPU14863

Syst(spec.)—Dermatophagoides farinae(Ag); mass fr. = ? × 10⁻⁹

Plasma—

Dermatophagoides microceras

antibody(Immunoglobulin E); arbitrary concentration(NCCLS/d3; procedure)

Note: NCCLS/d3; Dermatophagoides microceras

NPU11326

P—Dermatophagoides microceras antibody(IgE); arb.c.(NCCLS/d3; proc.) = ?

Plasma—

Dermatophagoides microceras

antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/d3; procedure)

10³ international unit/liter

Note: NCCLS/d3; Dermatophagoides microceras

NPU10880

P—Dermatophagoides microceras antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d3; proc.) = ? × 10³ int.unit/l

Plasma—

Dermatophagoides microceras

antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/d3; procedure)

10³ arbitrary unit/liter

Note: NCCLS/d3; Dermatophagoides microceras

NPU13079

P—Dermatophagoides microceras antibody(IgE); arb.subst.c.(NCCLS/d3; proc.) = ? × 10³ arb.unit/l

Dust(Floor)—

Dermatophagoides microceras(antigen);

mass fraction

10⁻⁹

NPU14878

Dust(Floor)—Dermatophagoides microceras(Ag); mass fr. = ? × 10⁻⁹

Dust(Mattress)—

Dermatophagoides microceras(antigen);

mass fraction

10⁻⁹

NPU14871

Dust(Mattress)—Dermatophagoides microceras(Ag); mass fr. = ? × 10⁻⁹

Dust(specification)—

Dermatophagoides microceras(antigen);

mass fraction

10⁻⁹

NPU14857

Dust(spec.)—Dermatophagoides microceras(Ag); mass fr. = ? × 10⁻⁹

System(specification)—

Dermatophagoides microceras(antigen);

mass fraction

10⁻⁹

NPU14864

Syst(spec.)—Dermatophagoides microceras(Ag); mass fr. = ? × 10⁻⁹

Plasma—

Dermatophagoides pteronyssinus

antibody(Immunoglobulin E);

arbitrary concentration(NCCLS/d1; procedure)

Note: NCCLS/d1; Dermatophagoides pteronyssinus

NPU11327

P—Dermatophagoides pteronyssinus antibody(IgE); arb.c.(NCCLS/d1; proc.) = ?

Plasma—	Plasma—
Dermatophagoides pteronyssinus	Dill antibody(Immunoglobulin E);
antibody(Immunoglobulin E);	arbitrary substance concentration(IRP 75/502;
arbitrary substance concentration(IRP 75/502;	NCCLS/f277; procedure)
NCCLS/d1; procedure)	10³ international unit/liter
10³ international unit/liter	Note: NCCLS/f277; Anethum graveolens
Note: NCCLS/d1; Dermatophagoides pteronyssinus	NPU10882
NPU10881	P—Dill antibody(IgE); arb.subst.c.(IRP 75/502;
P— <i>Dermatophagoides pteronyssinus</i> antibody(IgE);	NCCLS/f277; proc.) = ? × 10 ³ int.unit/l
arb.subst.c.(IRP 75/502; NCCLS/d1; proc.) = ? ×	
10 ³ int.unit/l	
Plasma—	Plasma—
Dermatophagoides pteronyssinus	Dill antibody(Immunoglobulin E);
antibody(Immunoglobulin E);	arbitrary substance concentration(NCCLS/f277;
arbitrary substance concentration(NCCLS/d1;	procedure)
procedure)	10³ arbitrary unit/liter
10³ arbitrary unit/liter	Note: NCCLS/f277; Anethum graveolens
Note: NCCLS/d1; Dermatophagoides pteronyssinus	NPU13081
NPU13080	P—Dill antibody(IgE); arb.subst.c.(NCCLS/f277;
P— <i>Dermatophagoides pteronyssinus</i> antibody(IgE);	proc.) = ? × 10 ³ arb.unit/l
arb.subst.c.(NCCLS/d1; proc.) = ? × 10 ³ arb.unit/l	
Dust(Floor)—	Plasma—
Dermatophagoides pteronyssinus(antigen);	Dock antibody(Immunoglobulin E);
mass fraction	arbitrary concentration(NCCLS/w21; procedure)
10⁻⁹	Note: NCCLS/w21; Rumex crispus
NPU14879	NPU11631
Dust(Floor)— <i>Dermatophagoides pteronyssinus</i> (Ag);	P—Dock antibody(IgE); arb.c.(NCCLS/w21; proc.) =
mass fr. = ? × 10 ⁻⁹	?
Dust(Mattress)—	Plasma—
Dermatophagoides pteronyssinus(antigen);	Dock antibody(Immunoglobulin E);
mass fraction	arbitrary substance concentration(IRP 75/502;
10⁻⁹	NCCLS/w21; procedure)
NPU14872	10³ international unit/liter
Dust(Mattress)— <i>Dermatophagoides</i>	Note: NCCLS/w21; Rumex crispus
<i>pteronyssinus</i> (Ag); mass fr. = ? × 10 ⁻⁹	NPU11185
Dust(specification)—	P—Dock antibody(IgE); arb.subst.c.(IRP 75/502;
Dermatophagoides pteronyssinus(antigen);	NCCLS/w21; proc.) = ? × 10 ³ int.unit/l
mass fraction	
10⁻⁹	
NPU14858	
Dust(spec.)— <i>Dermatophagoides</i>	
<i>pteronyssinus</i> (Ag); mass fr. = ? × 10 ⁻⁹	
System(specification)—	Plasma—
Dermatophagoides pteronyssinus(antigen);	Dock antibody(Immunoglobulin E);
mass fraction	arbitrary substance concentration(NCCLS/w21;
10⁻⁹	procedure)
NPU14865	10³ arbitrary unit/liter
Syst(spec.)— <i>Dermatophagoides pteronyssinus</i> (Ag);	Note: NCCLS/w21; Rumex crispus
mass fr. = ? × 10 ⁻⁹	NPU13384
Plasma—	P—Dock antibody(IgE); arb.subst.c.(NCCLS/w21;
Dill antibody(Immunoglobulin E);	proc.) = ? × 10 ³ arb.unit/l
arbitrary concentration(NCCLS/f277; procedure)	
Note: NCCLS/f277; Anethum graveolens	
NPU11328	
P—Dill antibody(IgE); arb.c.(NCCLS/f277; proc.) = ?	
Plasma—	Plasma—
Dog dander antibody(Immunoglobulin E);	Dog dander antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e5; procedure)	arbitrary concentration(NCCLS/e5; procedure)
Note: NCCLS/e5;Canis familiaris	Note: NCCLS/e5;Canis familiaris
NPU11414	NPU10968
P—Dog dander antibody(IgE); arb.c.(NCCLS/e5;	P—Dog dander antibody(IgE); arb.subst.c.(IRP 75/
proc.) = ?	502; NCCLS/e5; proc.) = ? × 10 ³ int.unit/l

Plasma—	NPU14854
Dog dander antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e5; procedure)	Dust(spec.)—Dog(Ag); mass fr. = ? $\times 10^{-9}$
10³ arbitrary unit/liter	
Note: NCCLS/e5; <i>Canis familiaris</i>	
NPU13167	System(specification)—
P—Dog dander antibody(IgE); arb.subst.c.(NCCLS/e5; proc.) = ? $\times 10^3$ arb.unit/l	Dog(antigen);
	mass fraction
	10⁻⁹
	NPU14861
	Syst(spec.)—Dog(Ag); mass fr. = ? $\times 10^{-9}$
Plasma—	Plasma—
Dog epithelium antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e2; procedure)	Drug allergen antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/c; procedure)
Note: NCCLS/e2; <i>Canis familiaris</i>	
NPU11411	NPU13453
P—Dog epithelium antibody(IgE); arb.c.(NCCLS/e2; proc.) = ?	P—Drug allergen antibody(IgE); arb.c.(list; NCCLS/c; proc.)
Plasma—	NPU11249 P—Acetylsalicylate antibody(IgE); arb.c.(NCCLS/c217; proc.) = ?
Dog epithelium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e2; procedure)	NPU11254 P—Alcuronium antibody(IgE); arb.c.(NCCLS/c?; proc.) = ?
10³ international unit/liter	NPU11261 P—Amoxicillin antibody(IgE); arb.c.(NCCLS/c6; proc.) = ?
Note: NCCLS/e2; <i>Canis familiaris</i>	NPU11262 P—Ampicillin antibody(IgE); arb.c.(NCCLS/c50; proc.) = ?
NPU10965	NPU11320 P—Chymopapain antibody(IgE); arb.c.(NCCLS/c3; proc.) = ?
P—Dog epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e2; proc.) = ? $\times 10^3$ int.unit/l	NPU11250 P—Corticotropin antibody(IgE); arb.c.(NCCLS/c206; proc.) = ?
Plasma—	NPU11349 P—Erythromycin antibody(IgE); arb.c.(NCCLS/c212; proc.) = ?
Dog epithelium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e2; procedure)	NPU11445 P—Insulin, bovine antibody(IgE); arb.c.(NCCLS/c71; proc.) = ?
10³ arbitrary unit/liter	NPU11446 P—Insulin, human antibody(IgE); arb.c.(NCCLS/c73; proc.) = ?
Note: NCCLS/e2; <i>Canis familiaris</i>	NPU11447 P—Insulin, porcine antibody(IgE); arb.c.(NCCLS/c70; proc.) = ?
NPU13164	NPU11568 P—Penicilloyl G antibody(IgE); arb.c.(NCCLS/c1; proc.) = ?
P—Dog epithelium antibody(IgE); arb.subst.c.(NCCLS/e2; proc.) = ? $\times 10^3$ arb.unit/l	NPU11569 P—Penicilloyl V antibody(IgE); arb.c.(NCCLS/c2; proc.) = ?
Basophilocytes(Blood)—	Plasma—
Dog epithelium induced HR; arbitrary concentration(NCCLS/e2; procedure)	Drug allergen antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/c; procedure)
Note: HR: Histamine release; NCCLS/e2: <i>Canis familiaris</i>	
NPU08843	NPU13455
Basocs(B)—Dog epithelium induced HR; arb.c.(NCCLS/e2; proc.) = ?	P—Drug allergen antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/c; proc.)
Dust(Floor)—	NPU10803 P—Acetylsalicylate antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c217; proc.) = ? $\times 10^3$ int.unit/l
Dog(antigen);	NPU10808 P—Alcuronium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c?; proc.) = ? $\times 10^3$ int.unit/l
mass fraction	NPU10815 P—Amoxicillin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c6; proc.) = ? $\times 10^3$ int.unit/l
10⁻⁹	NPU10816 P—Ampicillin antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c50; proc.) = ? $\times 10^3$ int.unit/l
NPU14875	NPU10874 P—Chymopapain antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/c3; proc.) = ? $\times 10^3$ int.unit/l
Dust(Floor)—Dog(Ag); mass fr. = ? $\times 10^{-9}$	
Dust(Mattress)—	
Dog(antigen);	
mass fraction	
10⁻⁹	
NPU14868	
Dust(Mattress)—Dog(Ag); mass fr. = ? $\times 10^{-9}$	
Dust(specification)—	
Dog(antigen);	
mass fraction	
10⁻⁹	

NPU10804 P—Corticotropin antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c206; proc.) = ? ×
 10^3 int.unit/l
 NPU10903 P—Erythromycin antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c212; proc.) = ? ×
 10^3 int.unit/l
 NPU10999 P—Insulin, bovine antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c71; proc.) = ? ×
 10^3 int.unit/l
 NPU11000 P—Insulin, human antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c73; proc.) = ? ×
 10^3 int.unit/l
 NPU11001 P—Insulin, porcine antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c70; proc.) = ? ×
 10^3 int.unit/l
 NPU11122 P—Penicilloyl G antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c1; proc.) = ? ×
 10^3 int.unit/l
 NPU11123 P—Penicilloyl V antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/c2; proc.) = ? ×
 10^3 int.unit/l

Plasma—

**Drug allergen antibody(Immunoglobulin E);
 arbitrary substance concentration(list; NCCLS/c;
 procedure)**
NPU13454
 P—Drug allergen antibody(IgE); arbsubst.c.(list;
 NCCLS/c; proc.)
 NPU13002 P—Acetylsalicylate antibody(IgE);
 arbsubst.c.(NCCLS/c217; proc.) = ? × 10^3 arb.unit/l
 NPU13007 P—Alcuronium antibody(IgE);
 arbsubst.c.(NCCLS/c?; proc.) = ? × 10^3 arb.unit/l
 NPU13014 P—Amoxicillin antibody(IgE);
 arbsubst.c.(NCCLS/c6; proc.) = ? × 10^3 arb.unit/l
 NPU13015 P—Ampicillin antibody(IgE);
 arbsubst.c.(NCCLS/c50; proc.) = ? × 10^3 arb.unit/l
 NPU13073 P—Chymopapain antibody(IgE);
 arbsubst.c.(NCCLS/c3; proc.) = ? × 10^3 arb.unit/l
 NPU13003 P—Corticotropin antibody(IgE);
 arbsubst.c.(NCCLS/c206; proc.) = ? × 10^3 arb.unit/l
 NPU13102 P—Erythromycin antibody(IgE);
 arbsubst.c.(NCCLS/c212; proc.) = ? × 10^3 arb.unit/l
 NPU13198 P—Insulin, bovine antibody(IgE);
 arbsubst.c.(NCCLS/c71; proc.) = ? × 10^3 arb.unit/l
 NPU13199 P—Insulin, human antibody(IgE);
 arbsubst.c.(NCCLS/c73; proc.) = ? × 10^3 arb.unit/l
 NPU13200 P—Insulin, porcine antibody(IgE);
 arbsubst.c.(NCCLS/c70; proc.) = ? × 10^3 arb.unit/l
 NPU13321 P—Penicilloyl G antibody(IgE);
 arbsubst.c.(NCCLS/c1; proc.) = ? × 10^3 arb.unit/l
 NPU13322 P—Penicilloyl V antibody(IgE);
 arbsubst.c.(NCCLS/c2; proc.) = ? × 10^3 arb.unit/l

Plasma—

**Duck feather antibody(Immunoglobulin E);
 arbitrary concentration(NCCLS/e86; procedure)**
 Note: NCCLS/e86; Duck feathers
NPU11264
 P—Duck feather antibody(IgE); arb.c.(NCCLS/e86;
 proc.) = ?

Plasma—

**Duck feather antibody(Immunoglobulin E);
 arbitrary substance concentration(IRP 75/502;
 NCCLS/e86; procedure)**
 10^3 international unit/liter
 Note: NCCLS/e86; Duck feathers
NPU10818
 P—Duck feather antibody(IgE); arbsubst.c.(IRP 75/
 502; NCCLS/e86; proc.) = ? × 10^3 int.unit/l

Plasma—

**Duck feather antibody(Immunoglobulin E);
 arbitrary substance concentration(NCCLS/e86;
 procedure)**
 10^3 arbitrary unit/liter
 Note: NCCLS/e86; Duck feathers
NPU13017
 P—Duck feather antibody(IgE); arbsubst.c.(NCCLS/e86; proc.) = ? × 10^3 arb.unit/l

Plasma—

**Duck meat antibody(Immunoglobulin E);
 arbitrary concentration(NCCLS/f157; procedure)**
 Note: NCCLS/f157; Duck
NPU11265
 P—Duck meat antibody(IgE); arb.c.(NCCLS/f157;
 proc.) = ?

Plasma—

**Duck meat antibody(Immunoglobulin E);
 arbitrary substance concentration(IRP 75/502;
 NCCLS/f157; procedure)**
 10^3 international unit/liter
 Note: NCCLS/f157; Duck
NPU10819
 P—Duck meat antibody(IgE); arbsubst.c.(IRP 75/
 502; NCCLS/f157; proc.) = ? × 10^3 int.unit/l

Plasma—

**Duck meat antibody(Immunoglobulin E);
 arbitrary substance concentration(NCCLS/f157;
 procedure)**
 10^3 arbitrary unit/liter
 Note: NCCLS/f157; Duck
NPU13018
 P—Duck meat antibody(IgE); arbsubst.c.(NCCLS/
 f157; proc.) = ? × 10^3 arb.unit/l

Plasma—

**Dust mite allergen antibody(Immunoglobulin E);
 arbitrary concentration(list; NCCLS/d;
 procedure)**
NPU13456
 P—Dust mite allergen antibody(IgE); arb.c.(list;
 NCCLS/d; proc.)
 NPU11248 P—*Acarus siro* antibody(IgE);
 arb.c.(NCCLS/d70; proc.) = ?
 NPU11325 P—*Dermatophagooides farinae*
 antibody(IgE); arb.c.(NCCLS/d2; proc.) = ?
 NPU11326 P—*Dermatophagooides microceras*
 antibody(IgE); arb.c.(NCCLS/d3; proc.) = ?
 NPU11327 P—*Dermatophagooides pteronyssinus*
 antibody(IgE); arb.c.(NCCLS/d1; proc.) = ?
 NPU11353 P—*Euroglyphus maynei* antibody(IgE);
 arb.c.(NCCLS/d74; proc.) = ?

NPU11373 P—*Glycyphagus domesticus*
antibody(IgE); arb.c.(NCCLS/d73; proc.) = ?
NPU11419 P—House dust mite antibody(IgE);
arb.c.(NCCLS/d; proc.) = ?
NPU11497 P—*Lepidoglyphus destructor*
antibody(IgE); arb.c.(NCCLS/d71; proc.) = ?
NPU11669 P—*Tyrophagus putrescentiae*
antibody(IgE); arb.c.(NCCLS/d72; proc.) = ?

Plasma—

**Dust mite allergen antibody(Immunoglobulin E);
arbitrary substance concentration(list; IRP 75/
502; NCCLS/d; procedure)**

NPU13458

P—Dust mite allergen antibody(IgE);
arb.subst.c.(list; IRP 75/502; NCCLS/d; proc.)
NPU10802 P—*Acarus siro* antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/d70; proc.) = ? ×
 10^3 int.unit/l
NPU10879 P—*Dermatophagoides farinae*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d2;
proc.) = ? × 10^3 int.unit/l
NPU10880 P—*Dermatophagoides microceras*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d3;
proc.) = ? × 10^3 int.unit/l
NPU10881 P—*Dermatophagoides pteronyssinus*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d1;
proc.) = ? × 10^3 int.unit/l
NPU10907 P—*Euroglyphus maynei* antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/d74; proc.) = ? ×
 10^3 int.unit/l
NPU10927 P—*Glycyphagus domesticus*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d73;
proc.) = ? × 10^3 int.unit/l
NPU10973 P—House dust mite antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/d; proc.) = ? × 10^3
int.unit/l
NPU11051 P—*Lepidoglyphus destructor*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d71;
proc.) = ? × 10^3 int.unit/l
NPU11223 P—*Tyrophagus putrescentiae*
antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d72;
proc.) = ? × 10^3 int.unit/l

Plasma—

**Dust mite allergen antibody(Immunoglobulin E);
arbitrary substance concentration(list; NCCLS/d;
procedure)**

NPU13457

P—Dust mite allergen antibody(IgE);
arb.subst.c.(list; NCCLS/d; proc.)
NPU13001 P—*Acarus siro* antibody(IgE);
arb.subst.c.(NCCLS/d70; proc.) = ? × 10^3 arb.unit/l
NPU13078 P—*Dermatophagoides farinae*
antibody(IgE); arb.subst.c.(NCCLS/d2; proc.) = ? ×
 10^3 arb.unit/l
NPU13079 P—*Dermatophagoides microceras*
antibody(IgE); arb.subst.c.(NCCLS/d3; proc.) = ? ×
 10^3 arb.unit/l
NPU13080 P—*Dermatophagoides pteronyssinus*
antibody(IgE); arb.subst.c.(NCCLS/d1; proc.) = ? ×
 10^3 arb.unit/l
NPU13106 P—*Euroglyphus maynei* antibody(IgE);
arb.subst.c.(NCCLS/d74; proc.) = ? × 10^3 arb.unit/l

NPU13126 P—*Glycyphagus domesticus*
antibody(IgE); arb.subst.c.(NCCLS/d73; proc.) = ? ×
 10^3 arb.unit/l
NPU13172 P—House dust mite antibody(IgE);
arb.subst.c.(NCCLS/d; proc.) = ? × 10^3 arb.unit/l
NPU13250 P—*Lepidoglyphus destructor*
antibody(IgE); arb.subst.c.(NCCLS/d71; proc.) = ? ×
 10^3 arb.unit/l
NPU13422 P—*Tyrophagus putrescentiae*
antibody(IgE); arb.subst.c.(NCCLS/d72; proc.) = ? ×
 10^3 arb.unit/l

Plasma—

**Dust(specification) antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/(d1; d2; i6);
procedure)**

NPU14892

P—Dust(specification) antibody(IgE);
arb.c.(NCCLS/(d1; d2; i6); proc.) = ?

Plasma—

**Dust(specification) antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/h; procedure)**

NPU09222

P—Dust(specification) antibody(IgE);
arb.c.(NCCLS/h; proc.) = ?

Plasma—

**Dust(specification) antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/h; procedure)**

10³ international unit/liter**NPU09221**

P—Dust(specification) antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/h; proc.) = ? × 10^3
int.unit/l

Plasma—

**Dust(specification) antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/h;
procedure)**

10³ arbitrary unit/liter**NPU09223**

P—Dust(specification) antibody(IgE);
arb.subst.c.(NCCLS/h; proc.) = ? × 10^3 arb.unit/l

Plasma—

**Echinococcus granulosis antibody(Immunoglobulin
E); arbitrary concentration(NCCLS/p2; procedure)**

Note: NCCLS/p2; Echinococcus granulosus

NPU11337

P—Echinococcus granulosis antibody(IgE);
arb.c.(NCCLS/p2; proc.) = ?

Plasma—

**Echinococcus granulosis antibody(Immunoglobulin
E); arbitrary substance concentration(IRP 75/502;
NCCLS/p2; procedure)**

10³ international unit/liter

Note: NCCLS/p2; Echinococcus granulosus

NPU10891

P—Echinococcus granulosis antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/p2; proc.) = ? ×
 10^3 int.unit/l

Plasma—	
Echinococcus granulosis antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/p2; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/p2; Echinococcus granulosis	
NPU13090	
P—Echinococcus granulosis antibody(IgE); arb.subst.c.(NCCLS/p2; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Eel antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f264; procedure)	
Note: NCCLS/f264; Anguilla anguilla	
NPU11691	
P—Eel antibody(IgE); arb.c.(NCCLS/f264; proc.) = ?	
Plasma—	
Eel antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f264; procedure)	
10³ international unit/liter	
Note: NCCLS/f264; Anguilla anguilla	
NPU11245	
P—Eel antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f264; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Eel antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f264; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/f264; Anguilla anguilla	
NPU13444	
P—Eel antibody(IgE); arb.subst.c.(NCCLS/f264; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Egg antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/f; procedure)	
NPU02077	
P—Egg antibody(IgE); arb.c.(list; NCCLS/f; proc.)	
NPU11442 P—Egg white antibody(IgE); arb.c.(NCCLS/f1; proc.) = ?	
NPU11441 P—Egg yolk antibody(IgE); arb.c.(NCCLS/f75; proc.) = ?	
NPU11440 P—Egg, whole antibody(IgE); arb.c.(NCCLS/f245; proc.) = ?	
NPU11549 P—Ovalbumin antibody(IgE); arb.c.(NCCLS/f232; proc.) = ?	
NPU11550 P—Ovomucoid antibody(IgE); arb.c.(NCCLS/f233; proc.) = ?	
Plasma—	
Egg antibody(Immunoglobulin E); arbitrary substance concentration(list; IPR 75/502; NCCLS/f; procedure)	
NPU14280	
P—Egg antibody(IgE); arb.subst.c.(list; IPR 75/502; NCCLS/f; proc.)	
NPU10996 P—Egg white antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f1; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Egg white antibody(Immunoglobulin E); arbitrary substance concentration(IPR 75/502; NCCLS/f1; procedure)	
10³ international unit/liter	
Note: NCCLS/f1; Egg white	
NPU10996	
P—Egg white antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f1; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Egg white antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f1; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/f1; Egg white	
NPU13195	
P—Egg white antibody(IgE); arb.subst.c.(NCCLS/f1; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Egg yolk antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f75; procedure)	
Note: NCCLS/f75; Egg yolk	
NPU11441	
P—Ovalbumin antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f232; proc.) = ? × 10 ³ arb.unit/l	
NPU11103 P—Ovalbumin antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f232; proc.) = ? × 10 ³ arb.unit/l	
NPU11104 P—Ovomucoid antibody(IgE); arb.subst.c.(IPR 75/502; NCCLS/f233; proc.) = ? × 10 ³ arb.unit/l	
NPU13194 P—Egg yolk antibody(IgE); arb.subst.c.(NCCLS/f75; proc.) = ? × 10 ³ arb.unit/l	
NPU13193 P—Egg, whole antibody(IgE); arb.subst.c.(NCCLS/f245; proc.) = ? × 10 ³ arb.unit/l	
NPU13302 P—Ovalbumin antibody(IgE); arb.subst.c.(NCCLS/f232; proc.) = ? × 10 ³ arb.unit/l	
NPU13303 P—Ovomucoid antibody(IgE); arb.subst.c.(NCCLS/f233; proc.) = ? × 10 ³ arb.unit/l	

P—Egg yolk antibody(IgE); arb.c.(NCCLS/f75; proc.) = ?	10³ international unit/liter Note: NCCLS/t205; Sambucus nigra NPU10990
Plasma— Egg yolk antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f75; procedure) 10³ international unit/liter Note: NCCLS/f75; Egg yolk NPU10995	P—Elder antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t205; proc.) = ? × 10 ³ int.unit/l
P—Egg yolk antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f75; proc.) = ? × 10 ³ int.unit/l	Plasma— Elder antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t205; procedure) 10³ arbitrary unit/liter Note: NCCLS/t205; Sambucus nigra NPU13189
Plasma— Egg yolk antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f75; procedure) 10³ arbitrary unit/liter Note: NCCLS/f75; Egg yolk NPU13194	P—Elder antibody(IgE); arb.subst.c.(NCCLS/t205; proc.) = ? × 10 ³ arb.unit/l
P—Egg yolk antibody(IgE); arb.subst.c.(NCCLS/f75; proc.) = ? × 10 ³ arb.unit/l	Plasma— Elm antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t8; procedure) Note: NCCLS/t8; Ulmus americana NPU11341
Plasma— Egg, whole antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f245; procedure) Note: NCCLS/f245; Whole egg NPU11440	P—Elm antibody(IgE); arb.c.(NCCLS/t8; proc.) = ?
P—Egg, whole antibody(IgE); arb.c.(NCCLS/f245; proc.) = ?	Plasma— Elm antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t8; procedure) 10³ international unit/liter Note: NCCLS/t8; Ulmus americana NPU10895
Plasma— Egg, whole antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f245; procedure) 10³ international unit/liter Note: NCCLS/f245; Whole egg NPU10994	P—Elm antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t8; proc.) = ? × 10 ³ int.unit/l
P—Egg, whole antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f245; proc.) = ? × 10 ³ int.unit/l	Plasma— Elm antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/t8; procedure) 10³ arbitrary unit/liter Note: NCCLS/t8; Ulmus americana NPU13094
Plasma— Egg, whole antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f245; procedure) 10³ arbitrary unit/liter Note: NCCLS/f245; Whole egg NPU13193	P—Elm antibody(IgE); arb.subst.c.(NCCLS/t8; proc.) = ? × 10 ³ arb.unit/l
P—Egg, whole antibody(IgE); arb.subst.c.(NCCLS/f245; proc.) = ? × 10 ³ arb.unit/l	Plasma— Eosinophil cationic protein; substance concentration nanomol/liter $M = 18000 \text{ g/mol}$ Other term(s): ECP NPU08939
Plasma— Elder antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t205; procedure) Note: NCCLS/t205; Sambucus nigra NPU11436	P—Eosinophil cationic protein; subst.c. = ? nmol/l
P—Elder antibody(IgE); arb.c.(NCCLS/t205; proc.) = ?	Plasma— Eosinophil derived neurotoxin; substance concentration nanomol/liter Other term(s): Eosiphil protein x; EPx; EDN NPU08940
Plasma— Elder antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t205; procedure)	P—Eosinophil derived neurotoxin; subst.c. = ? nmol/l

Plasma—	NPU13102
Eosinophil peroxidase;	P—Erythromycin antibody(IgE);
substance concentration	arb.subst.c.(NCCLS/c212; proc.) = ? × 10 ³ arb.unit/l
nanomol/liter	
NPU08941	
P—Eosinophil peroxidase; subst.c. = ? nmol/l	
Plasma—	Plasma—
<i>Epicoccum purpurascens</i>	Ethylene oxide antibody(Immunoglobulin E);
antibody(Immunoglobulin E);	arbitrary concentration(NCCLS/m14; procedure)
arbitrary concentration(NCCLS/m14; procedure)	Note: NCCLS/m14; <i>Epicoccum purpurascens</i>
Note: NCCLS/m14; <i>Epicoccum purpurascens</i>	NPU11348
NPU11348	P— <i>Epicoccum purpurascens</i> antibody(IgE);
P— <i>Epicoccum purpurascens</i> antibody(IgE);	arb.c.(NCCLS/m14; proc.) = ?
Plasma—	Plasma—
<i>Epicoccum purpurascens</i>	Ethylene oxide antibody(Immunoglobulin E);
antibody(Immunoglobulin E);	arbitrary substance concentration(IRP 75/502;
arbitrary substance concentration(IRP 75/502;	NCCLS/k78; procedure)
NCCLS/m14; procedure)	10³ international unit/liter
10³ international unit/liter	Note: NCCLS/k78; Ethylene oxid-HSA
Note: NCCLS/m14; <i>Epicoccum purpurascens</i>	NPU10902
NPU10902	P— <i>Epicoccum purpurascens</i> antibody(IgE);
P— <i>Epicoccum purpurascens</i> antibody(IgE);	arb.subst.c.(IRP 75/502; NCCLS/m14; proc.) = ? ×
arb.subst.c.(IRP 75/502; NCCLS/m14; proc.) = ? ×	10 ³ int.unit/l
Plasma—	Plasma—
<i>Epicoccum purpurascens</i>	Ethylene oxide antibody(Immunoglobulin E);
antibody(Immunoglobulin E);	arbitrary substance concentration(NCCLS/k78;
arbitrary substance concentration(NCCLS/m14;	procedure)
procedure)	10³ arbitrary unit/liter
10³ arbitrary unit/liter	Note: NCCLS/k78; Ethylene oxid-HSA
Note: NCCLS/m14; <i>Epicoccum purpurascens</i>	NPU13101
NPU13101	P— <i>Epicoccum purpurascens</i> antibody(IgE);
P— <i>Epicoccum purpurascens</i> antibody(IgE);	arb.subst.c.(NCCLS/m14; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
Erythromycin antibody(Immunoglobulin E);	<i>Eucalyptus</i> antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/c212; procedure)	arbitrary concentration(NCCLS/t18; procedure)
Note: NCCLS/c212; Erythromycine	Note: NCCLS/t18; <i>Eucalyptus</i> spp.
NPU11349	NPU11352
P—Erythromycin antibody(IgE); arb.c.(NCCLS/	P— <i>Eucalyptus</i> antibody(IgE); arb.c.(NCCLS/t18;
c212; proc.) = ?	proc.) = ?
Plasma—	Plasma—
Erythromycin antibody(Immunoglobulin E);	<i>Eucalyptus</i> antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;	arbitrary substance concentration(IRP 75/502;
NCCLS/c212; procedure)	NCCLS/t18; procedure)
10³ international unit/liter	10³ international unit/liter
Note: NCCLS/c212; Erythromycine	Note: NCCLS/t18; <i>Eucalyptus</i> spp.
NPU10903	NPU10906
P—Erythromycin antibody(IgE); arb.subst.c.(IRP	P— <i>Eucalyptus</i> antibody(IgE); arb.subst.c.(IRP 75/
75/502; NCCLS/c212; proc.) = ? × 10 ³ int.unit/l	502; NCCLS/t18; proc.) = ? × 10 ³ int.unit/l
Plasma—	Plasma—
Erythromycin antibody(Immunoglobulin E);	<i>Eucalyptus</i> antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/c212;	arbitrary substance concentration(NCCLS/t18;
procedure)	procedure)
10³ arbitrary unit/liter	10³ arbitrary unit/liter
Note: NCCLS/c212; Erythromycine	Note: NCCLS/t18; <i>Eucalyptus</i> spp.
NPU13105	NPU13105
P—Erythromycin antibody(IgE); arb.subst.c.(NCCLS/	P— <i>Eucalyptus</i> antibody(IgE); arb.subst.c.(NCCLS/
t18; proc.) = ? × 10 ³ arb.unit/l	t18; proc.) = ? × 10 ³ arb.unit/l
Plasma—	Plasma—
<i>Euroglyphus maynei</i> antibody(Immunoglobulin E);	<i>Euroglyphus maynei</i> antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/d74; procedure)	arbitrary concentration(NCCLS/d74; procedure)

Note: NCCLS/d74; Euroglyphus maynei

NPU11353

P—*Euroglyphus maynei* antibody(IgE); arb.c.(NCCLS/d74; proc.) = ?

Plasma—

Euroglyphus maynei antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/d74; procedure)

10³ international unit/liter

Note: NCCLS/d74; Euroglyphus maynei

NPU10907

P—*Euroglyphus maynei* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d74; proc.) = ? × 10³ int.unit/l

Plasma—

Euroglyphus maynei antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/d74; procedure)

10³ arbitrary unit/liter

Note: NCCLS/d74; Euroglyphus maynei

NPU13106

P—*Euroglyphus maynei* antibody(IgE); arb.subst.c.(NCCLS/d74; proc.) = ? × 10³ arb.unit/l

Plasma—

Fennel antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f276; procedure)

Note: NCCLS/f276; Foeniculum vulgare

NPU11354

P—Fennel antibody(IgE); arb.c.(NCCLS/f276; proc.) = ?

Plasma—

Fennel antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f276; procedure)

10³ international unit/liter

Note: NCCLS/f276; Foeniculum vulgare

NPU10908

P—Fennel antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f276; proc.) = ? × 10³ int.unit/l

Plasma—

Fennel antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f276; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f276; Foeniculum vulgare

NPU13107

P—Fennel antibody(IgE); arb.subst.c.(NCCLS/f276; proc.) = ? × 10³ arb.unit/l

Plasma—

Fennel seed antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f219; procedure)

Note: NCCLS/f219; Foeniculum vulgare

NPU11355

P—Fennel seed antibody(IgE); arb.c.(NCCLS/f219; proc.) = ?

Plasma—

Fennel seed antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502;

NCCLS/f219; procedure

10³ international unit/liter

Note: NCCLS/f219; Foeniculum vulgare

NPU10909

P—Fennel seed antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f219; proc.) = ? × 10³ int.unit/l

Plasma—

Fennel seed antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f219; procedure)

10³ arbitrary unit/liter

Note: NCCLS/f219; Foeniculum vulgare

NPU13108

P—Fennel seed antibody(IgE); arb.subst.c.(NCCLS/f219; proc.) = ? × 10³ arb.unit/l

Plasma—

Ferret antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e217; procedure)

Note: NCCLS/e217; Fritte

NPU11361

P—Ferret antibody(IgE); arb.c.(NCCLS/e217; proc.) = ?

Plasma—

Ferret antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e217; procedure)

10³ international unit/liter

Note: NCCLS/e217; Fritte

NPU10915

P—Ferret antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e217; proc.) = ? × 10³ int.unit/l

Plasma—

Ferret antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e217; procedure)

10³ arbitrary unit/liter

Note: NCCLS/e217; Fritte

NPU13114

P—Ferret antibody(IgE); arb.subst.c.(NCCLS/e217; proc.) = ? × 10³ arb.unit/l

Plasma—

Finch feather antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e214; procedure)

Note: NCCLS/e214; Finch feathers

NPU11357

P—Finch feather antibody(IgE); arb.c.(NCCLS/e214; proc.) = ?

Plasma—

Finch feather antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e214; procedure)

10³ international unit/liter

Note: NCCLS/e214; Finch feathers

NPU10911

P—Finch feather antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e214; proc.) = ? × 10³ int.unit/l

Plasma—	Plasma—
Finch feather antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e214; procedure)	Fish antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f206; f254; f205; f3; procedure)
10³ arbitrary unit/liter	NPU14817
Note: NCCLS/e214; Finch feathers	P—Fish antibody(IgE); arb.c.(NCCLS/(f206; f254; f205; f3; proc.) = ?
NPU13110	
P—Finch feather antibody(IgE); arb.subst.c.(NCCLS/e214; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	Plasma—
Fir, common antibody(Immunoglobulin E); arbitrary concentration(NCCLS/t; procedure)	Fish antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/f; procedure)
Other term(s): Abies alba	NPU14276
NPU11685	P—Fish antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/f; proc.)
P—Fir, common antibody(IgE); arb.c.(NCCLS/t; proc.) = ?	NPU11215 P—Codfish antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f3; proc.) = ? × 10 ³ int.unit/l
Plasma—	NPU11245 P—Eel antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f264; proc.) = ? × 10 ³ int.unit/l
Fir, common antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/t; procedure)	NPU11044 P—Haddock antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f42; proc.) = ? × 10 ³ int.unit/l
10³ international unit/liter	NPU11180 P—Herring antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f205; proc.) = ? × 10 ³ int.unit/l
NPU11239	NPU11063 P—Mackerel antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f206; proc.) = ? × 10 ³ int.unit/l
P—Fir, common antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/t; proc.) = ? × 10 ³ int.unit/l	NPU11171 P—Plaice antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f254; proc.) = ? × 10 ³ int.unit/l
Plasma—	NPU11243 P—Rainbow trout antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f204; proc.) = ? × 10 ³ int.unit/l
Fire ant antibody(Immunoglobulin E); arbitrary concentration(NCCLS/i70; procedure)	NPU11048 P—Salmon antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f41; proc.) = ? × 10 ³ int.unit/l
Note: NCCLS/i70; Solenopsis invicta	NPU11222 P—Tuna antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f40; proc.) = ? × 10 ³ int.unit/l
NPU11443	Plasma—
P—Fire ant antibody(IgE); arb.c.(NCCLS/i70; proc.) = ?	Fish antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/f; procedure)
Plasma—	NPU14277
Fire ant antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/i70; procedure)	P—Fish antibody(IgE); arb.subst.c.(list; NCCLS/f; proc.)
10³ international unit/liter	NPU13414 P—Codfish antibody(IgE); arb.subst.c.(NCCLS/f3; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/i70; Solenopsis invicta	NPU13444 P—Eel antibody(IgE); arb.subst.c.(NCCLS/f264; proc.) = ? × 10 ³ arb.unit/l
NPU10997	NPU13243 P—Haddock antibody(IgE); arb.subst.c.(NCCLS/f42; proc.) = ? × 10 ³ arb.unit/l
P—Fire ant antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/i70; proc.) = ? × 10 ³ int.unit/l	NPU13379 P—Herring antibody(IgE); arb.subst.c.(NCCLS/f205; proc.) = ? × 10 ³ arb.unit/l
Plasma—	NPU13262 P—Mackerel antibody(IgE); arb.subst.c.(NCCLS/f206; proc.) = ? × 10 ³ arb.unit/l
Fire ant antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/i70; procedure)	NPU13370 P—Plaice antibody(IgE); arb.subst.c.(NCCLS/f254; proc.) = ? × 10 ³ arb.unit/l
10³ arbitrary unit/liter	NPU13442 P—Rainbow trout antibody(IgE); arb.subst.c.(NCCLS/f204; proc.) = ? × 10 ³ arb.unit/l
Note: NCCLS/i70; Solenopsis invicta	NPU13247 P—Salmon antibody(IgE); arb.subst.c.(NCCLS/f41; proc.) = ? × 10 ³ arb.unit/l
NPU13196	
P—Fire ant antibody(IgE); arb.subst.c.(NCCLS/i70; proc.) = ? × 10 ³ arb.unit/l	

NPU13421 P—Tuna antibody(IgE);
arb.subst.c.(NCCLS/f40; proc.) = ? × 10³ arb.unit/l

Plasma—**Fish antibody;****arbitrary concentration(list; NCCLS/f; procedure)****NPU02078**

P—Fish antibody; arb.c.(list; NCCLS/f; proc.)

NPU11661 P—Codfish antibody(IgE);

arb.c.(NCCLS/f3; proc.) = ?

NPU11691 P—Eel antibody(IgE); arb.c.(NCCLS/f264; proc.) = ?

NPU11490 P—Haddock antibody(IgE);

arb.c.(NCCLS/f42; proc.) = ?

NPU11626 P—Herring antibody(IgE);

arb.c.(NCCLS/f205; proc.) = ?

NPU11509 P—Mackerel antibody(IgE);

arb.c.(NCCLS/f206; proc.) = ?

NPU11617 P—Plaice antibody(IgE); arb.c.(NCCLS/f254; proc.) = ?

NPU11689 P—Rainbow trout antibody(IgE);

arb.c.(NCCLS/f204; proc.) = ?

NPU11494 P—Salmon antibody(IgE);

arb.c.(NCCLS/f41; proc.) = ?

NPU11668 P—Tuna antibody(IgE); arb.c.(NCCLS/f40; proc.) = ?

Plasma—**Food allergen antibody(Immunoglobulin E);****arbitrary concentration(list; NCCLS/f; procedure)****NPU03593**

P—Food allergen antibody(IgE); arb.c.(list; NCCLS/f; proc.)

NPU11512 P—Almond antibody(IgE);

arb.c.(NCCLS/f20; proc.) = ?

NPU11267 P—Anise seed antibody(IgE);

arb.c.(NCCLS/f271; proc.) = ?

NPU11684 P—Apple antibody(IgE); arb.c.(NCCLS/f49; proc.) = ?

NPU11246 P—Apricot antibody(IgE);

arb.c.(NCCLS/f237; proc.) = ?

NPU11276 P—Asparagus antibody(IgE);

arb.c.(NCCLS/f261; proc.) = ?

NPU11278 P—Aubergine antibody(IgE);

arb.c.(NCCLS/f262; proc.) = ?

NPU11280 P—Avocado antibody(IgE);

arb.c.(NCCLS/f96; proc.) = ?

NPU11281 P—Baker's yeast antibody(IgE);

arb.c.(NCCLS/f45; proc.) = ?

NPU11283 P—Banana antibody(IgE);

arb.c.(NCCLS/f92; proc.) = ?

NPU11306 P—Barley antibody(IgE); arb.c.(NCCLS/f6; proc.) = ?

NPU11544 P—Beef antibody(IgE); arb.c.(NCCLS/f27; proc.) = ?

NPU11613 P—Beetroot antibody(IgE);

arb.c.(NCCLS/f319; proc.) = ?

NPU11634 P—Black currant antibody(IgE);

arb.c.(NCCLS/f171; proc.) = ?

NPU11303 P—Blackberry antibody(IgE);

arb.c.(NCCLS/f211; proc.) = ?

NPU11293 P—Blue mussel antibody(IgE);

arb.c.(NCCLS/f37; proc.) = ?

NPU11560 P—Brazil nut antibody(IgE);

arb.c.(NCCLS/f18; proc.) = ?

NPU11688 P—Brewer's yeast antibody(IgE);

arb.c.(NCCLS/f45; proc.) = ?

NPU11301 P—Broccoli antibody(IgE);

arb.c.(NCCLS/f260; proc.) = ?

NPU11603 P—Brussel sprout antibody(IgE);

arb.c.(NCCLS/f217; proc.) = ?

NPU11296 P—Buckwheat seed antibody(IgE);

arb.c.(NCCLS/f11; proc.) = ?

NPU11433 P—Cabbage antibody(IgE);

arb.c.(NCCLS/f216; proc.) = ?

NPU11457 P—Cacao antibody(IgE); arb.c.(NCCLS/f93; proc.) = ?

NPU11482 P—Caraway antibody(IgE);

arb.c.(NCCLS/f265; proc.) = ?

NPU11469 P—Cardamom antibody(IgE);

arb.c.(NCCLS/f267; proc.) = ?

NPU11386 P—Carrot antibody(IgE); arb.c.(NCCLS/f31; proc.) = ?

NPU11312 P—Casein antibody(IgE);

arb.c.(NCCLS/f78; proc.) = ?

NPU11247 P—Cashew nut antibody(IgE);

arb.c.(NCCLS/f202; proc.) = ?

NPU11291 P—Cauliflower antibody(IgE);

arb.c.(NCCLS/f291; proc.) = ?

NPU11290 P—Celery antibody(IgE); arb.c.(NCCLS/f85; proc.) = ?

NPU11316 P—Cheese, cheddar type antibody(IgE); arb.c.(NCCLS/f81; proc.) = ?

NPU11629 P—Cheese, mold type antibody(IgE);

arb.c.(NCCLS/f82; proc.) = ?

NPU11478 P—Cherry antibody(IgE); arb.c.(NCCLS/f242; proc.) = ?

NPU11438 P—Chicken meat antibody(IgE);

arb.c.(NCCLS/f83; proc.) = ?

NPU11586 P—Chives antibody(IgE); arb.c.(NCCLS/f339; proc.) = ?

NPU11465 P—Cinnamon antibody(IgE);

arb.c.(NCCLS/f220; proc.) = ?

NPU11532 P—Clam antibody(IgE); arb.c.(NCCLS/f207; proc.) = ?

NPU11540 P—Clove antibody(IgE); arb.c.(NCCLS/f268; proc.) = ?

NPU11481 P—Coconut antibody(IgE);

arb.c.(NCCLS/f36; proc.) = ?

NPU11661 P—Codfish antibody(IgE);

arb.c.(NCCLS/f3; proc.) = ?

NPU11456 P—Coffee antibody(IgE); arb.c.(NCCLS/f221; proc.) = ?

NPU11485 P—Coriander antibody(IgE); arb.c.(NCCLS/f317; proc.) = ?

NPU11483 P—Cow's milk antibody(IgE);

arb.c.(NCCLS/f2; proc.) = ?

NPU11488 P—Crab antibody(IgE); arb.c.(NCCLS/f23; proc.) = ?

NPU11489 P—Crayfish antibody(IgE);

arb.c.(NCCLS/f320; proc.) = ?

NPU11251 P—Cucumber antibody(IgE);

arb.c.(NCCLS/f244; proc.) = ?

NPU11470 P—Curry antibody(IgE); arb.c.(NCCLS/f281; proc.) = ?

NPU11328 P—Dill antibody(IgE); arb.c.(NCCLS/f277; proc.) = ?

- NPU11265 P—Duck meat antibody(IgE); arb.c.(NCCLS/f157; proc.) = ?
 NPU11691 P—Eel antibody(IgE); arb.c.(NCCLS/f264; proc.) = ?
 NPU11442 P—Egg white antibody(IgE); arb.c.(NCCLS/f1; proc.) = ?
 NPU11441 P—Egg yolk antibody(IgE); arb.c.(NCCLS/f75; proc.) = ?
 NPU11440 P—Egg, whole antibody(IgE); arb.c.(NCCLS/f245; proc.) = ?
 NPU11354 P—Fennel antibody(IgE); arb.c.(NCCLS/f276; proc.) = ?
 NPU11355 P—Fennel seed antibody(IgE); arb.c.(NCCLS/f219; proc.) = ?
 NPU11434 P—Garlic antibody(IgE); arb.c.(NCCLS/f47; proc.) = ?
 NPU11444 P—Ginger antibody(IgE); arb.c.(NCCLS/f270; proc.) = ?
 NPU11372 P—Gluten antibody(IgE); arb.c.(NCCLS/f79; proc.) = ?
 NPU11369 P—Goat's milk antibody(IgE); arb.c.(NCCLS/f300; proc.) = ?
 NPU11683 P—Grape antibody(IgE); arb.c.(NCCLS/f259; proc.) = ?
 NPU11375 P—Grapefruit antibody(IgE); arb.c.(NCCLS/f209; proc.) = ?
 NPU11379 P—Green bean antibody(IgE); arb.c.(NCCLS/f315; proc.) = ?
 NPU11384 P—Guar rubber antibody(IgE); arb.c.(NCCLS/f246; proc.) = ?
 NPU11272 P—Gummi arabicum antibody(IgE); arb.c.(NCCLS/f297; proc.) = ?
 NPU11490 P—Haddock antibody(IgE); arb.c.(NCCLS/f42; proc.) = ?
 NPU11394 P—Hazel nut antibody(IgE); arb.c.(NCCLS/f17; proc.) = ?
 NPU11626 P—Herring antibody(IgE); arb.c.(NCCLS/f205; proc.) = ?
 NPU11407 P—Honey antibody(IgE); arb.c.(NCCLS/f247; proc.) = ?
 NPU11408 P—Hop antibody(IgE); arb.c.(NCCLS/f324; proc.) = ?
 NPU11400 P—Horse meat antibody(IgE); arb.c.(NCCLS/f159; proc.) = ?
 NPU11564 P—Horse radish antibody(IgE); arb.c.(NCCLS/f334; proc.) = ?
 NPU11309 P—Kidney bean, red antibody(IgE); arb.c.(NCCLS/f287; proc.) = ?
 NPU11479 P—Kiwi fruit antibody(IgE); arb.c.(NCCLS/f84; proc.) = ?
 NPU11256 P—Lactalbumin antibody(IgE); arb.c.(NCCLS/f76; proc.) = ?
 NPU11285 P—Lactoglobulin antibody(IgE); arb.c.(NCCLS/f77; proc.) = ?
 NPU11321 P—Lemon antibody(IgE); arb.c.(NCCLS/f208; proc.) = ?
 NPU11500 P—Lentil antibody(IgE); arb.c.(NCCLS/f235; proc.) = ?
 NPU11381 P—Lettuce antibody(IgE); arb.c.(NCCLS/f215; proc.) = ?
 NPU11498 P—Lime antibody(IgE); arb.c.(NCCLS/f306; proc.) = ?
 NPU11409 P—Lobster antibody(IgE); arb.c.(NCCLS/f80; proc.) = ?
 NPU11506 P—Lovage antibody(IgE); arb.c.(NCCLS/f275; proc.) = ?
 NPU11509 P—Mackerel antibody(IgE); arb.c.(NCCLS/f206; proc.) = ?
 NPU11508 P—Maize antibody(IgE); arb.c.(NCCLS/f8; proc.) = ?
 NPU11510 P—Malt antibody(IgE); arb.c.(NCCLS/f90; proc.) = ?
 NPU11513 P—Mango antibody(IgE); arb.c.(NCCLS/f91; proc.) = ?
 NPU11521 P—Marjoram antibody(IgE); arb.c.(NCCLS/f274; proc.) = ?
 NPU11530 P—Masce antibody(IgE); arb.c.(NCCLS/f266; proc.) = ?
 NPU11520 P—Melon antibody(IgE); arb.c.(NCCLS/f87; proc.) = ?
 NPU11536 P—Milk powder(Kanolfingen) antibody(IgE); arb.c.(NCCLS/f; proc.) = ?
 NPU11537 P—Milk powder(Milupa Ag) antibody(IgE); arb.c.(NCCLS/f; proc.) = ?
 NPU11538 P—Milk powder(Nestlé) antibody(IgE); arb.c.(NCCLS/f228; proc.) = ?
 NPU11539 P—Milk, boiled antibody(IgE); arb.c.(NCCLS/f231; proc.) = ?
 NPU11406 P—Millet, common antibody(IgE); arb.c.(NCCLS/f55; proc.) = ?
 NPU11315 P—Mushroom, champignon antibody(IgE); arb.c.(NCCLS/f212; proc.) = ?
 NPU11624 P—Mustard antibody(IgE); arb.c.(NCCLS/f89; proc.) = ?
 NPU11366 P—Mutton, lamb antibody(IgE); arb.c.(NCCLS/f88; proc.) = ?
 NPU11531 P—Nutmeg antibody(IgE); arb.c.(NCCLS/f282; proc.) = ?
 NPU11398 P—Oat flour antibody(IgE); arb.c.(NCCLS/f7; proc.) = ?
 NPU11504 P—Onion antibody(IgE); arb.c.(NCCLS/f48; proc.) = ?
 NPU11271 P—Orange antibody(IgE); arb.c.(NCCLS/f33; proc.) = ?
 NPU11547 P—Oregano antibody(IgE); arb.c.(NCCLS/f283; proc.) = ?
 NPU11549 P—Ovalbumin antibody(IgE); arb.c.(NCCLS/f232; proc.) = ?
 NPU11550 P—Ovomucoid antibody(IgE); arb.c.(NCCLS/f233; proc.) = ?
 NPU11690 P—Oyster antibody(IgE); arb.c.(NCCLS/f290; proc.) = ?
 NPU11556 P—Paprika antibody(IgE); arb.c.(NCCLS/f218; proc.) = ?
 NPU11573 P—Parsley antibody(IgE); arb.c.(NCCLS/f86; proc.) = ?
 NPU11687 P—Pea antibody(IgE); arb.c.(NCCLS/f12; proc.) = ?
 NPU11356 P—Peach antibody(IgE); arb.c.(NCCLS/f95; proc.) = ?
 NPU11455 P—Peanut antibody(IgE); arb.c.(NCCLS/f13; proc.) = ?
 NPU11587 P—Pear antibody(IgE); arb.c.(NCCLS/f94; proc.) = ?
 NPU11566 P—Pecan nut antibody(IgE); arb.c.(NCCLS/f201; proc.) = ?
 NPU11562 P—Pepper fruit antibody(IgE); arb.c.(NCCLS/f; proc.) = ?

NPU11561 P—Pepper, black antibody(IgE); arb.c.(NCCLS/f280; proc.) = ?
 NPU11317 P—Pepper, Chili antibody(IgE); arb.c.(NCCLS/f279; proc.) = ?
 NPU11563 P—Pepper, green antibody(IgE); arb.c.(NCCLS/f263; proc.) = ?
 NPU11263 P—Pineapple antibody(IgE); arb.c.(NCCLS/f210; proc.) = ?
 NPU11579 P—Pistachio nut antibody(IgE); arb.c.(NCCLS/f203; proc.) = ?
 NPU11617 P—Plaice antibody(IgE); arb.c.(NCCLS/f254; proc.) = ?
 NPU11292 P—Plum antibody(IgE); arb.c.(NCCLS/f255; proc.) = ?
 NPU11679 P—Poppy seed antibody(IgE); arb.c.(NCCLS/f224; proc.) = ?
 NPU11651 P—Pork antibody(IgE); arb.c.(NCCLS/f26; proc.) = ?
 NPU11471 P—Potato antibody(IgE); arb.c.(NCCLS/f35; proc.) = ?
 NPU11376 P—Pumpkin antibody(IgE); arb.c.(NCCLS/f225; proc.) = ?
 NPU11377 P—Pumpkin seed antibody(IgE); arb.c.(NCCLS/f226; proc.) = ?
 NPU11467 P—Rabbit meat antibody(IgE); arb.c.(NCCLS/f213; proc.) = ?
 NPU11689 P—Rainbow trout antibody(IgE); arb.c.(NCCLS/f204; proc.) = ?
 NPU11604 P—Raisin antibody(IgE); arb.c.(NCCLS/f179; proc.) = ?
 NPU11593 P—Rape seed antibody(IgE); arb.c.(NCCLS/f316; proc.) = ?
 NPU11405 P—Raspberry antibody(IgE); arb.c.(NCCLS/f22; proc.) = ?
 NPU11602 P—Rice antibody(IgE); arb.c.(NCCLS/f9; proc.) = ?
 NPU11609 P—Rye flour antibody(IgE); arb.c.(NCCLS/f5; proc.) = ?
 NPU11494 P—Salmon antibody(IgE); arb.c.(NCCLS/f41; proc.) = ?
 NPU11625 P—Sesame seed antibody(IgE); arb.c.(NCCLS/f10; proc.) = ?
 NPU11596 P—Shrimp antibody(IgE); arb.c.(NCCLS/f24; proc.) = ?
 NPU11633 P—Soybean antibody(IgE); arb.c.(NCCLS/f14; proc.) = ?
 NPU11636 P—Spinach antibody(IgE); arb.c.(NCCLS/f214; proc.) = ?
 NPU11454 P—Strawberry antibody(IgE); arb.c.(NCCLS/f44; proc.) = ?
 NPU11646 P—Sugar beet seed antibody(IgE); arb.c.(NCCLS/f227; proc.) = ?
 NPU11472 P—Sweet chestnut antibody(IgE); arb.c.(NCCLS/f299; proc.) = ?
 NPU11350 P—Tarragon antibody(IgE); arb.c.(NCCLS/f272; proc.) = ?
 NPU11655 P—Tea antibody(IgE); arb.c.(NCCLS/f222; proc.) = ?
 NPU11660 P—Tomato antibody(IgE); arb.c.(NCCLS/f25; proc.) = ?
 NPU11668 P—Tuna antibody(IgE); arb.c.(NCCLS/f40; proc.) = ?
 NPU11460 P—Turkey meat antibody(IgE); arb.c.(NCCLS/f284; proc.) = ?

NPU11681 P—Vanilla antibody(IgE); arb.c.(NCCLS/f234; proc.) = ?
 NPU13481 P—Walnut antibody(IgE); arb.c.(NCCLS/f16; proc.) = ?
 NPU11424 P—Wheat antibody(IgE); arb.c.(NCCLS/f4; proc.) = ?
 NPU11678 P—Whey antibody(IgE); arb.c.(NCCLS/f236; proc.) = ?
 NPU11431 P—White bean antibody(IgE); arb.c.(NCCLS/f15; proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f1; f2; f3; f4; f13; f14); procedure)

NPU14888

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f1; f2; f3; f4; f13; f14); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f12; f13; f14); procedure)

NPU14818

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f12; f13; f14); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f12; f15; f31; f35); procedure)

NPU14819

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f12; f15; f31; f35); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f12; f25; f31; f35; f85); procedure)

NPU14890

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f12; f25; f31; f35; f85); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f17; f18; f33; f49; f93); procedure)

NPU14820

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f17; f18; f33; f49; f93); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f20; f84; f87; f92; f259); procedure)

NPU14821

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f20; f84; f87; f92; f259); proc.) = ?

Plasma—

Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f25; f214; f216; f218); procedure)

NPU14822

P—Food allergen antibody(IgE); arb.c.(NCCLS/(f25; f214; f216; f218); proc.) = ?

- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f25; f45; f47; f48; f85); procedure)
NPU14823
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f25; f45; f47; f48; f85); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f26; f27; f75; f83; f284); procedure)
NPU14824
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f26; f27; f75; f83; f284); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f3; f23; f24; f40; f41); procedure)
NPU14889
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f3; f23; f24; f40; f41); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f3; f24; f37; f40; f41); procedure)
NPU14825
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f3; f24; f37; f40; f41); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f33; f49; f92; f95); procedure)
NPU14826
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f33; f49; f92; f95); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f4; f5; f6; f9); procedure)
NPU14827
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f4; f5; f6; f9); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f44; f94; f208; f210); procedure)
NPU14828
 P—Food allergen antibody(IgE); arb.c.(NCCLS/(f44; f94; f208; f210); proc.) = ?
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/f; procedure)
NPU13446
 P—Food allergen antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/f; proc.)
- NPU11066 P—Almond antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f20; proc.) = ? ×
 10^3 int.unit/l
 NPU10821 P—Anise seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f271; proc.) = ? ×
 10^3 int.unit/l
 NPU11238 P—Apple antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f49; proc.) = ? ×
 10^3 int.unit/l
 NPU10800 P—Apricot antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f237; proc.) = ? ×
 10^3 int.unit/l
 NPU10830 P—Asparagus antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f261; proc.) = ? ×
 10^3 int.unit/l
 NPU10832 P—Aubergine antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f262; proc.) = ? ×
 10^3 int.unit/l
 NPU10834 P—Avocado antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f96; proc.) = ? ×
 10^3 int.unit/l
 NPU10835 P—Baker's yeast antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f45; proc.) = ? ×
 10^3 int.unit/l
 NPU10837 P—Banana antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f92; proc.) = ? ×
 10^3 int.unit/l
 NPU10860 P—Barley antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f6; proc.) = ? × 10^3 int.unit/l
 NPU11098 P—Beef antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f27; proc.) = ? × 10^3 int.unit/l
 NPU11167 P—Beetroot antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f319; proc.) = ? ×
 10^3 int.unit/l
 NPU11188 P—Black currant antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f171; proc.) = ? ×
 10^3 int.unit/l
 NPU10857 P—Blackberry antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f211; proc.) = ? ×
 10^3 int.unit/l
 NPU10847 P—Blue mussel antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f37; proc.) = ? ×
 10^3 int.unit/l
 NPU11114 P—Brazil nut antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f18; proc.) = ? ×
 10^3 int.unit/l
 NPU11242 P—Brewer's yeast antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f45; proc.) = ? ×
 10^3 int.unit/l
 NPU10855 P—Broccoli antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f260; proc.) = ? ×
 10^3 int.unit/l
 NPU11157 P—Brussel sprout antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f217; proc.) = ? ×
 10^3 int.unit/l
 NPU10850 P—Buckwheat seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f11; proc.) = ? ×
 10^3 int.unit/l
 NPU10987 P—Cabbage antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f216; proc.) = ? ×
 10^3 int.unit/l
 NPU11011 P—Cacao antibody(IgE);

arbsubst.c.(IRP 75/502; NCCLS/f93; proc.) = ? × 10 ³ int.unit/l	NPU11043 P—Crayfish antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f320; proc.) = ? × 10 ³ int.unit/l
NPU11036 P—Caraway antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f265; proc.) = ? × 10 ³ int.unit/l	NPU10805 P—Cucumber antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f244; proc.) = ? × 10 ³ int.unit/l
NPU11023 P—Cardamom antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f267; proc.) = ? × 10 ³ int.unit/l	NPU11024 P—Curry antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f281; proc.) = ? × 10 ³ int.unit/l
NPU10940 P—Carrot antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f31; proc.) = ? × 10 ³ int.unit/l	NPU10882 P—Dill antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f277; proc.) = ? × 10 ³ int.unit/l
NPU10866 P—Casein antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f78; proc.) = ? × 10 ³ int.unit/l	NPU10819 P—Duck meat antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f157; proc.) = ? × 10 ³ int.unit/l
NPU10801 P—Cashew nut antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f202; proc.) = ? × 10 ³ int.unit/l	NPU11245 P—Eel antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f264; proc.) = ? × 10 ³ int.unit/l
NPU10845 P—Cauliflower antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f291; proc.) = ? × 10 ³ int.unit/l	NPU10996 P—Egg white antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f1; proc.) = ? × 10 ³ int.unit/l
NPU10844 P—Celery antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f85; proc.) = ? × 10 ³ int.unit/l	NPU10995 P—Egg yolk antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f75; proc.) = ? × 10 ³ int.unit/l
NPU10870 P—Cheese, cheddar type antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f81; proc.) = ? × 10 ³ int.unit/l	NPU10994 P—Egg, whole antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f245; proc.) = ? × 10 ³ int.unit/l
NPU11183 P—Cheese, mold type antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f82; proc.) = ? × 10 ³ int.unit/l	NPU10908 P—Fennel antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f276; proc.) = ? × 10 ³ int.unit/l
NPU11032 P—Cherry antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f242; proc.) = ? × 10 ³ int.unit/l	NPU10909 P—Fennel seed antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f219; proc.) = ? × 10 ³ int.unit/l
NPU10992 P—Chicken meat antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f83; proc.) = ? × 10 ³ int.unit/l	NPU10988 P—Garlic antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f47; proc.) = ? × 10 ³ int.unit/l
NPU11140 P—Chives antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f339; proc.) = ? × 10 ³ int.unit/l	NPU10998 P—Ginger antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f270; proc.) = ? × 10 ³ int.unit/l
NPU11019 P—Cinnamon antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f220; proc.) = ? × 10 ³ int.unit/l	NPU10926 P—Gluten antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f79; proc.) = ? × 10 ³ int.unit/l
NPU11086 P—Clam antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f207; proc.) = ? × 10 ³ int.unit/l	NPU10923 P—Goat's milk antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f300; proc.) = ? × 10 ³ int.unit/l
NPU11094 P—Clove antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f268; proc.) = ? × 10 ³ int.unit/l	NPU11237 P—Grape antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f259; proc.) = ? × 10 ³ int.unit/l
NPU11035 P—Coconut antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f36; proc.) = ? × 10 ³ int.unit/l	NPU10929 P—Grapefruit antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f209; proc.) = ? × 10 ³ int.unit/l
NPU11215 P—Codfish antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f3; proc.) = ? × 10 ³ int.unit/l	NPU10933 P—Green bean antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f315; proc.) = ? × 10 ³ int.unit/l
NPU1110 P—Coffee antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f221; proc.) = ? × 10 ³ int.unit/l	NPU10938 P—Guar rubber antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f246; proc.) = ? × 10 ³ int.unit/l
NPU11039 P—Coriander antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f317; proc.) = ? × 10 ³ int.unit/l	NPU10826 P—Gummi arabicum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f297; proc.) = ? × 10 ³ int.unit/l
NPU11037 P—Cow's milk antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f2; proc.) = ? × 10 ³ int.unit/l	NPU11044 P—Haddock antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f42; proc.) = ? × 10 ³ int.unit/l
NPU11042 P—Crab antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f23; proc.) = ? × 10 ³ int.unit/l	NPU10948 P—Hazel nut antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f17; proc.) = ? × 10 ³ int.unit/l

- NPU11180 P—Herring antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f205; proc.) = ? × 10³ int.unit/l
 NPU10961 P—Honey antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f247; proc.) = ? × 10³ int.unit/l
 NPU10962 P—Hop antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f324; proc.) = ? × 10³ int.unit/l
 NPU10954 P—Horse meat antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f159; proc.) = ? × 10³ int.unit/l
 NPU11118 P—Horse radish antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f334; proc.) = ? × 10³ int.unit/l
 NPU10863 P—Kidney bean, red antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f287; proc.) = ? × 10³ int.unit/l
 NPU11033 P—Kiwi fruit antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f84; proc.) = ? × 10³ int.unit/l
 NPU10810 P—Lactalbumin antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f76; proc.) = ? × 10³ int.unit/l
 NPU10839 P—Lactoglobulin antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f77; proc.) = ? × 10³ int.unit/l
 NPU10875 P—Lemon antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f208; proc.) = ? × 10³ int.unit/l
 NPU11054 P—Lentil antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f235; proc.) = ? × 10³ int.unit/l
 NPU10935 P—Lettuce antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f215; proc.) = ? × 10³ int.unit/l
 NPU11052 P—Lime antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f306; proc.) = ? × 10³ int.unit/l
 NPU10963 P—Lobster antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f80; proc.) = ? × 10³ int.unit/l
 NPU11060 P—Lovage antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f275; proc.) = ? × 10³ int.unit/l
 NPU11063 P—Mackerel antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f206; proc.) = ? × 10³ int.unit/l
 NPU11062 P—Maize antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f8; proc.) = ? × 10³ int.unit/l
 NPU11064 P—Malt antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f90; proc.) = ? × 10³ int.unit/l
 NPU11067 P—Mango antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f91; proc.) = ? × 10³ int.unit/l
 NPU11075 P—Marjoram antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f274; proc.) = ? × 10³ int.unit/l
 NPU11084 P—Masce antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f266; proc.) = ? × 10³ int.unit/l
 NPU11074 P—Melon antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f87; proc.) = ? × 10³ int.unit/l
 NPU11090 P—Milk powder(Kanolfingen) antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f; proc.) = ? × 10³ int.unit/l
 NPU11091 P—Milk powder(Milupa Ag) antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f; proc.) = ? × 10³ int.unit/l
 NPU11092 P—Milk powder(Nestlé) antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f228; proc.) = ? × 10³ int.unit/l
 NPU11093 P—Milk, boiled antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f231; proc.) = ? × 10³ int.unit/l
 NPU10960 P—Millet, common antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f55; proc.) = ? × 10³ int.unit/l
 NPU10869 P—Mushroom, champignon antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f212; proc.) = ? × 10³ int.unit/l
 NPU11178 P—Mustard antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f89; proc.) = ? × 10³ int.unit/l
 NPU10920 P—Mutton, lamb antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f88; proc.) = ? × 10³ int.unit/l
 NPU11085 P—Nutmeg antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f282; proc.) = ? × 10³ int.unit/l
 NPU10952 P—Oat flour antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f7; proc.) = ? × 10³ int.unit/l
 NPU11058 P—Onion antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f48; proc.) = ? × 10³ int.unit/l
 NPU10825 P—Orange antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f33; proc.) = ? × 10³ int.unit/l
 NPU11101 P—Oregano antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f283; proc.) = ? × 10³ int.unit/l
 NPU11103 P—Ovalbumin antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f232; proc.) = ? × 10³ int.unit/l
 NPU11104 P—Ovomucoid antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f233; proc.) = ? × 10³ int.unit/l
 NPU11244 P—Oyster antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f290; proc.) = ? × 10³ int.unit/l
 NPU11110 P—Paprika antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f218; proc.) = ? × 10³ int.unit/l
 NPU11127 P—Parsley antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f86; proc.) = ? × 10³ int.unit/l
 NPU11241 P—Pea antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f12; proc.) = ? × 10³ int.unit/l
 NPU10910 P—Peach antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f95; proc.) = ? × 10³ int.unit/l
 NPU11009 P—Peanut antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f13; proc.) = ? × 10³ int.unit/l
 NPU11141 P—Pear antibody(IgE); arbsubst.c.(IRP

- 75/502; NCCLS/f94; proc.) = ? × 10³ int.unit/l
 NPU11120 P—Pecan nut antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f201; proc.) = ? × 10³ int.unit/l
 NPU11116 P—Pepper fruit antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f; proc.) = ? × 10³ int.unit/l
 NPU11115 P—Pepper, black antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f280; proc.) = ? × 10³ int.unit/l
 NPU10871 P—Pepper, Chili antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f279; proc.) = ? × 10³ int.unit/l
 NPU11117 P—Pepper, green antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f263; proc.) = ? × 10³ int.unit/l
 NPU10817 P—Pineapple antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f210; proc.) = ? × 10³ int.unit/l
 NPU11133 P—Pistachio nut antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f203; proc.) = ? × 10³ int.unit/l
 NPU11171 P—Plaice antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f254; proc.) = ? × 10³ int.unit/l
 NPU10846 P—Plum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f255; proc.) = ? × 10³ int.unit/l
 NPU11233 P—Poppy seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f224; proc.) = ? × 10³ int.unit/l
 NPU11205 P—Pork antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f26; proc.) = ? × 10³ int.unit/l
 NPU11025 P—Potato antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f35; proc.) = ? × 10³ int.unit/l
 NPU10930 P—Pumpkin antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f225; proc.) = ? × 10³ int.unit/l
 NPU10931 P—Pumpkin seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f226; proc.) = ? × 10³ int.unit/l
 NPU11021 P—Rabbit meat antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f213; proc.) = ? × 10³ int.unit/l
 NPU11243 P—Rainbow trout antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f204; proc.) = ? × 10³ int.unit/l
 NPU11158 P—Raisin antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f179; proc.) = ? × 10³ int.unit/l
 NPU11147 P—Rape seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f316; proc.) = ? × 10³ int.unit/l
 NPU10959 P—Raspberry antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f22; proc.) = ? × 10³ int.unit/l
 NPU11156 P—Rice antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f9; proc.) = ? × 10³ int.unit/l
 NPU11163 P—Rye flour antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f5; proc.) = ? × 10³ int.unit/l
 NPU11048 P—Salmon antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f41; proc.) = ? × 10³ int.unit/l
 NPU11179 P—Sesame seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f10; proc.) = ? × 10³ int.unit/l
 NPU11150 P—Shrimp antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f24; proc.) = ? × 10³ int.unit/l
 NPU11187 P—Soybean antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f14; proc.) = ? × 10³ int.unit/l
 NPU11190 P—Spinach antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f214; proc.) = ? × 10³ int.unit/l
 NPU11008 P—Strawberry antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f44; proc.) = ? × 10³ int.unit/l
 NPU11200 P—Sugar beet seed antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f227; proc.) = ? × 10³ int.unit/l
 NPU11026 P—Sweet chestnut antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f299; proc.) = ? × 10³ int.unit/l
 NPU10904 P—Tarragon antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f272; proc.) = ? × 10³ int.unit/l
 NPU11209 P—Tea antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f222; proc.) = ? × 10³ int.unit/l
 NPU11214 P—Tomato antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f25; proc.) = ? × 10³ int.unit/l
 NPU11222 P—Tuna antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f40; proc.) = ? × 10³ int.unit/l
 NPU11014 P—Turkey meat antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f284; proc.) = ? × 10³ int.unit/l
 NPU11235 P—Vanilla antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f234; proc.) = ? × 10³ int.unit/l
 NPU13482 P—Walnut antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f16; proc.) = ? × 10³ int.unit/l
 NPU10978 P—Wheat antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f4; proc.) = ? × 10³ int.unit/l
 NPU11232 P—Whey antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f236; proc.) = ? × 10³ int.unit/l
 NPU10985 P—White bean antibody(IgE);
 arb.subst.c.(IRP 75/502; NCCLS/f15; proc.) = ? × 10³ int.unit/l
- Plasma—**
Food allergen antibody(Immunoglobulin E); arbitrary substance concentration(list; procedure; NCCLS/f)
NPU13445
 P—Food allergen antibody(IgE); arb.subst.c.(list; proc.; NCCLS/f)
 NPU13265 P—Almond antibody(IgE);
 arb.subst.c.(NCCLS/f20; proc.) = ? × 10³ arb.unit/l
 NPU13020 P—Anise seed antibody(IgE);
 arb.subst.c.(NCCLS/f271; proc.) = ? × 10³ arb.unit/l
 NPU13437 P—Apple antibody(IgE);
 arb.subst.c.(NCCLS/f49; proc.) = ? × 10³ arb.unit/l

NPU11692 P—Apricot antibody(IgE);
 arbsubst.c.(NCCLS/f237; proc.) = ? × 10³ arb.unit/l
 NPU13029 P—Asparagus antibody(IgE);
 arbsubst.c.(NCCLS/f261; proc.) = ? × 10³ arb.unit/l
 NPU13031 P—Aubergine antibody(IgE);
 arbsubst.c.(NCCLS/f262; proc.) = ? × 10³ arb.unit/l
 NPU13033 P—Avocado antibody(IgE);
 arbsubst.c.(NCCLS/f96; proc.) = ? × 10³ arb.unit/l
 NPU13034 P—Baker's yeast antibody(IgE);
 arbsubst.c.(NCCLS/f45; proc.) = ? × 10³ arb.unit/l
 NPU13036 P—Banana antibody(IgE);
 arbsubst.c.(NCCLS/f92; proc.) = ? × 10³ arb.unit/l
 NPU13059 P—Barley antibody(IgE);
 arbsubst.c.(NCCLS/f6; proc.) = ? × 10³ arb.unit/l
 NPU13297 P—Beef antibody(IgE);
 arbsubst.c.(NCCLS/f27; proc.) = ? × 10³ arb.unit/l
 NPU13366 P—Beetroot antibody(IgE);
 arbsubst.c.(NCCLS/f319; proc.) = ? × 10³ arb.unit/l
 NPU13387 P—Black currant antibody(IgE);
 arbsubst.c.(NCCLS/f171; proc.) = ? × 10³ arb.unit/l
 NPU13056 P—Blackberry antibody(IgE);
 arbsubst.c.(NCCLS/f211; proc.) = ? × 10³ arb.unit/l
 NPU13046 P—Blue mussel antibody(IgE);
 arbsubst.c.(NCCLS/f37; proc.) = ? × 10³ arb.unit/l
 NPU13313 P—Brazil nut antibody(IgE);
 arbsubst.c.(NCCLS/f18; proc.) = ? × 10³ arb.unit/l
 NPU13441 P—Brewer's yeast antibody(IgE);
 arbsubst.c.(NCCLS/f45; proc.) = ? × 10³ arb.unit/l
 NPU13054 P—Broccoli antibody(IgE);
 arbsubst.c.(NCCLS/f260; proc.) = ? × 10³ arb.unit/l
 NPU13356 P—Brussel sprout antibody(IgE);
 arbsubst.c.(NCCLS/f217; proc.) = ? × 10³ arb.unit/l
 NPU13049 P—Buckwheat seed antibody(IgE);
 arbsubst.c.(NCCLS/f11; proc.) = ? × 10³ arb.unit/l
 NPU13186 P—Cabbage antibody(IgE);
 arbsubst.c.(NCCLS/f216; proc.) = ? × 10³ arb.unit/l
 NPU13210 P—Cacao antibody(IgE);
 arbsubst.c.(NCCLS/f93; proc.) = ? × 10³ arb.unit/l
 NPU13235 P—Caraway antibody(IgE);
 arbsubst.c.(NCCLS/f265; proc.) = ? × 10³ arb.unit/l
 NPU13222 P—Cardamom antibody(IgE);
 arbsubst.c.(NCCLS/f267; proc.) = ? × 10³ arb.unit/l
 NPU13139 P—Carrot antibody(IgE);
 arbsubst.c.(NCCLS/f31; proc.) = ? × 10³ arb.unit/l
 NPU13065 P—Casein antibody(IgE);
 arbsubst.c.(NCCLS/f78; proc.) = ? × 10³ arb.unit/l
 NPU13000 P—Cashew nut antibody(IgE);
 arbsubst.c.(NCCLS/f202; proc.) = ? × 10³ arb.unit/l
 NPU13044 P—Cauliflower antibody(IgE);
 arbsubst.c.(NCCLS/f291; proc.) = ? × 10³ arb.unit/l
 NPU13043 P—Celery antibody(IgE);
 arbsubst.c.(NCCLS/f85; proc.) = ? × 10³ arb.unit/l
 NPU13069 P—Cheese, cheddar type antibody(IgE);
 arbsubst.c.(NCCLS/f81; proc.) = ? × 10³ arb.unit/l
 NPU13382 P—Cheese, mold type antibody(IgE);
 arbsubst.c.(NCCLS/f82; proc.) = ? × 10³ arb.unit/l
 NPU13231 P—Cherry antibody(IgE);
 arbsubst.c.(NCCLS/f242; proc.) = ? × 10³ arb.unit/l
 NPU13191 P—Chicken meat antibody(IgE);
 arbsubst.c.(NCCLS/f83; proc.) = ? × 10³ arb.unit/l
 NPU13339 P—Chives antibody(IgE);
 arbsubst.c.(NCCLS/f339; proc.) = ? × 10³ arb.unit/l
 NPU13218 P—Cinnamon antibody(IgE);
 arbsubst.c.(NCCLS/f220; proc.) = ? × 10³ arb.unit/l

NPU13285 P—Clam antibody(IgE);
 arbsubst.c.(NCCLS/f207; proc.) = ? × 10³ arb.unit/l
 NPU13293 P—Clove antibody(IgE);
 arbsubst.c.(NCCLS/f268; proc.) = ? × 10³ arb.unit/l
 NPU13234 P—Coconut antibody(IgE);
 arbsubst.c.(NCCLS/f36; proc.) = ? × 10³ arb.unit/l
 NPU13414 P—Codfish antibody(IgE);
 arbsubst.c.(NCCLS/f3; proc.) = ? × 10³ arb.unit/l
 NPU13209 P—Coffee antibody(IgE);
 arbsubst.c.(NCCLS/f221; proc.) = ? × 10³ arb.unit/l
 NPU13238 P—Coriander antibody(IgE);
 arbsubst.c.(NCCLS/f317; proc.) = ? × 10³ arb.unit/l
 NPU13236 P—Cow's milk antibody(IgE);
 arbsubst.c.(NCCLS/f2; proc.) = ? × 10³ arb.unit/l
 NPU13241 P—Crab antibody(IgE);
 arbsubst.c.(NCCLS/f23; proc.) = ? × 10³ arb.unit/l
 NPU13242 P—Crayfish antibody(IgE);
 arbsubst.c.(NCCLS/f320; proc.) = ? × 10³ arb.unit/l
 NPU13004 P—Cucumber antibody(IgE);
 arbsubst.c.(NCCLS/f244; proc.) = ? × 10³ arb.unit/l
 NPU13223 P—Curry antibody(IgE);
 arbsubst.c.(NCCLS/f281; proc.) = ? × 10³ arb.unit/l
 NPU13081 P—Dill antibody(IgE);
 arbsubst.c.(NCCLS/f277; proc.) = ? × 10³ arb.unit/l
 NPU13018 P—Duck meat antibody(IgE);
 arbsubst.c.(NCCLS/f157; proc.) = ? × 10³ arb.unit/l
 NPU13444 P—Eel antibody(IgE);
 arbsubst.c.(NCCLS/f264; proc.) = ? × 10³ arb.unit/l
 NPU13195 P—Egg white antibody(IgE);
 arbsubst.c.(NCCLS/f1; proc.) = ? × 10³ arb.unit/l
 NPU13194 P—Egg yolk antibody(IgE);
 arbsubst.c.(NCCLS/f75; proc.) = ? × 10³ arb.unit/l
 NPU13193 P—Egg, whole antibody(IgE);
 arbsubst.c.(NCCLS/f245; proc.) = ? × 10³ arb.unit/l
 NPU13107 P—Fennel antibody(IgE);
 arbsubst.c.(NCCLS/f276; proc.) = ? × 10³ arb.unit/l
 NPU13108 P—Fennel seed antibody(IgE);
 arbsubst.c.(NCCLS/f219; proc.) = ? × 10³ arb.unit/l
 NPU13187 P—Garlic antibody(IgE);
 arbsubst.c.(NCCLS/f47; proc.) = ? × 10³ arb.unit/l
 NPU13197 P—Ginger antibody(IgE);
 arbsubst.c.(NCCLS/f270; proc.) = ? × 10³ arb.unit/l
 NPU13125 P—Gluten antibody(IgE);
 arbsubst.c.(NCCLS/f79; proc.) = ? × 10³ arb.unit/l
 NPU13122 P—Goat's milk antibody(IgE);
 arbsubst.c.(NCCLS/f300; proc.) = ? × 10³ arb.unit/l
 NPU13436 P—Grape antibody(IgE);
 arbsubst.c.(NCCLS/f259; proc.) = ? × 10³ arb.unit/l
 NPU13128 P—Grapefruit antibody(IgE);
 arbsubst.c.(NCCLS/f209; proc.) = ? × 10³ arb.unit/l
 NPU13132 P—Green bean antibody(IgE);
 arbsubst.c.(NCCLS/f315; proc.) = ? × 10³ arb.unit/l
 NPU13137 P—Guar rubber antibody(IgE);
 arbsubst.c.(NCCLS/f246; proc.) = ? × 10³ arb.unit/l
 NPU13025 P—Gummi arabicum antibody(IgE);
 arbsubst.c.(NCCLS/f297; proc.) = ? × 10³ arb.unit/l
 NPU13243 P—Haddock antibody(IgE);
 arbsubst.c.(NCCLS/f42; proc.) = ? × 10³ arb.unit/l
 NPU13147 P—Hazel nut antibody(IgE);
 arbsubst.c.(NCCLS/f17; proc.) = ? × 10³ arb.unit/l
 NPU13379 P—Herring antibody(IgE);
 arbsubst.c.(NCCLS/f205; proc.) = ? × 10³ arb.unit/l
 NPU13160 P—Honey antibody(IgE);
 arbsubst.c.(NCCLS/f247; proc.) = ? × 10³ arb.unit/l

NPU13161 P—Hop antibody(IgE);
 arbsubst.c.(NCCLS/f324; proc.) = ? × 10³ arb.unit/l
 NPU13153 P—Horse meat antibody(IgE);
 arbsubst.c.(NCCLS/f159; proc.) = ? × 10³ arb.unit/l
 NPU13317 P—Horse radish antibody(IgE);
 arbsubst.c.(NCCLS/f334; proc.) = ? × 10³ arb.unit/l
 NPU13062 P—Kidney bean, red antibody(IgE);
 arbsubst.c.(NCCLS/f287; proc.) = ? × 10³ arb.unit/l
 NPU13232 P—Kiwi fruit antibody(IgE);
 arbsubst.c.(NCCLS/f84; proc.) = ? × 10³ arb.unit/l
 NPU13009 P—Lactalbumin antibody(IgE);
 arbsubst.c.(NCCLS/f76; proc.) = ? × 10³ arb.unit/l
 NPU13038 P—Lactoglobulin antibody(IgE);
 arbsubst.c.(NCCLS/f77; proc.) = ? × 10³ arb.unit/l
 NPU13074 P—Lemon antibody(IgE);
 arbsubst.c.(NCCLS/f208; proc.) = ? × 10³ arb.unit/l
 NPU13253 P—Lentil antibody(IgE);
 arbsubst.c.(NCCLS/f235; proc.) = ? × 10³ arb.unit/l
 NPU13134 P—Lettuce antibody(IgE);
 arbsubst.c.(NCCLS/f215; proc.) = ? × 10³ arb.unit/l
 NPU13251 P—Lime antibody(IgE);
 arbsubst.c.(NCCLS/f306; proc.) = ? × 10³ arb.unit/l
 NPU13162 P—Lobster antibody(IgE);
 arbsubst.c.(NCCLS/f80; proc.) = ? × 10³ arb.unit/l
 NPU13259 P—Lovage antibody(IgE);
 arbsubst.c.(NCCLS/f275; proc.) = ? × 10³ arb.unit/l
 NPU13262 P—Mackerel antibody(IgE);
 arbsubst.c.(NCCLS/f206; proc.) = ? × 10³ arb.unit/l
 NPU13261 P—Maize antibody(IgE);
 arbsubst.c.(NCCLS/f8; proc.) = ? × 10³ arb.unit/l
 NPU13263 P—Malt antibody(IgE);
 arbsubst.c.(NCCLS/f90; proc.) = ? × 10³ arb.unit/l
 NPU13266 P—Mango antibody(IgE);
 arbsubst.c.(NCCLS/f91; proc.) = ? × 10³ arb.unit/l
 NPU13274 P—Marjoram antibody(IgE);
 arbsubst.c.(NCCLS/f274; proc.) = ? × 10³ arb.unit/l
 NPU13283 P—Masce antibody(IgE);
 arbsubst.c.(NCCLS/f266; proc.) = ? × 10³ arb.unit/l
 NPU13273 P—Melon antibody(IgE);
 arbsubst.c.(NCCLS/f87; proc.) = ? × 10³ arb.unit/l
 NPU13289 P—Milk powder(Kanolfingen)
 antibody(IgE); arbsubst.c.(NCCLS/f; proc.) = ? ×
 10³ arb.unit/l
 NPU13290 P—Milk powder(Milupa Ag)
 antibody(IgE); arbsubst.c.(NCCLS/f; proc.) = ? ×
 10³ arb.unit/l
 NPU13291 P—Milk powder(Nestlé) antibody(IgE);
 arbsubst.c.(NCCLS/f228; proc.) = ? × 10³ arb.unit/l
 NPU13292 P—Milk, boiled antibody(IgE);
 arbsubst.c.(NCCLS/f231; proc.) = ? × 10³ arb.unit/l
 NPU13159 P—Millet, common antibody(IgE);
 arbsubst.c.(NCCLS/f55; proc.) = ? × 10³ arb.unit/l
 NPU13068 P—Mushroom, champignon
 antibody(IgE); arbsubst.c.(NCCLS/f212; proc.) = ?
 × 10³ arb.unit/l
 NPU13377 P—Mustard antibody(IgE);
 arbsubst.c.(NCCLS/f89; proc.) = ? × 10³ arb.unit/l
 NPU13119 P—Mutton, lamb antibody(IgE);
 arbsubst.c.(NCCLS/f88; proc.) = ? × 10³ arb.unit/l
 NPU13284 P—Nutmeg antibody(IgE);
 arbsubst.c.(NCCLS/f282; proc.) = ? × 10³ arb.unit/l
 NPU13151 P—Oat flour antibody(IgE);
 arbsubst.c.(NCCLS/f7; proc.) = ? × 10³ arb.unit/l
 NPU13257 P—Onion antibody(IgE);
 arbsubst.c.(NCCLS/f48; proc.) = ? × 10³ arb.unit/l
 NPU13024 P—Orange antibody(IgE);
 arbsubst.c.(NCCLS/f33; proc.) = ? × 10³ arb.unit/l
 NPU13300 P—Oregano antibody(IgE);
 arbsubst.c.(NCCLS/f283; proc.) = ? × 10³ arb.unit/l
 NPU13302 P—Ovalbumin antibody(IgE);
 arbsubst.c.(NCCLS/f232; proc.) = ? × 10³ arb.unit/l
 NPU13303 P—Ovomucoid antibody(IgE);
 arbsubst.c.(NCCLS/f233; proc.) = ? × 10³ arb.unit/l
 NPU13443 P—Oyster antibody(IgE);
 arbsubst.c.(NCCLS/f290; proc.) = ? × 10³ arb.unit/l
 NPU13309 P—Paprika antibody(IgE);
 arbsubst.c.(NCCLS/f218; proc.) = ? × 10³ arb.unit/l
 NPU13326 P—Parsley antibody(IgE);
 arbsubst.c.(NCCLS/f86; proc.) = ? × 10³ arb.unit/l
 NPU13440 P—Pea antibody(IgE);
 arbsubst.c.(NCCLS/f12; proc.) = ? × 10³ arb.unit/l
 NPU13109 P—Peach antibody(IgE);
 arbsubst.c.(NCCLS/f95; proc.) = ? × 10³ arb.unit/l
 NPU13208 P—Peanut antibody(IgE);
 arbsubst.c.(NCCLS/f13; proc.) = ? × 10³ arb.unit/l
 NPU13340 P—Pear antibody(IgE);
 arbsubst.c.(NCCLS/f94; proc.) = ? × 10³ arb.unit/l
 NPU13319 P—Pecan nut antibody(IgE);
 arbsubst.c.(NCCLS/f201; proc.) = ? × 10³ arb.unit/l
 NPU13315 P—Pepper fruit antibody(IgE);
 arbsubst.c.(NCCLS/f; proc.) = ? × 10³ arb.unit/l
 NPU13314 P—Pepper, black antibody(IgE);
 arbsubst.c.(NCCLS/f280; proc.) = ? × 10³ arb.unit/l
 NPU13070 P—Pepper, Chili antibody(IgE);
 arbsubst.c.(NCCLS/f279; proc.) = ? × 10³ arb.unit/l
 NPU13316 P—Pepper, green antibody(IgE);
 arbsubst.c.(NCCLS/f263; proc.) = ? × 10³ arb.unit/l
 NPU13016 P—Pineapple antibody(IgE);
 arbsubst.c.(NCCLS/f210; proc.) = ? × 10³ arb.unit/l
 NPU13332 P—Pistachio nut antibody(IgE);
 arbsubst.c.(NCCLS/f203; proc.) = ? × 10³ arb.unit/l
 NPU13370 P—Plaice antibody(IgE);
 arbsubst.c.(NCCLS/f254; proc.) = ? × 10³ arb.unit/l
 NPU13045 P—Plum antibody(IgE);
 arbsubst.c.(NCCLS/f255; proc.) = ? × 10³ arb.unit/l
 NPU13432 P—Poppy seed antibody(IgE);
 arbsubst.c.(NCCLS/f224; proc.) = ? × 10³ arb.unit/l
 NPU13404 P—Pork antibody(IgE);
 arbsubst.c.(NCCLS/f26; proc.) = ? × 10³ arb.unit/l
 NPU13224 P—Potato antibody(IgE);
 arbsubst.c.(NCCLS/f35; proc.) = ? × 10³ arb.unit/l
 NPU13129 P—Pumpkin antibody(IgE);
 arbsubst.c.(NCCLS/f225; proc.) = ? × 10³ arb.unit/l
 NPU13130 P—Pumpkin seed antibody(IgE);
 arbsubst.c.(NCCLS/f226; proc.) = ? × 10³ arb.unit/l
 NPU13220 P—Rabbit meat antibody(IgE);
 arbsubst.c.(NCCLS/f213; proc.) = ? × 10³ arb.unit/l
 NPU13442 P—Rainbow trout antibody(IgE);
 arbsubst.c.(NCCLS/f204; proc.) = ? × 10³ arb.unit/l
 NPU13357 P—Raisin antibody(IgE);
 arbsubst.c.(NCCLS/f179; proc.) = ? × 10³ arb.unit/l
 NPU13346 P—Rape seed antibody(IgE);
 arbsubst.c.(NCCLS/f316; proc.) = ? × 10³ arb.unit/l
 NPU13158 P—Raspberry antibody(IgE);
 arbsubst.c.(NCCLS/f22; proc.) = ? × 10³ arb.unit/l
 NPU13355 P—Rice antibody(IgE);
 arbsubst.c.(NCCLS/f9; proc.) = ? × 10³ arb.unit/l

NPU13362 P—Rye flour antibody(IgE);
 arb.subst.c.(NCCLS/f5; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13247 P—Salmon antibody(IgE);
 arb.subst.c.(NCCLS/f41; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13378 P—Sesame seed antibody(IgE);
 arb.subst.c.(NCCLS/f10; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13349 P—Shrimp antibody(IgE);
 arb.subst.c.(NCCLS/f24; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13386 P—Soybean antibody(IgE);
 arb.subst.c.(NCCLS/f14; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13389 P—Spinach antibody(IgE);
 arb.subst.c.(NCCLS/f214; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13207 P—Strawberry antibody(IgE);
 arb.subst.c.(NCCLS/f44; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13399 P—Sugar beet seed antibody(IgE);
 arb.subst.c.(NCCLS/f227; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13225 P—Sweet chestnut antibody(IgE);
 arb.subst.c.(NCCLS/f299; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13103 P—Tarragon antibody(IgE);
 arb.subst.c.(NCCLS/f272; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13408 P—Tea antibody(IgE);
 arb.subst.c.(NCCLS/f222; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13413 P—Tomato antibody(IgE);
 arb.subst.c.(NCCLS/f25; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13421 P—Tuna antibody(IgE);
 arb.subst.c.(NCCLS/f40; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13213 P—Turkey meat antibody(IgE);
 arb.subst.c.(NCCLS/f284; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13434 P—Vanilla antibody(IgE);
 arb.subst.c.(NCCLS/f234; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13483 P—Walnut antibody(IgE);
 arb.subst.c.(NCCLS/f16; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13177 P—Wheat antibody(IgE);
 arb.subst.c.(NCCLS/f4; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13431 P—Whey antibody(IgE);
 arb.subst.c.(NCCLS/f236; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13184 P—White bean antibody(IgE);
 arb.subst.c.(NCCLS/f15; proc.) = ? $\times 10^3$ arb.unit/l

Basophilocytes(Blood)—

Food allergen induced HR;
arbitrary concentration(list; NCCLS/f; procedure)
 Note: HR: Histamine release
NPU08849
 Basocs(B)—Food allergen induced HR; arb.c.(list;
 NCCLS/f; proc.)
NPU08857 Basocs(B)—Beef induced HR;
 arb.c.(NCCLS/f27; proc.) = ?
NPU08858 Basocs(B)—Cod induced HR;
 arb.c.(NCCLS/f3; proc.) = ?
NPU08850 Basocs(B)—Cow's milk induced HR;
 arb.c.(NCCLS/f2; proc.) = ?
NPU08860 Basocs(B)—Green peas induced HR;
 arb.c.(NCCLS/f12; proc.) = ?
NPU08851 Basocs(B)—Hen's egg induced HR;
 arb.c.(NCCLS/f245; proc.) = ?
NPU08854 Basocs(B)—Oat induced HR;
 arb.c.(NCCLS/f7; proc.) = ?
NPU08856 Basocs(B)—Pork induced HR;
 arb.c.(NCCLS/f26; proc.) = ?
NPU08852 Basocs(B)—Rye flour induced HR;
 arb.c.(NCCLS/f5; proc.) = ?
NPU08859 Basocs(B)—Soy bean induced HR;
 arb.c.(NCCLS/f14; proc.) = ?

NPU08853 Basocs(B)—Wheat flour induced HR;
 arb.c.(NCCLS/f2; proc.) = ?

Plasma—

Forest elm antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/t; procedure)
 Other term(s): *Ulmus glabra*
NPU11630
 P—Forest elm antibody(IgE); arb.c.(NCCLS/t; proc.) = ?

Plasma—

Forest elm antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/t; procedure)
10³ international unit/liter
NPU11184

P—Forest elm antibody(IgE); arb.subst.c.(IPR 75/

502; NCCLS/t; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Forest elm antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/t;
procedure)
10³ arbitrary unit/liter
NPU13383

P—Forest elm antibody(IgE); arb.subst.c.(NCCLS/t;
 proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Formaldehyde antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/k80; procedure)
 Note: NCCLS/k80; Formaldehyde-HSA
NPU11360

P—Formaldehyde antibody(IgE); arb.c.(NCCLS/k80;
 proc.) = ?

Plasma—

Formaldehyde antibody(Immunoglobulin E);
arbitrary substance concentration(IPR 75/502;
NCCLS/k80; procedure)
10³ international unit/liter
 Note: NCCLS/k80; Formaldehyde-HSA
NPU10914

P—Formaldehyde antibody(IgE); arb.subst.c.(IPR
 75/502; NCCLS/k80; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Formaldehyde antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/k80;
procedure)
10³ arbitrary unit/liter
 Note: NCCLS/k80; Formaldehyde-HSA
NPU13113

P—Formaldehyde antibody(IgE); arb.subst.c.(NCCLS/k80;
 proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Fox antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e210; procedure)
 Note: NCCLS/e210; Fox
NPU11612

P—Fox antibody(IgE); arb.c.(NCCLS/e210; proc.) = ?

Plasma—	NPU11405 P—Raspberry antibody(IgE); arb.c.(NCCLS/f22; proc.) = ?
Fox antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e210; procedure)	NPU11454 P—Strawberry antibody(IgE); arb.c.(NCCLS/f44; proc.) = ?
10³ international unit/liter	
Note: NCCLS/e210; Fox	
NPU1166	
P—Fox antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e210; proc.) = ? × 10 ³ int.unit/l	
Plasma—	
Fox antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e210; procedure)	
10³ arbitrary unit/liter	
Note: NCCLS/e210; Fox	
NPU13365	
P—Fox antibody(IgE); arb.subst.c.(NCCLS/e210; proc.) = ? × 10 ³ arb.unit/l	
Plasma—	
Fruit antibody(Immunoglobulin E); arbitrary concentration(list; NCCLS/f; procedure)	
NPU02079	
P—Fruit antibody(IgE); arb.c.(list; NCCLS/f; proc.)	
NPU11684 P—Apple antibody(IgE); arb.c.(NCCLS/f49; proc.) = ?	
NPU11246 P—Apricot antibody(IgE); arb.c.(NCCLS/f237; proc.) = ?	
NPU11283 P—Banana antibody(IgE); arb.c.(NCCLS/f92; proc.) = ?	
NPU11634 P—Black currant antibody(IgE); arb.c.(NCCLS/f171; proc.) = ?	
NPU11303 P—Blackberry antibody(IgE); arb.c.(NCCLS/f211; proc.) = ?	
NPU11478 P—Cherry antibody(IgE); arb.c.(NCCLS/f242; proc.) = ?	
NPU11683 P—Grape antibody(IgE); arb.c.(NCCLS/f259; proc.) = ?	
NPU11375 P—Grapefruit antibody(IgE); arb.c.(NCCLS/f209; proc.) = ?	
NPU11479 P—Kiwi fruit antibody(IgE); arb.c.(NCCLS/f84; proc.) = ?	
NPU11321 P—Lemon antibody(IgE); arb.c.(NCCLS/f208; proc.) = ?	
NPU11498 P—Lime antibody(IgE); arb.c.(NCCLS/f306; proc.) = ?	
NPU11513 P—Mango antibody(IgE); arb.c.(NCCLS/f91; proc.) = ?	
NPU11520 P—Melon antibody(IgE); arb.c.(NCCLS/f87; proc.) = ?	
NPU11271 P—Orange antibody(IgE); arb.c.(NCCLS/f33; proc.) = ?	
NPU11356 P—Peach antibody(IgE); arb.c.(NCCLS/f95; proc.) = ?	
NPU11587 P—Pear antibody(IgE); arb.c.(NCCLS/f94; proc.) = ?	
NPU11263 P—Pineapple antibody(IgE); arb.c.(NCCLS/f210; proc.) = ?	
NPU11292 P—Plum antibody(IgE); arb.c.(NCCLS/f255; proc.) = ?	
NPU11604 P—Raisin antibody(IgE); arb.c.(NCCLS/f179; proc.) = ?	
Plasma—	
Fruit antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f33; f44; f49; f92; f95); procedure)	
NPU14886	
P—Fruit antibody(IgE); arb.c.(NCCLS/(f33; f44; f49; f92; f95); proc.) = ?	
Plasma—	
Fruit antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f33; f44; f84; f91; f92); procedure)	
NPU14887	
P—Fruit antibody(IgE); arb.c.(NCCLS/(f33; f44; f84; f91; f92); proc.) = ?	
Plasma—	
Fruit antibody(Immunoglobulin E); arbitrary substance concentration(list; IRP 75/502; NCCLS/f; procedure)	
NPU14288	
P—Fruit antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/f; proc.)	
NPU11238 P—Apple antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f49; proc.) = ? × 10 ³ int.unit/l	
NPU10800 P—Apricot antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f237; proc.) = ? × 10 ³ int.unit/l	
NPU10837 P—Banana antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f92; proc.) = ? × 10 ³ int.unit/l	
NPU11188 P—Black currant antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f171; proc.) = ? × 10 ³ int.unit/l	
NPU10857 P—Blackberry antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f211; proc.) = ? × 10 ³ int.unit/l	
NPU11032 P—Cherry antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f242; proc.) = ? × 10 ³ int.unit/l	
NPU11237 P—Grape antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f259; proc.) = ? × 10 ³ int.unit/l	
NPU10929 P—Grapefruit antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f209; proc.) = ? × 10 ³ int.unit/l	
NPU11033 P—Kiwi fruit antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f84; proc.) = ? × 10 ³ int.unit/l	
NPU10875 P—Lemon antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f208; proc.) = ? × 10 ³ int.unit/l	
NPU11052 P—Lime antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f306; proc.) = ? × 10 ³ int.unit/l	
NPU11067 P—Mango antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f91; proc.) = ? × 10 ³ int.unit/l	

NPU11074 P—Melon antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f87; proc.) = ? × 10³ arb.unit/l
 NPU10825 P—Orange antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f33; proc.) = ? × 10³ arb.unit/l
 NPU10910 P—Peach antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f95; proc.) = ? × 10³ arb.unit/l
 NPU11141 P—Pear antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f94; proc.) = ? × 10³ arb.unit/l
 NPU10817 P—Pineapple antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f210; proc.) = ? × 10³ arb.unit/l
 NPU10846 P—Plum antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f255; proc.) = ? × 10³ arb.unit/l
 NPU11158 P—Raisin antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f179; proc.) = ? × 10³ arb.unit/l
 NPU10959 P—Raspberry antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f22; proc.) = ? × 10³ arb.unit/l
 NPU11008 P—Strawberry antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/f44; proc.) = ? × 10³ arb.unit/l

Plasma—

**Fruit antibody(Immunoglobulin E);
 arbitrary substance concentration(list; NCCLS/f;
 procedure)**
NPU14289
 P—Fruit antibody(IgE); arbsubst.c.(list; NCCLS/f;
 proc.)
 NPU13437 P—Apple antibody(IgE);
 arbsubst.c.(NCCLS/f49; proc.) = ? × 10³ arb.unit/l
 NPU11692 P—Apricot antibody(IgE);
 arbsubst.c.(NCCLS/f237; proc.) = ? × 10³ arb.unit/l
 NPU13036 P—Banana antibody(IgE);
 arbsubst.c.(NCCLS/f92; proc.) = ? × 10³ arb.unit/l
 NPU13387 P—Black currant antibody(IgE);
 arbsubst.c.(NCCLS/f171; proc.) = ? × 10³ arb.unit/l
 NPU13056 P—Blackberry antibody(IgE);
 arbsubst.c.(NCCLS/f211; proc.) = ? × 10³ arb.unit/l
 NPU13231 P—Cherry antibody(IgE);
 arbsubst.c.(NCCLS/f242; proc.) = ? × 10³ arb.unit/l
 NPU13436 P—Grape antibody(IgE);
 arbsubst.c.(NCCLS/f259; proc.) = ? × 10³ arb.unit/l
 NPU13128 P—Grapefruit antibody(IgE);
 arbsubst.c.(NCCLS/f209; proc.) = ? × 10³ arb.unit/l
 NPU13232 P—Kiwi fruit antibody(IgE);
 arbsubst.c.(NCCLS/f84; proc.) = ? × 10³ arb.unit/l
 NPU13074 P—Lemon antibody(IgE);
 arbsubst.c.(NCCLS/f208; proc.) = ? × 10³ arb.unit/l
 NPU13251 P—Lime antibody(IgE);
 arbsubst.c.(NCCLS/f306; proc.) = ? × 10³ arb.unit/l
 NPU13266 P—Mango antibody(IgE);
 arbsubst.c.(NCCLS/f91; proc.) = ? × 10³ arb.unit/l
 NPU13273 P—Melon antibody(IgE);
 arbsubst.c.(NCCLS/f87; proc.) = ? × 10³ arb.unit/l
 NPU13024 P—Orange antibody(IgE);
 arbsubst.c.(NCCLS/f33; proc.) = ? × 10³ arb.unit/l
 NPU13109 P—Peach antibody(IgE);
 arbsubst.c.(NCCLS/f95; proc.) = ? × 10³ arb.unit/l

NPU13340 P—Pear antibody(IgE);
 arbsubst.c.(NCCLS/f94; proc.) = ? × 10³ arb.unit/l
 NPU13016 P—Pineapple antibody(IgE);
 arbsubst.c.(NCCLS/f210; proc.) = ? × 10³ arb.unit/l
 NPU13045 P—Plum antibody(IgE);
 arbsubst.c.(NCCLS/f255; proc.) = ? × 10³ arb.unit/l
 NPU13357 P—Raisin antibody(IgE);
 arbsubst.c.(NCCLS/f179; proc.) = ? × 10³ arb.unit/l
 NPU13158 P—Raspberry antibody(IgE);
 arbsubst.c.(NCCLS/f22; proc.) = ? × 10³ arb.unit/l
 NPU13207 P—Strawberry antibody(IgE);
 arbsubst.c.(NCCLS/f44; proc.) = ? × 10³ arb.unit/l

Plasma—

**Fungus antibody(Immunoglobulin E);
 arbitrary concentration(list; NCCLS/m;
 procedure)**
NPU13471
 P—Fungus antibody(IgE); arb.c.(list; NCCLS/m;
 proc.)
 NPU11259 P—*Alternaria alternata* antibody(IgE);
 arb.c.(NCCLS/m6; proc.) = ?
 NPU11260 P—*Alternaria tenuis* antibody(IgE);
 arb.c.(NCCLS/m6; proc.) = ?
 NPU11277 P—*Aspergillus fumigatus* antibody(IgE);
 arb.c.(NCCLS/m3; proc.) = ?
 NPU11279 P—*Aureobasidium pullulans*
 antibody(IgE); arb.c.(NCCLS/m12; proc.) = ?
 NPU11299 P—*Botrytis cinerea* antibody(IgE);
 arb.c.(NCCLS/m7; proc.) = ?
 NPU11311 P—*Candida albicans* antibody(IgE);
 arb.c.(NCCLS/m5; proc.) = ?
 NPU11314 P—*Cephalosporum acremonium*
 antibody(IgE); arb.c.(NCCLS/m202; proc.) = ?
 NPU11322 P—*Cladosporium herbarum*
 antibody(IgE); arb.c.(NCCLS/m2; proc.) = ?
 NPU11323 P—*Curvularia lunata* antibody(IgE);
 arb.c.(NCCLS/m16; proc.) = ?
 NPU11348 P—*Epicoccum purpurascens*
 antibody(IgE); arb.c.(NCCLS/m14; proc.) = ?
 NPU11362 P—*Fusarium moniliforme* antibody(IgE);
 arb.c.(NCCLS/m9; proc.) = ?
 NPU11399 P—*Helminthosporium halodes*
 antibody(IgE); arb.c.(NCCLS/m8; proc.) = ?
 NPU11525 P—*Mucor racemosus* antibody(IgE);
 arb.c.(NCCLS/m4; proc.) = ?
 NPU13484 P—*Penicillium expansum* antibody(IgE);
 arb.c.(NCCLS/m28; proc.) = ?
 NPU11570 P—*Penicillium notatum* antibody(IgE);
 arb.c.(NCCLS/m1; proc.) = ?
 NPU11572 P—*Penicillium roqueforti* antibody(IgE);
 arb.c.(NCCLS/m30; proc.) = ?
 NPU11575 P—*Phoma betae* antibody(IgE);
 arb.c.(NCCLS/m13; proc.) = ?
 NPU11581 P—*Pityrosporum orbiculare*
 antibody(IgE); arb.c.(NCCLS/m70; proc.) = ?
 NPU11582 P—*Pityrosporum ovale* antibody(IgE);
 arb.c.(NCCLS/m40; proc.) = ?
 NPU11599 P—*Rhizopus nigricans* antibody(IgE);
 arb.c.(NCCLS/m11; proc.) = ?
 NPU11600 P—*Rhodotorula rubra* antibody(IgE);
 arb.c.(NCCLS/m35; proc.) = ?
 NPU11642 P—*Stemphylium botryosum*
 antibody(IgE); arb.c.(NCCLS/m10; proc.) = ?

NPU11663 P—*Trichoderma viride* antibody(IgE); arb.c.(NCCLS/m15; proc.) = ?
 NPU11664 P—*Trichosporon pullulans* antibody(IgE); arb.c.(NCCLS/m203; proc.) = ?
 NPU11665 P—*Tricophyton rubrum* antibody(IgE); arb.c.(NCCLS/m205; proc.) = ?
 NPU11670 P—*Ulocladium chartarum* antibody(IgE); arb.c.(NCCLS/m204; proc.) = ?
 NPU11677 P—*Ustilago nuda/tritici* antibody(IgE); arb.c.(NCCLS/m201; proc.) = ?

Plasma—

Fungus antibody(IgE); arbitrary substance concentration(list; IRP 75/502; NCCLS/m; procedure)
NPU13473
 P—Fungus antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/m; proc.)
 NPU10813 P—*Alternaria alternata* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m6; proc.) = ? × 10³ int.unit/l
 NPU10814 P—*Alternaria tenuis* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m6; proc.) = ? × 10³ int.unit/l
 NPU10831 P—*Aspergillus fumigatus* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m3; proc.) = ? × 10³ int.unit/l
 NPU10833 P—*Aureobasidium pullulans* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m12; proc.) = ? × 10³ int.unit/l
 NPU10853 P—*Botrytis cinerea* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m7; proc.) = ? × 10³ int.unit/l
 NPU10865 P—*Candida albicans* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m5; proc.) = ? × 10³ int.unit/l
 NPU10868 P—*Cephalosporum acremonium* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m202; proc.) = ? × 10³ int.unit/l
 NPU10876 P—*Cladosporium herbarum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m2; proc.) = ? × 10³ int.unit/l
 NPU10877 P—*Curvularia lunata* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m16; proc.) = ? × 10³ int.unit/l
 NPU10902 P—*Epicoccum purpurascens* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m14; proc.) = ? × 10³ int.unit/l
 NPU10916 P—*Fusarium moniliforme* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m9; proc.) = ? × 10³ int.unit/l
 NPU10953 P—*Helminthosporium halodes* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m8; proc.) = ? × 10³ int.unit/l
 NPU11079 P—*Mucor racemosus* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m4; proc.) = ? × 10³ int.unit/l
 NPU13485 P—*Penicillium expansum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m28; proc.) = ? × 10³ int.unit/l
 NPU11124 P—*Penicillium notatum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m1; proc.) = ? × 10³ int.unit/l

NPU11126 P—*Penicillium roqueforti* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m30; proc.) = ? × 10³ int.unit/l
 NPU11129 P—*Phoma betae* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m13; proc.) = ? × 10³ int.unit/l
 NPU11135 P—*Pityrosporum orbiculare* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m70; proc.) = ? × 10³ int.unit/l
 NPU11136 P—*Pityrosporum ovale* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m40; proc.) = ? × 10³ int.unit/l
 NPU11153 P—*Rhizopus nigricans* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m11; proc.) = ? × 10³ int.unit/l
 NPU11154 P—*Rhodotorula rubra* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m35; proc.) = ? × 10³ int.unit/l
 NPU11196 P—*Stemphylium botryosum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m10; proc.) = ? × 10³ int.unit/l
 NPU11217 P—*Trichoderma viride* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m15; proc.) = ? × 10³ int.unit/l
 NPU11218 P—*Trichosporon pullulans* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m203; proc.) = ? × 10³ int.unit/l
 NPU11219 P—*Tricophyton rubrum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m205; proc.) = ? × 10³ int.unit/l
 NPU11224 P—*Ulocladium chartarum* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m204; proc.) = ? × 10³ int.unit/l
 NPU11231 P—*Ustilago nuda/tritici* antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/m201; proc.) = ? × 10³ int.unit/l

Plasma—

Fungus antibody(IgE); arbitrary substance concentration(list; NCCLS/m; procedure)
NPU13472
 P—Fungus antibody(IgE); arb.subst.c.(list; NCCLS/m; proc.)
 NPU13012 P—*Alternaria alternata* antibody(IgE); arb.subst.c.(NCCLS/m6; proc.) = ? × 10³ arb.unit/l
 NPU13013 P—*Alternaria tenuis* antibody(IgE); arb.subst.c.(NCCLS/m6; proc.) = ? × 10³ arb.unit/l
 NPU13030 P—*Aspergillus fumigatus* antibody(IgE); arb.subst.c.(NCCLS/m3; proc.) = ? × 10³ arb.unit/l
 NPU13032 P—*Aureobasidium pullulans* antibody(IgE); arb.subst.c.(NCCLS/m12; proc.) = ? × 10³ arb.unit/l
 NPU13052 P—*Botrytis cinerea* antibody(IgE); arb.subst.c.(NCCLS/m7; proc.) = ? × 10³ arb.unit/l
 NPU13064 P—*Candida albicans* antibody(IgE); arb.subst.c.(NCCLS/m5; proc.) = ? × 10³ arb.unit/l
 NPU13067 P—*Cephalosporum acremonium* antibody(IgE); arb.subst.c.(NCCLS/m202; proc.) = ? × 10³ arb.unit/l
 NPU13075 P—*Cladosporium herbarum* antibody(IgE); arb.subst.c.(NCCLS/m2; proc.) = ? × 10³ arb.unit/l

NPU13076 P—*Curvularia lunata* antibody(IgE); arbsubst.c.(NCCLS/m16; proc.) = ? × 10³ arb.unit/l
 NPU13101 P—*Epicoccum purpurascens* antibody(IgE); arbsubst.c.(NCCLS/m14; proc.) = ? × 10³ arb.unit/l
 NPU13115 P—*Fusarium moniliforme* antibody(IgE); arbsubst.c.(NCCLS/m9; proc.) = ? × 10³ arb.unit/l
 NPU13152 P—*Helminthosporium halodes* antibody(IgE); arbsubst.c.(NCCLS/m8; proc.) = ? × 10³ arb.unit/l
 NPU13278 P—*Mucor racemosus* antibody(IgE); arbsubst.c.(NCCLS/m4; proc.) = ? × 10³ arb.unit/l
 NPU13486 P—*Penicillium expansum* antibody(IgE); arbsubst.c.(NCCLS/m28; proc.) = ? × 10³ arb.unit/l
 NPU13323 P—*Penicillium notatum* antibody(IgE); arbsubst.c.(NCCLS/m1; proc.) = ? × 10³ arb.unit/l
 NPU13325 P—*Penicillium roqueforti* antibody(IgE); arbsubst.c.(NCCLS/m30; proc.) = ? × 10³ arb.unit/l
 NPU13328 P—*Phoma betae* antibody(IgE); arbsubst.c.(NCCLS/m13; proc.) = ? × 10³ arb.unit/l
 NPU13334 P—*Pityrosporum orbiculare* antibody(IgE); arbsubst.c.(NCCLS/m70; proc.) = ? × 10³ arb.unit/l
 NPU13335 P—*Pityrosporum ovale* antibody(IgE); arbsubst.c.(NCCLS/m40; proc.) = ? × 10³ arb.unit/l
 NPU13352 P—*Rhizopus nigricans* antibody(IgE); arbsubst.c.(NCCLS/m11; proc.) = ? × 10³ arb.unit/l
 NPU13353 P—*Rhodotorula rubra* antibody(IgE); arbsubst.c.(NCCLS/m35; proc.) = ? × 10³ arb.unit/l
 NPU13395 P—*Stemphylium botryosum* antibody(IgE); arbsubst.c.(NCCLS/m10; proc.) = ? × 10³ arb.unit/l
 NPU13416 P—*Trichoderma viride* antibody(IgE); arbsubst.c.(NCCLS/m15; proc.) = ? × 10³ arb.unit/l
 NPU13417 P—*Trichosporon pullulans* antibody(IgE); arbsubst.c.(NCCLS/m203; proc.) = ? × 10³ arb.unit/l
 NPU13418 P—*Trichophyton rubrum* antibody(IgE); arbsubst.c.(NCCLS/m205; proc.) = ? × 10³ arb.unit/l
 NPU13423 P—*Ulocladium chartarum* antibody(IgE); arbsubst.c.(NCCLS/m204; proc.) = ? × 10³ arb.unit/l
 NPU13430 P—*Ustilago nuda/tritici* antibody(IgE); arbsubst.c.(NCCLS/m201; proc.) = ? × 10³ arb.unit/l

Plasma—

***Fusarium moniliforme* antibody(Immunoglobulin E); arbitrary concentration(NCCLS/m9; procedure)**
 Note: NCCLS/m9; Fusarium moniliforme
NPU11362
 P—*Fusarium moniliforme* antibody(IgE); arb.c.(NCCLS/m9; proc.) = ?

Plasma—

***Fusarium moniliforme* antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/m9; procedure)**
10³ international unit/liter
 Note: NCCLS/m9; Fusarium moniliforme
NPU10916

P—*Fusarium moniliforme* antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/m9; proc.) = ? × 10³ int.unit/l

Plasma—

***Fusarium moniliforme* antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/m9; procedure)**

10³ arbitrary unit/liter

Note: NCCLS/m9; Fusarium moniliforme
NPU13115

P—*Fusarium moniliforme* antibody(IgE); arbsubst.c.(NCCLS/m9; proc.) = ? × 10³ arb.unit/l

Plasma—

***Garlic* antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f47; procedure)**

Note: NCCLS/f47; Allium sativum

NPU11434

P—Garlic antibody(IgE); arb.c.(NCCLS/f47; proc.) = ?

Plasma—

***Garlic* antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f47; procedure)**

10³ international unit/liter

Note: NCCLS/f47; Allium sativum

NPU10988

P—Garlic antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/f47; proc.) = ? × 10³ int.unit/l

Plasma—

***Garlic* antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f47; procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f47; Allium sativum

NPU13187

P—Garlic antibody(IgE); arbsubst.c.(NCCLS/f47; proc.) = ? × 10³ arb.unit/l

Plasma—

***Gerbil hair* antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e209; procedure)**

Note: NCCLS/e209; Gerbil hair

NPU11620

P—Gerbil hair antibody(IgE); arb.c.(NCCLS/e209; proc.) = ?

Plasma—

***Gerbil hair* antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e209; procedure)**

10³ international unit/liter

Note: NCCLS/e209; Gerbil hair

NPU11174

P—Gerbil hair antibody(IgE); arbsubst.c.(IRP 75/502; NCCLS/e209; proc.) = ? × 10³ int.unit/l

Plasma—	Plasma—
Gerbil hair antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e209; procedure)	<i>Glycyphagus domesticus</i> antibody(Immunoglobulin E); arbitrary concentration(NCCLS/d73; procedure)
10³ arbitrary unit/liter	Note: NCCLS/d73; <i>Glycyphagus domesticus</i> NPU11373
Note: NCCLS/e209; Gerbil hair	P—<i>Glycyphagus domesticus</i> antibody(IgE); arb.subst.c.(NCCLS/e209; proc.) = ? × 10³ arb.unit/l
NPU13373	NPU11373
P—Gerbil hair antibody(IgE); arb.subst.c.(NCCLS/e209; proc.) = ? × 10³ arb.unit/l	P—<i>Glycyphagus domesticus</i> antibody(IgE); arb.c.(NCCLS/d73; proc.) = ?
 Plasma—	 Plasma—
Ginger antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f270; procedure)	<i>Glycyphagus domesticus</i> antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/d73; procedure)
Note: NCCLS/f270; Zingiber officinale	10³ international unit/liter
NPU11444	Note: NCCLS/d73; <i>Glycyphagus domesticus</i> NPU10927
P—Ginger antibody(IgE); arb.c.(NCCLS/f270; proc.) = ?	P—<i>Glycyphagus domesticus</i> antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/d73; proc.) = ? × 10³ int.unit/l
 Plasma—	 Plasma—
Ginger antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f270; procedure)	<i>Glycyphagus domesticus</i> antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/d73; procedure)
10³ international unit/liter	10³ arbitrary unit/liter
Note: NCCLS/f270; Zingiber officinale	Note: NCCLS/d73; <i>Glycyphagus domesticus</i> NPU13126
NPU10998	P—<i>Glycyphagus domesticus</i> antibody(IgE); arb.subst.c.(NCCLS/d73; proc.) = ? × 10³ arb.unit/l
P—Ginger antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f270; proc.) = ? × 10³ int.unit/l	 Plasma—
 Plasma—	Goat epithelium antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e80; procedure)
Ginger antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f270; procedure)	Note: NCCLS/e80; Goat epithelium
10³ arbitrary unit/liter	NPU11368
Note: NCCLS/f270; Zingiber officinale	P—Goat epithelium antibody(IgE); arb.c.(NCCLS/e80; proc.) = ?
NPU13197	 Plasma—
P—Ginger antibody(IgE); arb.subst.c.(NCCLS/f270; proc.) = ? × 10³ arb.unit/l	Goat epithelium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e80; procedure)
 Plasma—	10³ international unit/liter
Gluten antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f79; procedure)	Note: NCCLS/e80; Goat epithelium
Note: NCCLS/f79; Triticum aestivum	NPU10922
NPU11372	P—Goat epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e80; proc.) = ? × 10³ int.unit/l
P—Gluten antibody(IgE); arb.c.(NCCLS/f79; proc.) = ?	 Plasma—
 Plasma—	Goat epithelium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e80; procedure)
Gluten antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f79; procedure)	10³ arbitrary unit/liter
10³ international unit/liter	Note: NCCLS/e80; Goat epithelium
Note: NCCLS/f79; Triticum aestivum	NPU13121
NPU10926	P—Goat epithelium antibody(IgE); arb.subst.c.(NCCLS/e80; proc.) = ? × 10³ arb.unit/l
P—Gluten antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f79; proc.) = ? × 10³ int.unit/l	 Plasma—
 Plasma—	Goat epithelium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e80; procedure)
Gluten antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f79; procedure)	10³ arbitrary unit/liter
10³ arbitrary unit/liter	Note: NCCLS/e80; Goat epithelium
Note: NCCLS/f79; Triticum aestivum	NPU13125
NPU13125	P—Goat epithelium antibody(IgE); arb.subst.c.(NCCLS/e80; proc.) = ? × 10³ arb.unit/l
P—Gluten antibody(IgE); arb.subst.c.(NCCLS/f79; proc.) = ? × 10³ arb.unit/l	

Plasma—

**Goat's milk antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/f300; procedure)**
Note: NCCLS/f300; Goat's milk
NPU11369
P—Goat's milk antibody(IgE); arb.c.(NCCLS/f300;
proc.) = ?

Plasma—

**Goat's milk antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f300; procedure)
10³ international unit/liter**
Note: NCCLS/f300; Goat's milk
NPU10923
P—Goat's milk antibody(IgE); arb.subst.c.(IRP 75/
502; NCCLS/f300; proc.) = ? × 10³ int.unit/l

Plasma—

**Goat's milk antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f300;
procedure)
10³ arbitrary unit/liter**
Note: NCCLS/f300; Goat's milk
NPU13122
P—Goat's milk antibody(IgE); arb.subst.c.(NCCLS/
f300; proc.) = ? × 10³ arb.unit/l

Plasma—

**Golden rod antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/w12; procedure)**
Note: NCCLS/w12; Solidago virgaurea
NPU11388
P—Golden rod antibody(IgE); arb.c.(NCCLS/w12;
proc.) = ?

Plasma—

**Golden rod antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/w12; procedure)
10³ international unit/liter**
Note: NCCLS/w12; Solidago virgaurea
NPU10942
P—Golden rod antibody(IgE); arb.subst.c.(IRP 75/
502; NCCLS/w12; proc.) = ? × 10³ int.unit/l

Plasma—

**Golden rod antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/w12;
procedure)
10³ arbitrary unit/liter**
Note: NCCLS/w12; Solidago virgaurea
NPU13141
P—Golden rod antibody(IgE); arb.subst.c.(NCCLS/
w12; proc.) = ? × 10³ arb.unit/l

Plasma—

**Goose feather antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/e70; procedure)**
Note: NCCLS/e70; Goose feathers
NPU11389
P—Goose feather antibody(IgE); arb.c.(NCCLS/e70;
proc.) = ?

Plasma—

**Goose feather antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/e70; procedure)
10³ international unit/liter**
Note: NCCLS/e70; Goose feathers
NPU10943
P—Goose feather antibody(IgE); arb.subst.c.(IRP
75/502; NCCLS/e70; proc.) = ? × 10³ int.unit/l

Plasma—

**Goose feather antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/e70;
procedure)
10³ arbitrary unit/liter**
Note: NCCLS/e70; Goose feathers
NPU13142
P—Goose feather antibody(IgE); arb.subst.c.(NCCLS/e70;
proc.) = ? × 10³ arb.unit/l

Plasma—

**Goosefoot antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/w10; procedure)**
Note: NCCLS/w10; Chenopodium album
NPU11390
P—Goosefoot antibody(IgE); arb.c.(NCCLS/w10;
proc.) = ?

Plasma—

**Goosefoot antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/w10; procedure)
10³ international unit/liter**
Note: NCCLS/w10; Chenopodium album
NPU10944
P—Goosefoot antibody(IgE); arb.subst.c.(IRP 75/
502; NCCLS/w10; proc.) = ? × 10³ int.unit/l

Plasma—

**Goosefoot antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/w10;
procedure)
10³ arbitrary unit/liter**
Note: NCCLS/w10; Chenopodium album
NPU13143
P—Goosefoot antibody(IgE); arb.subst.c.(NCCLS/
w10; proc.) = ? × 10³ arb.unit/l

Plasma—

**Grain antibody(Immunoglobulin E);
arbitrary concentration(list; NCCLS/f; procedure)**
NPU02080
P—Grain antibody(IgE); arb.c.(list; NCCLS/f; proc.)
NPU11306 P—Barley antibody(IgE); arb.c.(NCCLS/
f6; proc.) = ?
NPU11296 P—Buckwheat seed antibody(IgE);
arb.c.(NCCLS/f11; proc.) = ?
NPU11372 P—Gluten antibody(IgE); arb.c.(NCCLS/
f79; proc.) = ?
NPU11508 P—Maize antibody(IgE); arb.c.(NCCLS/
f8; proc.) = ?
NPU11406 P—Millet, common antibody(IgE);
arb.c.(NCCLS/f55; proc.) = ?

NPU11398 P—Oat flour antibody(IgE); arb.c.(NCCLS/f7; proc.) = ?
 NPU11602 P—Rice antibody(IgE); arb.c.(NCCLS/f9; proc.) = ?
 NPU11609 P—Rye flour antibody(IgE); arb.c.(NCCLS/f5; proc.) = ?
 NPU11424 P—Wheat antibody(IgE); arb.c.(NCCLS/f4; proc.) = ?

Plasma—

Grain antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f4; f7; f8; f10; f11; procedure)
NPU14833
 P—Grain antibody(IgE); arb.c.(NCCLS/(f4; f7; f8; f10; f11); proc.) = ?

Plasma—

Grain antibody(Immunoglobulin E); arbitrary concentration(NCCLS/(f4; f7; f8; f9; f11; procedure)
NPU14893
 P—Grain antibody(IgE); arb.c.(NCCLS/(f4; f7; f8; f9; f11); proc.) = ?

Plasma—

Grain antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/f; IRP 75/502; procedure)
NPU14312
 P—Grain antibody(IgE); arb.subst.c.(list; NCCLS/f; IRP 75/502; proc.)
 NPU10860 P—Barley antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f6; proc.) = ? $\times 10^3$ int.unit/l
 NPU10850 P—Buckwheat seed antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f11; proc.) = ? $\times 10^3$ int.unit/l
 NPU10926 P—Gluten antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f79; proc.) = ? $\times 10^3$ int.unit/l
 NPU11062 P—Maize antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f8; proc.) = ? $\times 10^3$ int.unit/l
 NPU10960 P—Millet, common antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f55; proc.) = ? $\times 10^3$ int.unit/l
 NPU10952 P—Oat flour antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f7; proc.) = ? $\times 10^3$ int.unit/l
 NPU11156 P—Rice antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f9; proc.) = ? $\times 10^3$ int.unit/l
 NPU11163 P—Rye flour antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f5; proc.) = ? $\times 10^3$ int.unit/l
 NPU10978 P—Wheat antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f4; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Grain antibody(Immunoglobulin E); arbitrary substance concentration(list; NCCLS/f; procedure)
NPU14313

P—Grain antibody(IgE); arb.subst.c.(list; NCCLS/f; proc.)

NPU13059 P—Barley antibody(IgE); arb.subst.c.(NCCLS/f6; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13049 P—Buckwheat seed antibody(IgE); arb.subst.c.(NCCLS/f11; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13125 P—Gluten antibody(IgE); arb.subst.c.(NCCLS/f79; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13261 P—Maize antibody(IgE); arb.subst.c.(NCCLS/f8; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13159 P—Millet, common antibody(IgE); arb.subst.c.(NCCLS/f55; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13151 P—Oat flour antibody(IgE); arb.subst.c.(NCCLS/f7; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13355 P—Rice antibody(IgE); arb.subst.c.(NCCLS/f9; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13362 P—Rye flour antibody(IgE); arb.subst.c.(NCCLS/f5; proc.) = ? $\times 10^3$ arb.unit/l
 NPU13177 P—Wheat antibody(IgE); arb.subst.c.(NCCLS/f4; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Grape antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f259; procedure)
 Note: NCCLS/f259; Vitis vinifera
NPU11683
 P—Grape antibody(IgE); arb.c.(NCCLS/f259; proc.) = ?

Plasma—

Grape antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f259; procedure)
10³ international unit/liter
 Note: NCCLS/f259; Vitis vinifera
NPU11237
 P—Grape antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f259; proc.) = ? $\times 10^3$ int.unit/l

Plasma—

Grape antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f259; procedure)
10³ arbitrary unit/liter
 Note: NCCLS/f259; Vitis vinifera
NPU13436
 P—Grape antibody(IgE); arb.subst.c.(NCCLS/f259; proc.) = ? $\times 10^3$ arb.unit/l

Plasma—

Grapefruit antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f209; procedure)
 Note: NCCLS/f209; Citrus paradisi
NPU11375
 P—Grapefruit antibody(IgE); arb.c.(NCCLS/f209; proc.) = ?

Plasma—

**Grapefruit antibody(Immunoglobulin E);
arbitrary substance concentration(IRP 75/502;
NCCLS/f209; procedure)**

10³ international unit/liter

Note: NCCLS/f209; Citrus paradisi

NPU10929

P—Grapefruit antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f209; proc.) = ? × 10³ int.unit/l

Plasma—

**Grapefruit antibody(Immunoglobulin E);
arbitrary substance concentration(NCCLS/f209;
procedure)**

10³ arbitrary unit/liter

Note: NCCLS/f209; Citrus paradisi

NPU13128

P—Grapefruit antibody(IgE); arb.subst.c.(NCCLS/f209; proc.) = ? × 10³ arb.unit/l

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary concentration(list; NCCLS/g;
procedure)**

NPU03207

P—Grass pollen antibody(IgE); arb.c.(list; NCCLS/g; proc.)

**NPU11282 P—Bahia grass antibody(IgE);
arb.c.(NCCLS/g17; proc.) = ?**

**NPU11640 P—Brome grass antibody(IgE);
arb.c.(NCCLS/g11; proc.) = ?**

**NPU11464 P—Canary grass antibody(IgE);
arb.c.(NCCLS/g71; proc.) = ?**

**NPU11453 P—Johnson grass antibody(IgE);
arb.c.(NCCLS/g10; proc.) = ?**

**NPU11507 P—Maize pollen antibody(IgE);
arb.c.(NCCLS/g202; proc.) = ?**

**NPU11347 P—Meadow fescue antibody(IgE);
arb.c.(NCCLS/g4; proc.) = ?**

**NPU11346 P—Meadow foxtail grass antibody(IgE);
arb.c.(NCCLS/g16; proc.) = ?**

**NPU11344 P—Meadow grass antibody(IgE);
arb.c.(NCCLS/g8; proc.) = ?**

**NPU11329 P—Oat grass tail antibody(IgE);
arb.c.(NCCLS/g27; proc.) = ?**

**NPU11395 P—Oat grass, cultivated antibody(IgE);
arb.c.(NCCLS/g14; proc.) = ?**

**NPU11412 P—Orchard grass antibody(IgE);
arb.c.(NCCLS/g3; proc.) = ?**

**NPU11428 P—Redtop (Bentgrass) antibody(IgE);
arb.c.(NCCLS/g9; proc.) = ?**

**NPU11654 P—Reed grass, common antibody(IgE);
arb.c.(NCCLS/g7; proc.) = ?**

**NPU11589 P—Rye grass antibody(IgE);
arb.c.(NCCLS/g5; proc.) = ?**

**NPU11591 P—Rye grass, wild antibody(IgE);
arb.c.(NCCLS/g70; proc.) = ?**

**NPU11385 P—Sweet vernal grass antibody(IgE);
arb.c.(NCCLS/g1; proc.) = ?**

**NPU11345 P—Timothy grass antibody(IgE);
arb.c.(NCCLS/g6; proc.) = ?**

NPU11359 P—Velvet grass antibody(IgE);

arb.c.(NCCLS/g13; proc.) = ?

NPU11423 P—Wheat grass antibody(IgE);

arb.c.(NCCLS/g15; proc.) = ?

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/(g1; g5; g6; g12;
g13); procedure)**

NPU14830

P—Grass pollen antibody(IgE); arb.c.(NCCLS/(g1; g5; g6; g12; g13); proc.) = ?

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/(g1; g5; g7; g12;
g13); procedure)**

NPU14831

P—Grass pollen antibody(IgE); arb.c.(NCCLS/(g1; g5; g7; g12; g13); proc.) = ?

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/(g2; g5; g6; g8;
g10; g17); procedure)**

NPU14832

P—Grass pollen antibody(IgE); arb.c.(NCCLS/(g2; g5; g6; g8; g10; g17); proc.) = ?

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary concentration(NCCLS/(g3; g4; g5; g6;
g8); procedure)**

NPU14829

P—Grass pollen antibody(IgE); arb.c.(NCCLS/(g3; g4; g5; g6; g8); proc.) = ?

Plasma—

**Grass pollen antibody(Immunoglobulin E);
arbitrary substance concentration(list; IRP 75/
502; NCCLS/g; procedure)**

NPU13448

P—Grass pollen antibody(IgE); arb.subst.c.(list; IRP 75/502; NCCLS/g; proc.)

**NPU10836 P—Bahia grass antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g17; proc.) = ? ×**

10³ int.unit/l

**NPU11194 P—Brome grass antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g11; proc.) = ? ×**

10³ int.unit/l

**NPU11018 P—Canary grass antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g71; proc.) = ? ×**

10³ int.unit/l

**NPU11007 P—Johnson grass antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g10; proc.) = ? ×**

10³ int.unit/l

**NPU11061 P—Maize pollen antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g202; proc.) = ? ×**

10³ int.unit/l

**NPU10901 P—Meadow fescue antibody(IgE);
arb.subst.c.(IRP 75/502; NCCLS/g4; proc.) = ? ×**

10³ int.unit/l

NPU10900 P—Meadow foxtail grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g16; proc.) = ? × 10³ int.unit/l
 NPU10988 P—Meadow grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g8; proc.) = ? × 10³ int.unit/l
 NPU10883 P—Oat grass tail antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g27; proc.) = ? × 10³ int.unit/l
 NPU10949 P—Oat grass, cultivated antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g14; proc.) = ? × 10³ int.unit/l
 NPU10966 P—Orchard grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g3; proc.) = ? × 10³ int.unit/l
 NPU10982 P—Redtop (Bentgrass) antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g9; proc.) = ? × 10³ int.unit/l
 NPU11208 P—Reed grass, common antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g7; proc.) = ? × 10³ int.unit/l
 NPU11143 P—Rye grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g5; proc.) = ? × 10³ int.unit/l
 NPU11145 P—Rye grass, wild antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g70; proc.) = ? × 10³ int.unit/l
 NPU10939 P—Sweet vernal grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g1; proc.) = ? × 10³ int.unit/l
 NPU10899 P—Timothy grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g6; proc.) = ? × 10³ int.unit/l
 NPU10913 P—Velvet grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g13; proc.) = ? × 10³ int.unit/l
 NPU10977 P—Wheat grass antibody(IgE);
 arbsubst.c.(IRP 75/502; NCCLS/g15; proc.) = ? × 10³ int.unit/l

Plasma—

**Grass pollen antibody(Immunoglobulin E);
 arbitrary substance concentration(list; NCCLS/g;
 procedure)**
NPU13447
 P—Grass pollen antibody(IgE); arbsubst.c.(list;
 NCCLS/g; proc.)
 NPU13035 P—Bahia grass antibody(IgE);
 arbsubst.c.(NCCLS/g17; proc.) = ? × 10³ arb.unit/l
 NPU13393 P—Brome grass antibody(IgE);
 arbsubst.c.(NCCLS/g11; proc.) = ? × 10³ arb.unit/l
 NPU13217 P—Canary grass antibody(IgE);
 arbsubst.c.(NCCLS/g71; proc.) = ? × 10³ arb.unit/l
 NPU13206 P—Johnson grass antibody(IgE);
 arbsubst.c.(NCCLS/g10; proc.) = ? × 10³ arb.unit/l
 NPU13260 P—Maize pollen antibody(IgE);
 arbsubst.c.(NCCLS/g202; proc.) = ? × 10³ arb.unit/l
 NPU13100 P—Meadow fescue antibody(IgE);
 arbsubst.c.(NCCLS/g4; proc.) = ? × 10³ arb.unit/l
 NPU13099 P—Meadow foxtail grass antibody(IgE);
 arbsubst.c.(NCCLS/g16; proc.) = ? × 10³ arb.unit/l
 NPU13097 P—Meadow grass antibody(IgE);

arbsubst.c.(NCCLS/g8; proc.) = ? × 10³ arb.unit/l
 NPU13082 P—Oat grass tail antibody(IgE);
 arbsubst.c.(NCCLS/g27; proc.) = ? × 10³ arb.unit/l
 NPU13148 P—Oat grass, cultivated antibody(IgE);
 arbsubst.c.(NCCLS/g14; proc.) = ? × 10³ arb.unit/l
 NPU13165 P—Orchard grass antibody(IgE);
 arbsubst.c.(NCCLS/g3; proc.) = ? × 10³ arb.unit/l
 NPU13181 P—Redtop (Bentgrass) antibody(IgE);
 arbsubst.c.(NCCLS/g9; proc.) = ? × 10³ arb.unit/l
 NPU13407 P—Reed grass, common antibody(IgE);
 arbsubst.c.(NCCLS/g7; proc.) = ? × 10³ arb.unit/l
 NPU13342 P—Rye grass antibody(IgE);
 arbsubst.c.(NCCLS/g5; proc.) = ? × 10³ arb.unit/l
 NPU13344 P—Rye grass, wild antibody(IgE);
 arbsubst.c.(NCCLS/g70; proc.) = ? × 10³ arb.unit/l
 NPU13138 P—Sweet vernal grass antibody(IgE);
 arbsubst.c.(NCCLS/g1; proc.) = ? × 10³ arb.unit/l
 NPU13098 P—Timothy grass antibody(IgE);
 arbsubst.c.(NCCLS/g6; proc.) = ? × 10³ arb.unit/l
 NPU13112 P—Velvet grass antibody(IgE);
 arbsubst.c.(NCCLS/g13; proc.) = ? × 10³ arb.unit/l
 NPU13176 P—Wheat grass antibody(IgE);
 arbsubst.c.(NCCLS/g15; proc.) = ? × 10³ arb.unit/l

Basophilocytes(Blood)—

**Grass pollen induced HR;
 arbitrary concentration(NCCLS/g; procedure)**
 Note: HR: Histamine release; NCCLS/g: Grass
 pollen
NPU08840
 Basocs(B)—Grass pollen induced HR;
 arb.c.(NCCLS/g; proc.) = ?

Plasma—

**Green bean antibody(Immunoglobulin E);
 arbitrary concentration(NCCLS/f315; procedure)**
 Note: NCCLS/f315; Phaseolus vulgaris
NPU11379
 P—Green bean antibody(IgE); arb.c.(NCCLS/f315;
 proc.) = ?

Plasma—

**Green bean antibody(Immunoglobulin E);
 arbitrary substance concentration(IRP 75/502;
 NCCLS/f315; procedure)**
10³ international unit/liter
 Note: NCCLS/f315; Phaseolus vulgaris
NPU10933
 P—Green bean antibody(IgE); arbsubst.c.(IRP 75/
 502; NCCLS/f315; proc.) = ? × 10³ int.unit/l

Plasma—

**Green bean antibody(Immunoglobulin E);
 arbitrary substance concentration(NCCLS/f315;
 procedure)**
10³ arbitrary unit/liter
 Note: NCCLS/f315; Phaseolus vulgaris
NPU13132
 P—Green bean antibody(IgE); arbsubst.c.(NCCLS/
 f315; proc.) = ? × 10³ arb.unit/l

Plasma—

Green coffee bean antibody(Immunoglobulin E); arbitrary concentration(NCCLS/k70; procedure)
Note: NCCLS/k70; Coffea arabica
NPU11380
P—Green coffee bean antibody(IgE); arb.c.(NCCLS/k70; proc.) = ?

Plasma—

Green coffee bean antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/k70; procedure)
10³ international unit/liter
Note: NCCLS/k70; Coffea arabica
NPU10934
P—Green coffee bean antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/k70; proc.) = ? × 10³ int.unit/l

Plasma—

Green coffee bean antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/k70; procedure)
10³ arbitrary unit/liter
Note: NCCLS/k70; Coffea arabica
NPU13133
P—Green coffee bean antibody(IgE); arb.subst.c.(NCCLS/k70; proc.) = ? × 10³ arb.unit/l

Basophilocytes(Blood)—

Green peas induced HR; arbitrary concentration(NCCLS/f12; procedure)
Note: HR: Histamine release; NCCLS/f12: Pisum sativum
NPU08860
Basocs(B)—Green peas induced HR; arb.c.(NCCLS/f12; proc.) = ?

Plasma—

Guar rubber antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f246; procedure)
Note: NCCLS/f246; Cyamopsis tetragonolobus
NPU11384
P—Guar rubber antibody(IgE); arb.c.(NCCLS/f246; proc.) = ?

Plasma—

Guar rubber antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f246; procedure)
10³ international unit/liter
Note: NCCLS/f246; Cyamopsis tetragonolobus
NPU10938
P—Guar rubber antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f246; proc.) = ? × 10³ int.unit/l

Plasma—

Guar rubber antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/f246; procedure)
10³ arbitrary unit/liter
Note: NCCLS/f246; Cyamopsis tetragonolobus
NPU13137
P—Guar rubber antibody(IgE); arb.subst.c.(NCCLS/f246; proc.) = ? × 10³ arb.unit/l

Plasma—

Guinea pig epithelium antibody(Immunoglobulin E); arbitrary concentration(NCCLS/e6; procedure)
Note: NCCLS/e6; Guniea pig epithelium
NPU11515
P—Guinea pig epithelium antibody(IgE); arb.c.(NCCLS/e6; proc.) = ?

Plasma—

Guinea pig epithelium antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/e6; procedure)
10³ international unit/liter
Note: NCCLS/e6; Guniea pig epithelium
NPU11069
P—Guinea pig epithelium antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/e6; proc.) = ? × 10³ int.unit/l

Plasma—

Guinea pig epithelium antibody(Immunoglobulin E); arbitrary substance concentration(NCCLS/e6; procedure)
10³ arbitrary unit/liter
Note: NCCLS/e6; Guniea pig epithelium
NPU13268
P—Guinea pig epithelium antibody(IgE); arb.subst.c.(NCCLS/e6; proc.) = ? × 10³ arb.unit/l

Plasma—

Gummi arabicum antibody(Immunoglobulin E); arbitrary concentration(NCCLS/f297; procedure)
Note: NCCLS/f297; Acacia spp.
NPU11272

P—Gummi arabicum antibody(IgE); arb.c.(NCCLS/f297; proc.) = ?

Plasma—

Gummi arabicum antibody(Immunoglobulin E); arbitrary substance concentration(IRP 75/502; NCCLS/f297; procedure)
10³ international unit/liter
Note: NCCLS/f297; Acacia spp.
NPU10826

P—Gummi arabicum antibody(IgE); arb.subst.c.(IRP 75/502; NCCLS/f297; proc.) = ? × 10³ int.unit/l